

FOURTH ANNUAL REPORT
ON
BIRTHS, MARRIAGES, DIVORCES,
AND DEATHS,
IN THE
STATE OF MAINE,
—
1895.

EN

ALLEN COUNTY PUBLIC LIBRARY




3 1833 01816 9448

GENEALOGY

974.1

M284M,

1895



FOURTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES,
AND DEATHS


IN THE

STATE OF MAINE

FOR THE

YEAR ENDING DECEMBER 31, 1895.

AUGUSTA:
KENNEBEC JOURNAL PRINT.
1897.



THE SHADED PARTS INDICATE THE UNSETTLED,
OR TIMBERED PORTIONS OF
THE STATE.

REGISTRATION REPORT, 1895.

This, the fourth report of the Department of Vital Statistics, gives the results of the registration of the births, marriages, divorces, and deaths in Maine during the year 1895. Many of the figures herein presented are very satisfactory when compared with those of the three preceding years, and with those exhibited by the reports of our other states in which a trustworthy system exists for the registration of vital statistics. In our first registration year, 1892, an exceptionally high death-rate was due to the epidemic prevalence of influenza. Since then the total number of deaths in the State and the death-rate have steadily diminished. In 1892, the number of deaths was 12,147; in 1893, 11,134; in 1894, 11,012, and in 1895, 10,464. The death-rate for the four years has been, respectively, 18.37, 16.84, 16.66 and 15.83. There were, therefore, in 1895, 548 fewer deaths than in 1894, 670 fewer than in 1893, and 1,683 fewer than in 1892. It is to be hoped that the death-rate of 1895 indicates more nearly than that of any preceding year the normal death-rate of the State, or the mean death-rate in the absence of unusual epidemic influences.

The number of births registered in 1895 is larger than that in any previous year,—it was larger than that of the preceding year by 822, while the birth-rate was 22.33 as compared with 21.09 in 1894. In the three years 1892-94, the greatest variation in any one year from the average number for those three years was only 111. The considerable increase in the number of births is undoubtedly due in some measure to the greater care on the part of town clerks to make their records as complete as possible.

The marriage-rate of the State has varied but little in the four years 1892-95. It has been, respectively, 8.56, 8.76, 8.46, and 8.67.

The number of divorces decreed in 1895 was 681, which, in proportion to the number of marriages solemnized during the same year, is larger than in any of the other New England States.

Population.—The population of the State of Maine in 1890 was, as given by the eleventh census, 661,086. In 1880, the population of the State was 648,936. There was, therefore, a gain of 12,150 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1880 and in 1890, and the gain or loss in each :

TABLE No. 1.
Population in 1890 and 1880.

Counties.	1890.	1880.	Difference.
Androscoggin	48,968	45,042	3,926 gain
Aroostook	49,589	41,700	7,889 gain
Cumberland	90,949	86,359	4,590 gain
Franklin	17,053	18,180	1,127 loss
Hancock	37,312	38,129	817 loss
Kennebec	57,012	53,058	3,954 gain
Knox	31,473	32,863	1,390 loss
Lincoln	21,996	24,821	2,825 loss
Oxford	30,586	32,627	2,041 loss
Penobscot	72,865	70,476	2,389 gain
Piscataquis	16,134	14,872	1,262 gain
Sagadahoc	19,452	19,272	180 gain
Somerset	32,627	32,333	294 gain
Waldo	27,759	32,463	4,704 loss
Washington	44,482	44,484	2 loss
York	62,829	62,257	572 gain
State	661,086	648,936	12,150 gain

Density of Population.—Table No. 2 shows the comparative density of the population in the several New England States at the last two census enumerations. The extremes of density were in Maine and Rhode Island, there being in 1890, 22.1 persons per square mile in Maine, and 318.4 per square mile in Rhode Island.

TABLE No. 2.

Density of the Population.—Census of 1880 and 1890.

	Area in square miles.	Population in 1880.	Persons to square mile —1880.	Population in 1890.	Persons to square mile —1890.
Maine	29,895	648,936	21.7	661,086	22.1
New Hampshire.....	9,005	346,991	38.5	376,530	41.8
Vermont.	9,135	332,286	36.4	332,422	36.4
Massachusetts... ..	8,040	1,783,085	221.8	2,238,943	278.5
Rhode Island.....	1,085	276,531	254.9	345,506	318.4
Connecticut.	4,845	622,700	128.5	746,258	154.0
New England.....	62,005	4,010,529	64.7	4,700,745	75.8

Total area 66,465 miles, of which 4,460 or 6.7 per cent is water.

In our own State, as is shown in the map which accompanies this report, a large part of some of the counties is unsettled and covered with forest. This timbered region is represented by the shaded portion of the map. It results, therefore, that the degree of density differs quite widely in the different counties. The following is a tabular statement of the comparative density of the population in the several counties :

TABLE No. 3.
Density of the Population—Census of 1890.

Counties.	Area in square miles.	Population in 1890.	Persons to square mile in 1890.
Androscoggin.....	485	48,968	100.9
Aroostook.....	6,700	49,589	7.4
Cumberland	1,005	90,949	90.4
Franklin.....	1,660	17,053	10.2
Hancock.....	1,312	37,312	28.4
Kennebec	888	57,012	64.2
Knox	328	31,473	95.9
Lincoln.....	520	21,996	42.3
Oxford....	1,892	30,586	16.2
Penobscot.....	3,332	72,865	21.9
Piscataquis	3,772	16,134	4.3
Sagadahoc	260	19,452	74.8
Somerset.....	3,664	32,627	8.9
Waldo	705	27,759	39.4
Washington ..	2,452	44,482	18.1
York	920	62,829	68.3
State....	29,895	661,056	22.1

Birth, Marriage, and Death Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes, are stated as so many among each 1,000 of the population as shown by the census of 1890.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Population of 1890; Births, Marriages and Deaths, with Rate of each to 1,000 of Population for the Year Ending December 31, 1895.

Counties.	Population in 1890.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000 per- sons married.	Deaths.	Death-rate per 1,000.
Androscoggin	48,968	1,244	25.40	459	18.75	866	14.40
Aroostook	49,589	1,946	39.56	543	21.90	665	13.52
Cumberland.....	90,949	2,146	23.60	813	17.88	1,629	17.91
Franklin....	17,053	362	21.43	158	18.53	272	16.10
Hancock	37,312	782	21.13	321	17.21	510	13.78
Kennebec . . .	57,012	1,075	18.86	506	17.75	1,014	17.79
Knox.....	31,473	622	19.78	287	18.24	526	16.73
Lincoln ...	21,996	376	17.09	150	13.64	325	14.78
Oxford. . .	30,586	588	19.35	249	16.28	455	14.98
Penobscot.....	72,865	1,479	20.37	684	18.82	1,130	15.51
Piscataquis	16,154	333	21.14	151	18.72	207	13.14
Sagadahoc. ...	19,452	387	19.90	111	11.41	287	14.75
Somerset . . .	32,627	622	19.19	307	18.82	521	16.07
Waldo....	27,759	412	14.84	218	15.71	405	14.59
Washington	44,482	914	20.72	320	14.39	603	13.67
York	62,829	1,474	23.46	452	14.39	1,049	16.70
State	661,086	14,762	22.33	5,729	17.34	10,464	15.83

The following is a general summary of the births, marriages, and deaths in 1895 :

BIRTHS.

Sex.		Parentage.	
Males	7,602	American	9,309
Females.	7,144	Foreign.....	2,977
Not stated.....	16	One parent foreign....	2,261
	14,762	Not stated.....	215
			14,762
Whole number of births			14,762
Birth-rate per 1,000			*22.33

* Birth-rates, marriage-rates, and death-rates based on the population for 1890.

MARRIAGES.

Groom and bride both American...	4,065
Groom and bride both foreign.....	614
Groom American, bride foreign ...	408
Groom foreign, bride American.....	418
Not stated.....	224
Whole number of marriages	5,729
Marriage rate per 1,000.....	8.66

DEATHS.

Sex.		Parentage.	
Males.....	5,226	American.....	8,995
Females.	5,228	Foreign	1,188
Not stated	10	Not stated	281
	10,464		10,464
Whole number of deaths.			10,464
Death rate per 1,000 of population.....			15.83

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1895 was 14,762 and the number of deaths was 10,464, the natural increase of births over deaths was 4,298.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths. In none of the preceding registration years has the number of births been greater than the number of deaths in every county in the State.

TABLE No. 5.

Counties.	Population in 1890.	Births.	Deaths.	Difference.
Androscoggin.....	48,968	1,244	866	378 gain
Aroostook ...	49,589	1,946	665	1,281 gain
Cumberland.....	90,949	2,146	1,629	517 gain
Franklin.	17,053	362	272	90 gain
Hancock.....	37,312	782	510	272 gain
Kennebec	57,012	1,075	1,014	61 gain
Knox	31,473	622	526	96 gain
Lincoln ..	21,996	376	325	51 gain
Oxford.....	30,586	588	455	133 gain
Penobscot	72,865	1,479	1,130	349 gain
Piscataquis	16,134	333	207	126 gain
Sagadahoc.	19,452	387	287	100 gain
Somerset.....	32,627	622	521	101 gain
Waldo	27,759	412	405	7 gain
Washington	44,482	914	603	311 gain
York	62,829	1,474	1,049	425 gain
State	661,086	14,762	10,464	4,298 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following :

TABLE No. 6.

Cities.	Population in 1890.	Births.	Deaths.	Difference.
Auburn	11,250	220	162	58 gain
Augusta	10,527	245	*308	63 loss
Bangor	19,103	374	336	38 gain
Bath	8,723	190	134	56 gain
Belfast	5,294	53	75	22 loss
Biddeford	14,443	532	325	207 gain
Brewer	4,193	124	79	45 gain
Calais	7,290	206	133	73 gain
Deering	5,353	142	102	40 gain
Eastport	4,908			
Ellsworth	4,804	63	58	5 gain
Gardiner	5,491	111	104	7 gain
Hallowell	3,181	41	44	3 loss
Lewiston	21,701	644	437	207 gain
Old Town	5,312	124	93	31 gain
Portland	36,425	904	755	149 gain
Rockland	8,174	141	161	20 loss
Saco	6,075	116	87	29 gain
Waterville	7,107	233	104	129 gain
Westbrook	6,632	229	99	130 gain
Total	195,986	4,692	3,596	1,096 gain

* Including 78 deaths in the Insane Hospital.

TABLE
Births, Marriages and Deaths
ANDROSCOGGIN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	11,250	97	123	-	220	19.56	103	86	11	14	6
Durham.....	1,111	13	7	-	20	18.00	15	4	1	-	-
East Livermore	1,506	22	25	-	47	31.21	30	10	6	1	-
Greene.....	885	5	15	-	20	22.60	14	2	3	1	-
Leeds	999	13	10	-	23	23.02	19	-	2	2	-
Lewiston	21,701	347	297	-	644	29.68	120	431	41	41	11
Lisbon	3,120	66	58	-	124	39.74	58	49	8	8	1
Livermore.....	1,151	10	10	-	20	17.38	16	-	2	2	-
*Mechanic Falls.....	-	14	9	-	23	-	19	-	1	3	-
Minot	1,355	12	9	-	21	15.50	19	1	-	1	-
Poland	2,472	12	13	-	25	10.11	20	3	1	1	-
Turner	2,016	6	13	-	19	9.42	19	-	-	-	-
Wales	451	6	5	-	11	24.39	11	-	-	-	-
Webster	951	15	12	-	27	28.39	11	4	7	4	1
Total ...	48,968	638	606	-	1,244	25.40	474	590	83	78	19

* Incorporated in 1893.

No. 7.

for the Year 1895.

COUNTY.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
73	6	6	1	2	88	72	90	-	162	140	18	4	14.40	
5	-	1	-	-	6	9	6	-	15	14	1	-	13.50	
15	2	2	-	-	19	14	14	-	28	23	2	3	18.59	
11	-	-	-	-	11	7	13	-	20	19	1	-	22.60	
5	-	-	-	-	5	7	9	-	16	15	-	1	16.02	
65	109	29	19	2	224	220	217	-	437	301	127	9	20.14	
16	11	4	3	-	34	27	23	-	50	43	7	-	16.03	
8	-	1	-	-	9	9	6	-	15	15	-	-	13.03	
19	-	1	-	-	20	16	11	-	27	22	4	1	-	
4	-	-	-	-	4	6	9	-	15	15	-	-	11.07	
7	-	1	1	-	9	14	17	-	31	29	2	-	12.54	
18	-	-	1	-	19	12	13	-	25	25	-	-	12.40	
-	-	-	1	-	1	8	2	-	10	9	-	1	22.17	
6	-	2	2	-	10	4	11	-	15	11	4	-	15.77	
252	128	47	28	4	459	425	441	-	866	681	166	19	17.69	

TABLE
Births, Marriages and Deaths
AROOSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	420	4	3	-	7	16.66	6	-	1	-	-
Ashland.....	568	3	5	-	8	14.08	6	-	2	-	-
Bancroft.....	264	6	7	-	13	49.24	4	4	2	2	1
Benedicta.....	317	6	3	-	9	28.39	7	-	2	-	-
Blaine.....	784	15	17	-	32	40.82	11	10	7	4	-
Bridgewater.	946	18	14	-	32	33.83	7	15	4	6	-
Caribou.	4,087	101	85	-	186	45.51	66	46	43	30	1
Dyer Brook.....	221	2	5	-	7	31.67	6	-	-	1	-
Easton	978	10	7	-	17	17.38	8	4	-	5	-
Fort Fairfield ...	3,526	57	53	-	110	31.20	45	15	17	30	3
Fort Kent.....	1,826	69	47	-	116	63.53	78	6	11	19	2
Frenchville.....	2,560	96	73	-	169	66.02	156	1	5	4	3
Grand Isle	964	22	35	-	57	59.13	34	4	11	7	1
Haynesville ..	280	5	3	-	8	28.57	7	-	1	-	-
Hersey	151	6	3	-	9	59.60	7	-	2	-	-
Hodgdon.....	1,113	14	15	-	29	26.06	9	10	6	4	-
Houlton ..	4,015	40	43	-	83	20.67	22	33	17	11	-
Island Falls.....	223	20	18	-	38	170.40	15	13	4	6	-
Limestone ..	933	18	14	-	32	34.30	10	13	1	8	-
Linneus	965	15	18	-	33	34.20	15	6	8	4	-
Littleton	924	14	22	-	36	38.96	17	8	7	4	-
Ludlow	375	5	7	-	12	32.00	3	5	3	1	-
Madawaska.....	1,451	31	21	-	52	35.84	39	1	3	9	-
Mapleton	832	11	7	-	18	21.63	14	2	-	2	-

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	4	3	-	7	6	1	-	16.66
6	-	1	1	-	8	2	1	-	3	3	-	-	5.28
2	-	2	-	-	4	2	2	-	4	3	-	1	15.15
4	-	-	1	-	5	-	-	-	-	-	-	-	-
3	1	6	1	-	11	10	5	-	15	10	5	-	19.13
1	8	2	-	1	12	5	2	-	7	4	3	-	7.40
31	15	8	17	-	71	32	28	-	60	46	12	2	14.68
1	-	-	-	-	1	4	-	-	4	4	-	-	18.10
6	2	6	3	-	17	1	4	-	5	5	-	-	5.11
17	5	9	7	-	38	24	15	1	40	28	9	3	11.34
17	-	2	1	-	20	28	19	-	47	43	4	-	25.74
33	-	-	4	-	37	25	24	-	49	47	2	-	19.14
4	-	2	2	-	8	7	7	-	14	12	2	-	14.52
-	1	-	1	-	2	-	2	-	2	1	-	1	7.14
1	-	-	-	-	1	-	1	-	1	1	-	-	6.62
5	-	3	1	-	9	4	7	-	11	10	1	-	9.88
17	34	11	13	2	77	11	21	-	32	22	10	-	7.97
6	-	4	1	-	11	4	10	-	14	12	2	-	62.78
3	3	3	1	-	10	4	2	-	6	4	2	-	6.43
2	1	1	1	-	5	6	7	-	13	8	5	-	13.47
-	-	1	-	-	1	8	6	-	14	10	4	-	15.15
-	2	1	3	-	6	3	2	-	5	4	1	-	13.33
8	-	-	-	-	8	2	3	-	5	5	-	-	3.45
3	-	1	-	-	4	2	5	-	7	3	4	-	8.41

TABLE
Births, Marriages and Deaths
AROOSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mars Hill.....	837	18	18	-	36	43.01	7	12	9	7	1
Masardis.....	250	5	2	-	7	28.00	6	-	1	-	-
Monticello.....	1,132	23	22	-	45	39.75	12	13	7	13	-
New Limerick.....	567	9	10	-	19	33.51	8	3	1	7	-
New Sweden	707	7	14	-	21	29.70	1	17	1	2	-
Orient.....	244	-	2	-	2	8.19	1	-	-	1	-
Presque Isle	3,046	85	80	-	165	54.17	67	39	30	29	-
Sherman.....	909	14	14	-	28	30.80	22	1	5	-	-
Smyrna	303	5	3	-	8	26.40	3	1	2	2	-
Van Buren.....	1,168	10	15	-	25	21.40	12	8	3	2	-
Washburn.....	1,097	21	18	-	39	35.55	20	9	5	5	-
Weston.....	404	4	4	-	8	19.80	3	2	2	1	-
Woodland.....	885	14	16	-	30	33.90	17	5	2	5	1
Allagash Pl.....	200	2	2	-	4	20.00	4	-	-	-	-
Cary Pl.....	390	1	9	-	10	25.64	6	-	4	-	-
Castle Hill Pl.....	537	6	9	-	15	27.93	8	2	3	2	-
Caswell Pl.....	212	7	5	-	12	56.60	5	2	2	2	1
Chapman Pl.....	231	7	2	-	9	38.96	7	1	1	-	-
Connor Pl.....	526	11	22	-	33	62.74	6	6	11	8	2
Crystal Pl.....	297	7	3	-	10	33.67	5	2	2	1	-
Cyr Pl.....	429	11	19	-	30	69.93	18	1	6	5	-
Eagle Lake Pl.....	313	7	8	-	15	47.92	13	-	1	1	-
Garfield Pl.....	86	2	1	-	3	34.88	2	-	-	1	-
Glenwood Pl.....	183	3	1	-	4	21.86	4	-	-	-	-

No. 7—Continued.
for the Year 1895.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	3	1	-	6	7	6	-	13	10	2	1	15.53
3	-	-	-	-	3	1	-	-	1	-	1	-	4.00
5	2	3	2	-	12	6	8	-	14	9	5	-	12.37
-	-	-	-	-	-	6	3	-	9	6	3	-	15.87
2	4	-	1	-	7	2	3	-	5	1	4	-	7.07
-	5	1	-	-	6	1	-	-	1	-	1	-	4.10
24	5	8	10	1	48	31	25	-	56	43	12	1	18.38
12	-	-	3	-	15	3	-	-	3	2	1	-	3.30
4	-	2	1	-	7	2	4	-	6	3	3	-	19.80
8	1	2	2	-	13	8	10	-	18	16	2	-	15.41
8	2	1	1	-	12	7	9	-	16	13	3	-	14.59
-	-	-	1	-	1	1	2	-	3	2	1	-	7.43
-	-	-	-	-	-	8	7	-	15	11	4	-	16.95
-	-	-	-	-	-	2	1	-	3	2	1	-	15.00
1	2	-	-	-	3	1	3	-	4	3	1	-	10.26
5	-	-	1	-	6	2	6	-	8	7	1	-	14.90
-	-	1	1	-	2	7	5	-	12	9	1	2	56.60
1	-	-	-	-	1	3	1	-	4	4	-	-	17.32
-	-	-	-	-	-	5	7	-	12	12	-	-	22.81
2	-	-	-	-	2	2	-	-	2	2	-	-	6.73
-	-	-	-	-	-	4	3	-	7	6	1	-	16.32
1	-	-	-	-	1	5	1	-	6	4	2	-	19.17
-	-	-	-	-	-	1	-	-	1	1	-	-	11.62
-	-	-	-	-	-	-	2	-	2	2	-	-	10.13

TABLE
Births, Marriages and Deaths
AROOSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hamlin Pl.....	484	17	10	-	27	55.79	16	3	2	6	-
Hammond Pl	109	2	2	-	4	36.69	1	1	2	-	-
Macwahoc Pl	216	3	4	-	7	32.41	5	1	1	-	-
Merrill Pl	244	3	5	-	8	32.79	4	1	2	1	-
Molunkus Pl	77	1	1	-	2	25.97	1	-	1	-	-
Moro Pl	199	2	6	-	8	40.20	7	1	-	-	-
Nashville Pl	34	-	1	-	1	29.41	1	-	-	-	-
New Canada Pl	301	10	7	-	17	56.48	9	2	4	2	-
Oakfield Pl.....	720	20	19	-	39	54.17	21	4	11	3	-
Oxbow Pl.....	94	4	3	-	7	74.47	6	-	-	1	-
Perham Pl	438	12	4	-	16	36.53	7	5	3	1	-
Portage Lake Pl.....	140	1	2	-	3	21.43	3	-	-	-	-
Reed Pl....	203	4	4	-	8	39.41	3	1	1	1	2
Sheridan Pl	221	-	-	-	-	-	-	-	-	-	-
St. Francis Pl	461	13	8	-	21	45.55	15	-	1	5	-
St. John Pl	226	2	7	-	9	39.82	2	1	4	2	-
Silver Ridge Pl	195	2	1	-	3	15.38	2	-	-	-	1
Stockholm Pl.	105	2	-	-	2	19.05	2	-	-	-	-
Wade Pl.	158	8	6	-	14	88.61	10	1	-	3	-
Wallagrass Pl... ..	595	18	22	-	40	67.23	27	5	5	3	-
Westfield Pl.....	166	1	5	-	6	36.14	4	2	-	-	-
Westmanland Pl	52	3	1	-	4	76.92	-	3	-	1	-
Winterville Pl	72	5	4	-	9	125.00	6	-	2	-	1
Total	*49,186	1,000	946	-	1,946	39.56	1,001	351	294	280	20

*Population in unorganized plantations in 1890, 403.

No. 7—Continued.

for the Year 1895.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
-	-	-	-	-	-	9	5	-	14	13	1	-	28.93	
-	-	-	-	-	-	2	-	-	2	1	1	-	18.35	
1	-	-	1	-	2	-	2	-	2	1	1	-	9.26	
1	-	-	-	-	1	3	-	-	3	2	1	-	12.29	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	-	1	1	-	6	1	-	-	1	1	-	-	5.03	
-	-	-	-	-	-	1	-	-	1	-	1	-	29.41	
-	-	-	-	-	-	2	1	-	3	3	-	-	9.97	
5	1	-	1	-	7	6	1	-	7	5	2	-	9.72	
-	-	-	-	-	-	3	-	-	3	3	-	-	31.91	
-	-	-	-	-	-	1	4	-	5	4	1	-	11.42	
2	-	-	-	-	2	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	2	1	-	3	2	1	-	14.78	
-	-	-	-	-	-	-	1	-	1	-	-	1	4.52	
1	1	-	-	-	2	3	1	-	4	3	1	-	8.68	
1	-	-	-	-	1	1	2	-	3	3	-	-	13.27	
-	-	-	-	-	-	2	2	-	4	4	-	-	20.51	
-	-	-	-	-	-	1	-	-	1	1	-	-	9.52	
2	-	-	-	-	2	-	2	-	2	1	1	-	12.66	
7	-	-	-	-	7	6	3	1	10	9	-	1	16.81	
-	-	-	-	-	-	3	1	-	4	3	1	-	24.10	
-	1	-	-	-	1	1	-	-	1	-	1	-	19.23	
-	-	-	-	-	-	3	2	-	5	5	-	-	69.44	
273	96	85	85	4	543	353	310	2	665	523	129	13	13.52	

TABLE
Births, Marriages and Deaths
CUMBERLAND

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	932	10	11	-	21	22.53	20	-	1	-	-
Bridgton	2,605	22	20	-	42	16.12	32	3	5	-	2
Brunswick	6,012	101	79	-	180	29.94	50	109	12	8	1
Cape Elizabeth	5,459	16	23	-	39	7.14	28	5	2	3	1
Casco	844	10	5	-	15	17.77	15	-	-	-	-
Cumberland	1,487	15	20	-	35	23.54	28	4	2	1	-
Deering	5,353	65	77	-	142	26.53	88	26	4	17	7
Falmouth	1,580	12	14	-	26	16.46	16	7	2	1	-
Freeport	2,482	28	25	-	53	21.35	46	-	2	4	1
Gorham	2,888	29	16	-	45	15.58	37	3	4	1	-
Gray	1,517	13	12	-	25	16.48	25	-	-	-	-
Harpswell	1,766	17	19	-	36	20.39	34	-	2	-	-
Harrison	1,071	12	6	-	18	16.81	18	-	-	-	-
Naples	846	12	10	-	22	26.00	22	-	-	-	-
New Gloucester	1,234	12	15	-	27	21.88	22	2	1	2	-
North Yarmouth	709	4	4	-	8	11.28	7	1	-	-	-
Otisfield	838	6	1	-	7	8.35	6	-	-	-	1
Portland	36,425	438	465	1	904	24.82	420	298	79	95	12
Pownal	712	2	8	-	10	14.04	10	-	-	-	-
Raymond	927	7	10	-	17	18.34	15	-	2	-	-
Scarboro	1,794	22	15	-	37	20.62	30	2	-	5	-
Sebago	681	7	3	-	10	14.68	10	-	-	-	-
*South Portland	-	52	39	-	91	-	63	7	6	15	-
Standish	1,841	15	14	-	29	15.75	24	1	1	1	2
Westbrook	6,632	127	102	-	229	34.53	80	119	14	15	1
Windham	2,216	14	19	-	33	14.89	26	2	2	2	1
Yarmouth	2,098	25	20	-	45	21.45	31	9	1	3	1
Total	90,949	1,093	1,052	1	2,146	23.60	1203	598	142	173	30

* Incorporated in 1895.

**No. 7—Continued.
for the Year 1895.
COUNTY.**

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
8	-	-	-	-	8	3	7	-	10	10	-	-	10.73
27	1	1	1	-	30	24	18	-	42	39	2	1	16.12
33	18	5	2	1	59	56	58	-	114	101	12	1	18.96
8	-	-	1	-	9	11	15	-	26	21	2	3	4.76
4	-	-	-	-	4	5	7	-	12	12	-	-	14.22
11	-	-	-	-	11	15	15	-	30	30	-	-	20.11
44	5	8	1	-	58	52	50	-	102	80	15	7	19.05
8	-	1	1	-	10	11	15	-	26	24	1	1	16.46
11	-	-	-	-	11	22	20	-	42	42	-	-	16.92
21	-	3	1	2	27	22	17	-	39	37	1	1	13.50
13	-	-	-	-	13	14	14	-	28	28	-	-	18.46
19	-	1	-	-	20	13	7	-	20	19	1	-	11.33
8	-	-	-	-	8	7	13	-	20	20	-	-	18.67
2	-	-	-	1	3	7	3	-	10	10	-	-	11.82
4	-	4	1	-	9	15	13	-	28	28	-	-	22.69
5	-	-	-	-	5	7	6	-	13	13	-	-	18.34
3	-	1	-	-	4	4	7	-	11	11	-	-	13.13
205	86	44	31	-	366	374	380	1	755	504	177	74	20.73
1	-	1	-	-	2	6	6	-	12	12	-	-	16.85
4	-	-	-	-	4	6	4	-	10	10	-	-	10.79
3	-	-	1	-	4	5	17	-	22	21	-	1	12.26
1	-	-	-	-	1	4	2	-	6	6	-	-	8.81
27	1	5	5	-	38	28	26	-	54	47	4	3	-
6	-	-	1	-	7	17	18	-	35	33	2	-	19.01
28	21	9	8	1	67	47	52	-	99	78	18	3	14.93
19	-	-	1	-	20	14	17	-	31	27	3	1	13.99
11	1	1	2	-	15	17	15	-	32	26	5	1	15.25
534	133	84	57	5	813	806	822	1	1,629	1,289	243	97	17.91

TABLE
Births, Marriages and Deaths
FRANKLIN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	439	2	6	-	8	18.22	8	-	-	-	-
Carthage	390	3	3	-	6	15.38	6	-	-	-	-
Chesterville.....	770	5	7	-	12	15.58	12	-	-	-	-
Eustis	321	8	12	-	20	62.31	12	2	3	2	1
Farmington.....	3,207	39	24	-	63	19.64	51	3	6	3	-
Freeman	464	4	2	-	6	12.93	6	-	-	-	-
Industry.....	545	9	3	-	12	22.02	11	-	1	-	-
Jay	1,541	26	23	-	49	31.80	18	23	4	2	2
Kingfield	601	2	5	-	7	11.65	7	-	-	-	-
Madrid	441	6	6	-	12	27.21	11	-	-	1	-
New Sharon.....	1,064	8	8	-	16	15.04	16	-	-	-	-
New Vineyard	660	4	7	-	11	16.67	10	-	1	-	-
Phillips....	1,394	10	9	-	19	13.63	18	-	-	-	1
Rangeley.....	616	14	12	-	26	42.21	22	-	-	1	3
Salem.....	218	3	5	-	8	36.70	8	-	-	-	-
Strong	627	7	7	-	14	22.33	14	-	-	-	-
Temple	470	5	3	-	8	17.02	7	-	1	-	-
Weld.....	885	10	11	-	21	23.73	19	1	-	1	-
Wilton.....	1,622	15	10	-	25	15.41	20	1	2	-	2
Coplin Pl.....	71	-	-	-	-	-	-	-	-	-	-
Dallas Pl.	184	8	5	-	13	70.65	13	-	-	-	-
Greenvale Pl....	52	-	-	-	-	-	-	-	-	-	-
Jerusalem Pl.....	18	-	-	-	-	-	-	-	-	-	-
Lang Pl	51	1	1	-	2	39.21	2	-	-	-	-
Lowell Pl	49	-	-	-	-	-	-	-	-	-	-
Perkins Pl	94	1	1	-	2	21.28	2	-	-	-	-
Redington Pl	28	1	1	-	2	71.43	1	1	-	-	-
Sandy River Pl	45	-	-	-	-	-	-	-	-	-	-
Township No 6..	26	-	-	-	-	-	-	-	-	-	-
Total.....	*16,893	191	171	-	362	21.43	294	31	18	10	9

*Population in unorganized plantations in 1890, 160.

**No. 7—Continued.
for the Year 1895.**

COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	1	7	-	8	7	-	1	18.22
2	-	-	-	-	2	2	3	-	5	5	-	-	12.82
8	-	-	-	-	8	5	10	-	15	15	-	-	19.48
-	-	-	-	-	-	1	3	-	4	4	-	-	12.46
38	1	2	1	-	42	18	23	-	41	37	4	-	12.78
2	-	-	-	-	2	1	3	-	4	3	1	-	8.62
3	-	-	-	-	3	5	4	-	9	9	-	-	16.51
6	2	-	3	-	11	12	12	-	24	21	3	-	15.57
7	-	-	-	-	7	4	5	-	9	9	-	-	14.98
7	-	-	-	-	7	4	2	-	6	6	-	-	13.61
10	-	-	-	-	10	11	4	-	15	15	-	-	14.10
5	-	-	-	-	5	8	12	-	20	20	-	-	30.30
15	2	-	-	-	17	10	11	-	21	21	-	-	15.06
9	-	-	-	-	9	3	4	-	7	5	1	1	11.36
1	-	-	-	-	1	-	1	-	1	1	-	-	4.59
6	-	-	-	-	6	8	9	-	17	17	-	-	27.11
2	-	-	-	-	2	5	9	-	14	14	-	-	29.79
9	-	-	-	-	9	3	6	-	9	9	-	-	10.17
11	-	1	1	-	13	11	19	-	30	30	-	-	18.50
-	-	-	-	-	-	1	-	-	1	1	-	-	14.08
-	-	-	-	-	-	3	-	-	3	2	-	1	16.36
-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	55.56
-	-	-	-	-	-	1	1	-	2	1	1	-	39.21
-	-	-	-	-	-	1	-	-	1	1	-	-	20.41
1	-	-	-	-	1	-	1	-	1	1	-	-	10.64
-	-	-	1	-	1	1	-	-	1	-	1	-	35.71
-	-	-	-	-	-	1	1	-	2	2	-	-	44.44
-	-	-	-	-	-	1	-	-	1	1	-	-	38.46
143	5	3	7	-	158	121	151	-	272	258	11	3	16.10

TABLE
Births, Marriages and Deaths
HANCOCK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst.....	375	3	3	-	6	16.00	5	-	-	1	-
Aurora	175	1	4	-	5	28.57	5	-	-	-	-
Bluehill	1,980	24	22	-	46	23.23	39	2	2	-	3
Brooklin	1,046	17	4	-	21	20.07	18	-	1	2	-
Brooksville	1,310	12	16	-	28	21.37	27	-	1	-	-
Bucksport.....	2,921	24	23	-	47	16.09	43	-	1	2	1
Castine	987	8	8	-	16	16.21	14	-	-	-	2
Cranberry Isles.....	330	6	5	-	11	33.33	8	-	-	3	-
Dedham.....	366	5	2	-	7	19.13	4	1	1	1	-
Deer Isle.....	3,422	55	51	-	106	30.98	97	3	5	-	1
Eastbrook.....	246	2	6	-	8	32.52	8	-	-	-	-
Eden	1,946	26	30	-	56	28.78	45	3	4	3	1
Ellsworth	4,804	26	37	-	63	13.11	51	1	4	2	5
Franklin	1,264	14	13	-	27	21.36	25	-	1	-	1
Gouldsboro	1,709	10	13	-	23	13.46	21	1	-	1	-
Hancock	1,190	8	7	-	15	12.61	13	1	1	-	-
Isle au Haut	206	1	2	-	3	14.56	3	-	-	-	-
Lamoine	726	5	2	-	7	9.64	7	-	-	-	-
Mariaville	271	3	4	-	7	25.83	6	-	1	-	-
Mount Desert.....	1,355	26	16	-	42	31.00	34	4	1	2	1
Orland... ..	1,390	20	15	-	35	25.18	33	-	2	-	-
Otis	239	1	-	-	1	4.18	-	-	-	-	1
Penobscot....	1,313	11	15	-	26	19.80	25	-	-	1	-

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
8	-	-	1	-	9	1	4	-	5	5	-	-	13.33
1	-	-	-	-	1	1	2	-	3	3	-	-	17.14
5	-	-	3	-	8	19	16	-	35	35	-	-	17.68
6	-	-	-	-	6	5	8	-	13	13	-	-	12.43
12	-	-	1	-	13	7	10	-	17	16	1	-	12.98
26	1	1	1	-	29	22	24	-	46	42	4	-	15.75
9	-	1	2	-	12	3	11	-	14	14	-	-	14.14
2	-	-	-	-	2	7	-	-	7	6	1	-	21.21
3	-	-	-	-	3	1	1	-	2	1	-	1	5.46
27	1	-	1	-	29	15	16	-	31	30	1	-	9.06
-	-	-	-	-	-	1	2	-	3	3	-	-	12.20
23	1	5	2	1	32	20	22	-	42	40	1	1	21.58
40	3	3	8	-	54	26	32	-	58	48	10	-	12.07
11	-	-	-	-	11	11	10	-	21	19	-	2	16.61
8	-	-	-	-	8	14	9	-	23	21	2	-	13.46
1	-	-	-	-	1	9	8	-	17	15	2	-	14.29
2	-	1	-	-	3	1	-	-	1	1	-	-	4.85
4	-	-	1	-	5	3	5	-	8	7	-	1	11.02
7	-	-	-	-	7	2	1	-	3	3	-	-	11.07
8	-	-	1	-	9	10	5	-	15	12	3	-	11.07
9	-	-	1	-	10	9	12	-	21	21	-	-	15.11
-	-	-	-	-	-	1	-	-	1	1	-	-	4.18
10	-	-	-	-	10	7	8	-	15	15	-	-	11.42

TABLE
Births, Marriages and Deaths
HANCOCK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Sedgwick	1,012	11	10	-	21	20.75	15	-	3	1	2
Sorrento*.....	-	-	1	-	1	-	1	-	-	-	-
Sullivan.....	1,379	13	12	-	25	18.13	22	1	-	2	-
Surry	986	7	15	-	22	22.31	22	-	-	-	-
Tremont	2,036	24	26	-	50	24.55	41	-	3	6	-
Trenton	528	5	2	-	7	13.26	7	-	-	-	-
Verona	323	2	5	-	7	21.67	5	-	1	1	-
Waltham	242	6	1	-	7	28.93	7	-	-	-	-
Winter Harbor *.....	-	5	6	-	11	-	9	1	-	1	-
Long Island Pl	132	-	4	-	4	30.30	4	-	-	-	-
Swan's Island Pl	632	7	9	-	16	25.32	16	-	-	-	-
No. 33 Pl.....	112	3	2	-	5	44.64	4	-	1	-	-
No. 21 Pl....	63	-	-	-	-	-	-	-	-	-	-
Total.....	†37,016	391	391	-	782	21.13	684	18	33	29	18

* Incorporated in 1895.

† Population in unorganized plantations in 1890, 296.

No. 7—Continued.
for the Year 1895.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
3	-	-	-	-	3	11	5	-	16	16	-	-	15.81	
-	-	-	-	-	-	-	1	-	1	1	-	-	-	
11	2	-	-	-	13	6	9	-	15	14	1	-	10.88	
10	-	1	-	-	11	5	8	-	13	13	-	-	13.18	
10	-	2	-	-	12	9	10	-	19	19	-	-	9.33	
2	-	-	-	-	2	6	4	-	10	10	-	-	18.94	
1	-	-	-	-	1	5	2	-	7	6	1	-	21.67	
-	-	-	-	-	-	1	1	-	2	2	-	-	8.26	
4	-	-	-	-	4	6	3	-	9	9	-	-	-	
3	-	-	-	-	3	1	4	-	5	5	-	-	37.88	
8	-	-	-	-	8	4	7	-	11	11	-	-	17.41	
2	-	-	-	-	2	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	1	1	-	-	15.87	
276	8	14	22	1	321	250	260	-	510	478	27	5	13.78	

TABLE
Births, Marriages and Deaths

KENNEBEC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	1,042	9	7	-	16	15.36	15	-	1	-	-
Augusta	10,527	130	115	-	245	23.27	129	68	16	25	7
Belgrade	1,090	11	9	-	20	18.35	20	-	-	-	-
Benton	1,136	8	9	-	17	14.96	12	-	2	3	-
Chelsea	2,356	6	5	-	11	4.67	8	1	-	1	1
China	1,423	5	10	-	15	10.54	14	-	-	-	1
Clinton	1,518	17	13	-	30	19.76	24	-	2	4	-
Farmingdale.....	821	3	1	-	4	4.87	3	-	-	-	1
Fayette.	649	4	4	-	8	12.33	7	-	-	1	-
Gardiner	5,491	62	49	-	111	20.21	68	20	11	10	2
Hallowell	3,181	18	23	-	41	12.89	20	13	4	4	-
Litchfield	1,126	6	5	-	11	9.77	10	-	1	-	-
Manchester	612	6	4	-	10	16.34	10	-	-	-	-
Monmouth	1,362	13	7	-	20	14.68	16	3	1	-	-
Mount Vernon	940	6	12	-	18	19.15	16	-	-	1	1
Oakland	2,044	17	12	-	29	14.19	24	1	3	1	-
Pittston	1,281	5	7	-	12	9.37	10	-	1	1	-
Randolph	1,281	12	10	-	22	17.17	11	6	2	3	-
Readfield.....	1,176	10	7	-	17	14.46	15	-	1	1	-
Rome	500	2	2	-	4	8.00	4	-	-	-	-
Sidney	1,334	10	5	-	15	11.24	14	-	-	1	-
Vassalboro.	2,052	15	17	-	32	15.59	24	3	-	4	1

No. 7—Continued.

for the Year 1895.

COUNTY.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
3	-	-	-	-	3	16	9	-	25	25	-	-	23.99	
69	28	17	12	1	127	158	150	-	308	251	44	13	29.26	
4	-	-	-	-	4	11	7	-	18	18	-	-	16.51	
2	-	-	-	-	2	7	8	-	15	15	-	-	13.20	
3	-	-	-	-	3	8	3	-	11	10	1	-	4.67	
12	-	1	1	-	14	15	13	-	28	24	2	2	19.68	
11	-	-	-	-	11	13	8	-	21	20	-	1	13.83	
6	-	-	-	-	6	5	7	-	12	12	-	-	14.62	
1	-	-	-	-	1	4	4	-	8	8	-	-	12.33	
33	3	3	6	1	46	52	52	-	104	95	6	3	18.94	
24	2	-	2	-	28	23	21	-	44	34	8	2	13.83	
9	-	1	-	-	10	6	12	-	18	18	-	-	15.99	
2	-	-	-	-	2	3	6	-	9	9	-	-	14.71	
11	-	-	-	-	11	9	14	-	23	22	1	-	16.89	
7	-	1	-	-	8	4	5	-	9	9	-	-	9.57	
23	1	-	1	-	25	12	18	-	30	29	1	-	14.68	
9	-	1	-	-	10	10	5	-	15	13	1	1	11.71	
13	-	-	1	-	14	7	8	-	15	14	1	-	11.71	
7	-	1	-	-	8	9	10	-	19	18	-	1	16.16	
4	-	-	-	-	4	3	3	1	7	7	-	-	14.00	
5	-	-	1	-	6	7	6	-	13	12	-	1	9.75	
16	1	-	-	-	17	13	24	-	37	30	5	2	18.03	

TABLE
Births, Marriages and Deaths

KENNEBEC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Vienna	495	5	3	-	8	16.16	8	-	-	-	-
Waterville	7,107	128	104	1	233	32.78	70	85	33	43	2
Wayne.....	775	4	6	-	10	12.90	9	-	1	-	-
West Gardiner.....	853	5	3	-	8	9.38	8	-	-	-	-
Windsor	853	4	5	-	9	10.55	8	-	-	1	-
Winslow	1,814	21	27	-	48	26.46	18	17	5	7	1
Winthrop	2,111	33	17	-	50	23.69	35	9	-	2	4
Unity Pl.....	62	1	-	-	1	16.13	1	-	-	-	-
Total	57,012	576	498	1	1,075	18.86	631	226	84	113	21

No. 7—Continued.
for the Year 1895.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
6	-	-	-	-	6	7	2	-	9	8	-	1	18.18	
62	19	15	9	1	106	55	48	1	104	84	14	6	14.63	
6	-	-	-	-	6	13	7	-	20	19	-	1	25.81	
-	-	-	-	-	-	9	6	-	15	15	-	-	17.58	
6	-	-	-	-	6	6	9	-	15	15	-	-	17.58	
4	-	1	-	-	5	15	15	-	30	23	6	1	16.54	
12	3	2	-	-	17	17	15	-	32	31	-	1	15.16	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
370	57	43	33	3	506	517	495	2	1,014	888	90	36	17.79	

TABLE
Births, Marriages and Deaths
KNOX

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	1,080	15	12	-	27	25.00	26	-	-	1	-
Camden.	2,471	21	22	-	43	17.40	33	3	2	5	-
Cushing.....	688	8	6	-	14	20.35	12	-	-	1	1
Friendship	877	5	8	-	13	14.82	12	-	1	-	-
Hope.....	641	2	7	-	9	14.04	9	-	-	-	-
Hurricane Isle	266	8	5	-	13	48.87	4	8	1	-	-
North Haven	552	3	4	-	7	12.68	7	-	-	-	-
Rockland.....	8,174	67	73	1	141	17.25	112	12	9	7	1
Rockport	2,150	22	20	-	42	19.53	33	-	5	3	1
South Thomaston.....	1,534	13	21	-	34	22.16	29	1	1	2	1
St. George	2,491	40	28	-	68	27.30	39	21	6	2	-
Thomaston	3,009	26	23	-	49	16.28	44	3	2	-	-
Union.....	1,436	17	8	-	25	17.41	25	-	-	-	-
Vinalhaven	2,617	30	42	-	72	27.51	43	14	11	2	2
Warren	2,037	27	18	-	45	22.09	41	-	1	1	2
Washington.....	1,230	12	6	-	18	14.63	16	-	2	-	-
Matinicus Isle Pl.	196	1	1	-	2	10.20	2	-	-	-	-
Total... ..	*31,449	317	304	1	622	19.78	487	62	41	24	8

* Population in unorganized plantations in 1890, 24.

No. 7—Continued.

for the Year 1895.

COUNTY.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
5	-	-	-	-	5	14	13	-	27	26	1	-	25.00	
23	-	1	2	-	26	26	26	-	46	44	2	-	18.62	
4	-	-	-	-	4	5	6	-	11	10	1	-	15.99	
7	-	1	-	-	8	6	6	-	12	11	1	-	13.68	
2	-	-	-	-	2	4	3	-	7	7	-	-	10.92	
-	-	-	-	-	-	1	1	-	2	-	2	-	7.52	
4	-	-	-	-	4	1	2	-	3	3	-	-	5.43	
83	6	4	4	2	99	73	88	-	161	144	12	5	19.70	
14	1	-	-	-	15	20	13	-	33	31	-	2	15.35	
9	-	1	2	1	13	12	4	-	16	13	3	-	10.43	
10	1	1	-	-	12	28	25	-	53	46	7	-	21.28	
31	-	2	-	1	34	22	16	-	38	31	7	-	12.63	
13	-	1	-	-	14	10	9	1	20	20	-	-	13.93	
24	2	2	4	-	32	28	17	-	45	42	3	-	17.20	
9	-	-	-	-	9	14	18	-	32	31	1	-	15.71	
10	-	-	-	-	10	8	11	-	19	19	-	-	15.45	
-	-	-	-	-	-	1	-	-	1	-	1	-	5.10	
248	10	13	12	4	287	267	258	1	526	478	41	7	16.73	

TABLE
Births, Marriages and Deaths
LINCOLN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	512	3	5	-	8	15.62	8	-	-	-	-
Boothbay.....	1,718	19	19	-	38	22.12	35	-	1	2	-
Boothbay Harbor	1,699	23	10	-	33	19.42	30	1	-	2	-
Bremen	842	7	7	-	14	16.63	14	-	-	-	-
Bristol.....	2,821	37	20	-	57	20.21	51	3	-	3	-
Damariscotta	1,012	5	7	-	12	11.86	12	-	-	-	-
Dresden	1,043	8	10	-	18	17.26	15	-	1	-	2
Edgecomb	749	8	6	-	14	18.69	12	-	1	1	-
Jefferson	1,391	14	10	-	24	17.25	22	-	1	1	-
Newcastle	1,282	3	10	-	13	10.14	12	-	-	1	-
Nobleboro.....	947	7	9	-	16	16.90	16	-	-	-	-
Somerville	453	4	6	-	10	22.07	8	-	-	1	1
Southport	533	3	7	-	10	18.76	9	-	-	-	1
Waldoboro	3,505	26	28	-	54	15.41	53	-	-	-	1
Westport	451	2	5	-	7	15.52	6	-	-	1	-
Whitefield	1,215	12	12	-	24	19.75	23	-	-	-	1
Wiscasset ...	1,733	8	14	-	22	12.69	21	-	-	1	-
Monhegan Pl.....	90	-	2	-	2	22.22	2	-	-	-	-
Total.....	21,996	189	187	-	376	17.09	349	4	4	13	6

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	-	-	7	5	4	-	9	9	-	-	17.58
7	-	1	-	-	8	9	7	-	16	16	-	-	9.31
11	1	-	-	1	13	16	10	-	26	24	1	1	15.30
2	-	-	-	-	2	3	6	-	9	9	-	-	10.69
14	-	-	-	-	14	15	21	-	36	35	1	-	12.76
14	-	1	1	-	16	6	7	-	13	13	-	-	12.85
6	-	-	-	-	6	6	12	-	18	16	1	1	17.26
7	-	1	-	-	8	4	7	-	11	10	-	1	14.69
14	-	-	-	-	14	8	14	-	22	20	-	2	15.82
1	-	-	-	-	1	10	7	-	17	16	1	-	13.26
3	-	-	1	-	4	11	8	-	19	18	1	-	20.06
3	-	-	-	-	3	2	5	-	7	7	-	-	15.45
4	-	1	-	1	6	4	3	-	7	6	1	-	13.13
20	-	1	-	-	21	30	23	-	53	53	-	-	15.12
3	-	-	-	-	3	4	2	-	6	6	-	-	13.30
8	-	1	-	-	9	16	7	-	23	22	1	-	18.93
14	-	-	1	-	15	17	15	-	32	31	1	-	18.47
-	-	-	-	-	-	-	1	-	1	1	-	-	11.11
138	1	6	3	2	150	166	159	-	325	312	8	5	14.78

TABLE
Births, Marriages and Deaths
OXFORD

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000	Both American.	Both foreign.	American mother and foreign father.	American father and American mother.	Not stated.
Albany	645	4	7	-	11	17.05	9	-	1	1	-
Andover.... .	740	4	6	-	10	13.51	8	-	-	2	-
Bethel	2,209	12	13	-	25	11.32	19	1	4	1	-
Brownfield	1,134	15	13	-	28	24.69	27	1	-	-	-
Buckfield.	1,200	12	14	-	26	21.67	26	-	-	-	-
Byron	180	3	1	-	4	22.22	4	-	-	-	-
Canton	1,303	10	7	-	17	13.05	9	6	1	-	1
Denmark.....	755	6	5	-	11	14.57	10	-	1	-	-
Dixfield	988	12	17	-	29	29.35	28	-	1	-	-
Fryeburg.....	1,418	12	12	-	24	16.93	21	-	2	1	-
Gilead	336	5	3	-	8	23.81	5	-	1	1	1
Grafton	98	-	2	-	2	20.41	2	-	-	-	-
Greenwood	727	10	6	-	16	22.01	15	-	1	-	-
Hanover.....	212	4	1	-	5	23.58	4	-	1	-	-
Hartford	689	4	4	-	8	11.61	7	-	-	-	1
Hebron	600	6	4	-	10	16.67	10	-	-	-	-
Hiram	1,063	10	1	-	11	10.35	8	1	2	-	-
Lovell	853	5	4	-	9	10.55	9	-	-	-	-
Mason	80	2	-	-	2	25.00	2	-	-	-	-
Mexico	355	10	9	-	19	53.52	12	5	2	-	-
Newry	343	5	2	-	7	20.41	4	-	2	1	-
Norway.....	2,665	26	31	-	57	21.39	44	6	1	3	3

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	4	5	-	9	8	-	1	13.95
3	-	1	-	-	4	7	6	-	13	11	2	-	17.57
18	-	-	-	-	18	11	4	-	15	15	-	-	6.79
8	-	-	-	-	8	16	10	-	26	26	-	-	22.93
6	-	1	1	-	8	11	9	-	20	19	-	1	16.67
-	-	-	-	-	-	1	1	-	2	2	-	-	11.11
6	1	-	2	-	9	4	12	-	16	16	-	-	12.28
2	-	-	-	-	2	1	8	-	9	9	-	-	11.92
7	-	1	1	-	9	6	9	-	15	15	-	-	15.18
19	-	-	-	-	19	17	15	-	32	32	-	-	22.57
1	-	1	-	-	2	3	4	-	7	7	-	-	20.83
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	1	-	3	6	6	-	12	11	1	-	16.51
1	-	-	-	-	1	3	2	-	5	5	-	-	23.58
2	-	-	-	-	2	3	4	-	7	7	-	-	10.16
6	-	-	-	-	6	3	5	-	8	7	1	-	13.33
7	-	-	1	-	8	10	9	-	19	19	-	-	17.87
4	-	-	-	-	4	8	5	-	13	13	-	-	15.24
-	-	-	-	-	-	1	1	-	2	2	-	-	25.00
1	-	1	-	-	2	3	1	-	4	4	-	-	11.27
1	1	-	1	-	3	3	2	-	5	4	1	-	14.58
33	-	1	2	-	36	19	19	1	39	35	3	1	14.63

TABLE
Births, Marriages and Deaths
OXFORD

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Oxford.....	1,455	6	15	-	21	14.43	17	3	1	-	-
Paris	3,156	26	24	-	50	15.84	42	1	3	4	-
Peru	692	6	2	-	8	11.56	8	-	-	-	-
Porter	1,015	10	9	-	19	18.72	19	-	-	-	-
Roxbury	222	7	3	-	10	45.05	8	1	1	-	-
Rumford	898	36	27	-	63	70.16	32	23	6	2	-
Stoneham	322	3	1	-	4	12.42	4	-	-	-	-
Stow	291	-	1	-	1	3.44	1	-	-	-	-
Sumner.	901	5	12	-	17	18.87	17	-	-	-	-
Sweden..	338	2	3	-	5	14.79	4	1	-	-	-
Upton	232	1	7	-	8	34.48	4	-	3	1	-
Waterford.....	1,001	12	9	-	21	20.98	19	1	-	1	-
Woodstock	859	5	7	-	12	13.97	12	-	-	-	-
Franklin Pl	112	1	1	-	2	17.86	2	-	-	-	-
Lincoln Pl.....	59	-	1	-	1	16.95	1	-	-	-	-
Milton Pl.....	211	3	3	-	6	28.44	6	-	-	-	-
Batchelders Grant.....	26	-	1	-	1	38.46	-	-	-	-	1
Total.....	*30,383	300	288	-	588	19.35	479	50	34	18	7

* Population in unorganized plantations in 1890, 203.

No. 7—Continued.
for the Year 1895.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
7	-	-	-	-	7	10	8	-	18	15	1	2	12.37	
21	-	-	2	-	23	19	29	-	48	47	1	-	15.21	
8	-	1	1	-	10	3	5	-	8	7	-	1	11.56	
6	-	-	1	-	7	3	5	-	8	8	-	-	7.88	
1	-	-	-	-	1	1	3	-	4	4	-	-	18.02	
15	-	2	-	1	18	14	10	-	24	22	2	-	26.73	
7	-	-	-	-	7	2	1	-	3	3	-	-	9.32	
-	-	-	-	-	-	4	5	-	9	9	-	-	30.93	
8	-	-	-	-	8	6	4	-	10	9	1	-	11.10	
3	-	-	-	-	3	4	2	-	6	6	-	-	17.75	
-	-	-	-	-	-	1	-	-	1	1	-	-	4.31	
9	-	-	-	-	9	6	9	-	15	14	1	-	14.99	
7	-	-	-	-	7	7	8	-	15	15	-	-	17.46	
4	-	-	-	-	4	2	1	-	3	3	-	-	26.79	
-	-	-	-	-	-	-	1	-	1	1	-	-	16.95	
-	-	-	-	-	-	2	2	-	4	3	1	-	18.96	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
223	3	9	13	1	249	224	230	1	455	434	15	6	14.98	

TABLE
Births, Marriages and Deaths
PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	348	2	2	-	4	11.49	4	-	-	-	-
Argyle.....	263	2	1	-	3	11.41	2	-	1	-	-
Bangor	19,103	187	185	2	374	19.58	208	90	25	44	7
Bradford	1,215	19	17	-	36	29.63	35	-	-	1	-
Bradley	823	3	-	-	3	3.64	-	3	-	-	-
Brewer	4,193	65	57	2	124	29.57	48	48	16	10	2
Burlington	460	3	4	-	7	15.22	7	-	-	-	-
Carmel	1,066	7	3	-	10	9.39	10	-	-	-	-
Carroll.....	546	9	6	-	15	27.47	12	-	2	1	-
Charleston	971	6	2	-	8	8.24	8	-	-	-	-
Chester	368	7	4	-	11	29.89	10	-	-	-	1
Clifton.....	284	2	3	-	5	17.61	4	-	1	-	-
Corinna.....	1,207	10	11	-	21	17.40	21	-	-	-	-
Corinth.....	1,154	3	4	-	7	6.07	7	-	-	-	-
Dexter	2,732	30	28	-	58	21.23	39	12	3	3	1
Dixmont	919	9	10	-	19	20.67	18	-	1	-	-
Eddington	729	2	7	-	9	12.35	7	1	-	1	-
Edinburg.....	54	-	-	-	-	-	-	-	-	-	-
Enfield	769	15	14	-	29	37.71	15	8	2	4	-
Etna	646	6	3	-	9	13.93	8	-	1	-	-
Exeter.....	939	7	6	-	13	13.84	11	-	1	1	-
Garland.	973	10	4	-	14	14.39	14	-	-	-	-
Glenburn.....	583	6	2	-	8	13.72	6	1	1	-	-
Greenbush	659	8	5	-	13	19.73	11	1	1	-	-

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
4	1	-	1	-	6	2	-	-	2	-	-	2	5.74	
1	-	-	-	-	1	-	2	-	2	2	-	-	7.60	
45	6	1	5	179	236	182	152	2	336	249	57	30	17.59	
15	-	-	-	1	16	7	8	-	15	15	-	-	12.35	
3	1	-	-	-	4	7	4	-	11	6	1	4	13.36	
28	3	3	1	1	36	34	45	-	79	62	15	2	18.84	
1	-	-	-	-	1	2	6	-	8	5	-	3	17.39	
6	-	1	-	-	7	2	3	-	5	5	-	-	4.69	
2	-	-	1	-	3	4	2	-	6	6	-	-	10.99	
7	-	-	-	-	7	6	10	-	16	15	-	1	16.48	
1	-	-	-	-	1	-	2	-	2	2	-	-	5.43	
1	-	-	-	-	1	2	1	-	3	1	-	2	10.56	
14	1	1	-	-	16	9	6	-	15	15	-	-	12.43	
15	-	-	-	-	15	8	14	-	22	22	-	-	19.06	
29	3	2	5	1	40	32	18	-	50	41	8	1	18.30	
9	-	-	1	-	10	5	6	-	11	10	1	-	11.97	
3	-	1	1	-	5	6	8	-	14	13	1	-	19.20	
-	-	-	-	-	-	1	2	-	3	3	-	-	55.55	
10	1	1	1	-	13	5	3	-	8	7	1	-	10.40	
5	-	-	-	-	5	5	4	-	9	7	-	2	13.93	
4	-	-	-	-	4	8	8	-	16	15	1	-	17.04	
8	-	-	-	-	8	12	4	-	16	10	6	-	16.44	
-	-	-	-	-	-	2	4	-	6	6	-	-	10.29	
1	-	-	1	-	2	3	7	-	10	8	2	-	15.17	

TABLE
Births, Marriages and Deaths

PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Greenfield.....	231	-	2	-	2	8.66	1	-	-	-	1
Hampden	2,484	21	26	-	47	19.32	39	3	3	-	2
Hermon	1,282	12	11	-	23	17.94	18	1	1	3	-
Holden	609	5	3	-	8	13.14	6	1	1	-	-
Howland	171	4	5	-	9	52.63	6	1	2	-	-
Hudson.....	510	5	4	-	9	17.65	9	-	-	-	-
Kenduskeag	536	5	-	-	5	9.33	3	-	1	1	-
Kingman.....	671	9	9	-	18	26.83	4	8	4	1	1
Lagrange	721	4	8	-	12	16.64	11	-	-	1	-
Lee	929	12	8	-	20	21.53	16	1	2	1	-
Levant	880	5	8	-	13	14.77	13	-	-	-	-
Lincoln.....	1,756	13	7	-	20	11.39	10	4	2	3	1
Lowell	439	3	4	-	7	15.95	6	-	1	-	-
Mattawamkeag.....	633	8	9	-	17	26.86	10	2	4	1	-
Maxfield	134	4	2	-	6	44.78	5	-	1	-	-
Medway.....	653	7	3	-	10	15.31	7	1	-	2	-
Milford.....	835	3	3	-	6	7.19	1	3	1	1	-
Mount Chase.....	284	4	3	-	7	24.65	5	1	1	-	-
Newburg	867	7	7	-	14	16.15	13	-	-	1	-
Newport.....	1,188	12	8	-	20	16.84	17	1	1	1	-
Old Town	5,312	64	60	-	124	23.34	42	35	25	21	1
Orono.....	2,790	61	30	-	91	32.62	30	37	16	8	-
Orrington	1,406	10	10	1	21	14.93	18	2	1	-	-
Passadumkeag	343	1	3	-	4	11.66	3	-	1	-	-

No. 7—Continued.
for the Year 1895.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
-	-	-	-	-	-	3	-	-	3	3	-	-	12.99	
17	-	1	1	-	19	20	16	-	36	34	2	-	14.49	
2	-	1	1	-	4	3	3	-	6	3	2	1	4.68	
5	-	-	-	-	5	5	6	-	11	11	-	-	18.06	
3	-	-	-	-	3	3	5	-	8	8	-	-	46.78	
3	-	-	-	-	3	6	3	-	9	9	-	-	17.65	
8	-	-	-	-	8	3	9	-	12	12	-	-	22.39	
3	1	-	-	-	4	7	3	-	10	6	4	-	14.90	
3	-	-	-	-	3	3	6	-	9	9	-	-	12.48	
3	-	-	4	-	7	2	5	-	7	7	-	-	7.53	
8	-	-	2	-	10	5	6	-	11	11	-	-	12.50	
12	-	1	-	-	13	12	12	-	24	23	1	-	13.67	
2	-	-	-	1	3	3	2	-	5	3	2	-	11.39	
3	-	-	3	-	6	4	8	-	12	10	2	-	18.96	
1	1	-	-	-	2	-	-	-	-	-	-	-	-	
4	-	-	-	-	4	-	1	-	1	1	-	-	1.53	
1	-	-	-	-	1	5	4	-	9	8	1	-	10.78	
-	-	-	-	-	-	1	3	-	4	4	-	-	14.08	
4	-	-	-	-	4	4	5	-	9	8	1	-	10.38	
21	-	-	1	-	22	12	9	-	21	17	1	3	17.68	
28	9	9	7	5	58	52	41	-	93	79	11	3	17.51	
14	3	1	5	1	24	30	17	-	47	38	6	3	16.49	
4	-	-	-	-	4	11	14	-	25	22	2	1	17.78	
4	-	-	-	-	4	4	2	-	6	5	-	1	17.49	

TABLE
Births, Marriages and Deaths

PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Patten.....	936	20	17	-	37	39.53	27	3	5	2	-
Plymouth	689	12	6	-	18	26.12	18	-	-	-	-
Prentiss	401	7	8	-	15	37.41	13	1	-	1	-
Springfield	677	10	5	-	15	22.16	14	-	1	-	-
Stetson	618	3	3	-	6	9.71	6	-	-	-	-
Veazie	650	9	2	-	11	16.92	9	-	2	-	-
Winn	936	10	14	-	24	25.64	13	4	3	4	-
Woodville... ..	242	4	4	1	9	37.19	5	2	1	1	-
Drew Pl.....	110	2	-	-	2	18.18	1	-	1	-	-
Lakeville Pl	144	3	1	-	4	27.77	1	-	2	1	-
No. 2, Grand Falls Pl...	68	-	1	-	1	14.70	1	-	-	-	-
Seboeis Pl.....	98	2	-	-	2	20.41	2	-	-	-	-
Stacyville Pl.....	250	10	7	-	17	68.00	8	5	2	1	1
Webster Pl.....	135	3	2	-	5	37.03	5	-	-	-	-
Total	72,622	792	681	6	1,479	20.37	920	281	140	120	18

No. 7—Continued.
for the Year 1895.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
6	3	1	2	1	13	11	6	-	17	16	1	-	17.09	
1	-	-	-	-	1	2	9	-	11	11	-	-	15.96	
1	-	-	1	-	2	2	7	-	9	9	-	-	22.44	
5	-	-	1	-	6	4	3	-	7	5	2	-	10.34	
5	-	-	-	-	5	4	8	-	12	12	-	-	19.42	
-	-	-	-	-	-	12	5	-	17	14	3	-	26.15	
6	1	1	-	-	8	1	5	-	6	6	-	-	6.41	
-	-	-	-	-	-	-	1	-	1	1	-	-	4.13	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	2	-	3	2	1	-	20.83	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	2	-	2	1	1	-	8.00	
1	-	-	-	-	1	2	-	-	2	2	-	-	14.81	
391	34	25	45	189	684	581	547	2	1,130	935	136	59	15.55	

TABLE
Births, Marriages and Deaths
PISCATAQUIS

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	622	6	6	-	12	19.29	12	-	-	-	-
Atkinson	605	-	9	-	9	14.87	8	-	-	-	1
Blanchard	213	4	4	-	8	37.55	6	2	-	-	-
Brownville	1,074	14	16	-	30	27.93	17	12	1	-	-
Dover	1,942	14	14	-	28	14.42	22	2	1	3	-
Foxcroft	1,726	18	14	-	32	18.54	22	1	4	2	3
Greenville	781	11	7	-	18	23.05	8	6	1	2	1
Guilford	1,023	12	11	-	23	22.48	20	3	-	-	-
Medford	306	4	2	-	6	19.61	5	-	-	1	-
Milo	1,029	13	15	-	28	27.21	24	-	2	2	-
Monson	1,237	13	16	-	29	23.44	21	4	3	1	-
Orneville	492	6	3	-	9	18.29	7	-	-	2	-
Parkman	813	10	10	-	20	24.60	18	-	1	1	-
Sangerville	1,236	10	7	-	17	13.75	12	-	2	2	1
Sebec	725	8	7	-	15	20.69	13	1	-	1	-
Shirley	291	5	5	-	10	34.36	5	-	2	3	-
Wellington	584	3	8	-	11	18.84	10	1	-	-	-
Williamsburg	162	3	3	-	6	37.04	5	-	-	1	-
Willimantic	446	4	4	-	8	17.94	8	-	-	-	-
Barnard Pl	100	3	1	-	4	40.00	4	-	-	-	-
Bowerbank Pl	87	-	1	-	1	11.49	1	-	-	-	-
Elliottsville Pl	53	1	-	-	1	18.87	1	-	-	-	-
Kingsbury Pl	205	2	3	-	5	24.39	5	-	-	-	-
Lake View Pl	-	2	1	-	3	-	2	1	-	-	-
North East Carry	-	-	-	-	-	-	-	-	-	-	-
Total	*15,752	166	167	-	333	21.14	256	33	17	21	6

* Population in unorganized plantations in 1890, 382.

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
3	-	-	-	-	3	3	3	-	6	6	-	-	9.65	
8	-	-	1	-	9	3	2	-	5	4	1	-	8.26	
-	-	-	-	-	-	1	1	-	2	2	-	-	9.39	
11	2	3	-	-	16	8	3	-	11	10	1	-	10.24	
20	-	2	-	1	23	16	10	-	26	25	1	-	13.38	
12	1	1	1	2	17	7	20	-	27	26	1	-	15.64	
6	2	-	4	1	13	6	2	-	8	7	-	1	10.24	
15	1	-	1	-	17	4	9	-	13	13	-	-	12.71	
-	-	-	-	-	-	3	-	-	3	2	1	-	9.80	
9	-	-	3	-	12	5	10	-	15	15	-	-	14.58	
12	1	1	-	-	14	8	9	-	17	16	1	-	13.74	
2	-	-	-	-	2	1	3	-	4	4	-	-	8.13	
4	-	-	-	-	4	3	6	-	9	8	-	1	11.07	
2	-	1	1	-	4	7	9	-	16	16	-	-	12.94	
3	-	2	1	-	6	6	8	-	14	13	1	-	19.31	
1	-	-	-	-	1	3	1	-	4	4	-	-	13.75	
5	-	-	-	-	5	3	4	-	7	7	-	-	11.98	
1	-	-	-	-	1	1	1	-	2	2	-	-	12.35	
-	-	-	-	-	-	1	6	-	7	7	-	-	15.70	
-	-	-	1	-	1	1	1	-	2	-	2	-	20.00	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	2	1	2	-	3	3	-	-	14.63	
-	-	-	-	-	-	2	3	-	5	4	1	-	-	
1	-	-	-	-	1	1	-	-	1	1	-	-	-	
117	7	10	13	4	151	94	113	-	207	195	10	2	13.14	

TABLE
Births, Marriages and Deaths

SAGADAHOC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic	177	3	1	-	4	22.60	4	-	-	-	-
Bath	8,723	95	95	-	190	21.78	126	32	8	23	1
Bowdoin	940	11	7	-	18	19.15	14	1	2	1	-
Bowdoinham	1,508	12	11	-	23	15.25	20	-	2	1	-
Georgetown.....	849	6	11	-	17	20.02	16	-	1	-	-
Perkins	69	1	-	-	1	14.49	1	-	-	-	-
Phippsburg	1,396	16	16	-	32	22.92	27	-	1	2	2
Richmond.....	3,082	14	20	-	34	11.03	29	3	2	-	-
Topsham	1,394	31	23	-	54	38.74	28	22	2	2	-
West Bath.....	367	-	1	-	1	3.26	1	-	-	-	-
Woolwich	1,007	9	4	-	13	12.91	12	1	-	-	-
Total.....	19,452	198	189	-	387	19.90	278	59	18	29	3

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
-	-	-	1	-	1	2	2	-	4	4	-	-	22.60	
37	1	7	3	-	48	58	76	-	134	110	22	2	15.36	
8	-	-	-	-	8	8	-	-	8	7	-	1	8.51	
7	-	-	-	-	7	11	15	-	26	25	1	-	17.24	
3	-	1	-	-	4	7	5	-	12	12	-	-	14.13	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	-	2	-	-	12	9	6	-	15	14	1	-	10.74	
16	1	-	1	1	19	18	16	-	34	31	3	-	11.03	
4	-	-	1	-	5	20	13	-	33	28	5	-	23.67	
1	-	-	-	-	1	1	2	-	3	3	-	-	9.77	
6	-	-	-	-	6	11	7	-	18	18	-	-	17.87	
92	2	10	6	1	111	145	142	-	287	252	32	3	14.75	

TABLE
Births, Marriages and Deaths
SOMERSET

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,444	5	9	-	14	9.70	10	1	1	1	1
Athens	1,072	2	9	-	11	10.26	10	-	-	1	-
Bingham	757	16	13	-	29	38.31	20	2	6	1	-
Cambridge	425	1	2	-	3	7.06	3	-	-	-	-
Canaan	1,130	6	6	-	12	10.62	8	-	3	1	-
Concord	345	4	4	-	8	23.19	7	-	-	-	1
Cornville.....	785	5	3	-	8	10.19	8	-	-	-	-
Detroit	590	6	5	-	11	18.64	11	-	-	-	-
Embsden	579	8	7	-	15	25.91	15	-	-	-	-
Fairfield.....	3,510	33	38	-	71	20.23	49	9	6	6	1
Harmony.....	704	12	7	-	19	26.99	18	-	-	1	-
Hartland	974	8	4	-	12	12.32	10	-	1	1	-
Madison.....	1,815	17	20	1	38	20.94	31	3	2	-	2
Mercer	584	5	4	-	9	15.41	9	-	-	-	-
Moscow	422	8	2	-	10	23.70	9	-	1	-	-
New Portland.....	1,034	7	9	-	16	15.47	15	-	1	-	-
Norridgewock	1,656	10	16	-	26	15.70	23	2	1	-	-
Palmyra.....	1,004	9	5	-	14	13.94	13	-	1	-	-
Pittsfield	2,503	21	21	-	42	16.77	39	1	1	1	-
Ripley	478	4	2	-	6	12.55	6	-	-	-	-
St. Albans.....	1,206	12	13	-	25	20.73	23	-	-	2	-
Skowhegan.	5,068	61	49	-	110	21.70	65	31	10	4	-
Smithfield.....	479	3	10	-	13	27.14	11	1	-	1	-
Solon	977	10	11	-	21	21.49	20	-	-	1	-

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
12	-	-	-	2	14	15	3	-	18	18	-	-	12.47
9	-	-	-	-	9	4	5	-	9	8	-	1	8.40
9	-	-	-	-	9	6	7	-	13	13	-	-	17.17
2	-	-	-	-	2	6	8	-	14	14	-	-	32.94
2	-	-	-	-	2	9	9	-	18	17	-	1	15.93
-	-	-	-	-	-	-	3	-	3	3	-	-	8.70
3	-	-	-	-	3	3	4	-	7	7	-	-	8.92
6	-	-	-	-	6	3	3	-	6	6	-	-	10.16
2	-	-	-	-	2	8	2	-	10	10	-	-	17.27
22	5	2	5	-	34	21	29	-	50	47	3	-	14.25
3	-	-	-	-	3	9	3	-	12	12	-	-	17.05
8	-	-	1	-	9	14	9	-	23	22	1	-	23.61
19	-	3	3	-	25	16	21	-	37	34	2	1	20.39
9	-	-	-	-	9	3	5	-	8	7	-	1	13.70
2	-	-	3	-	5	5	2	-	7	7	-	-	16.59
13	-	-	1	-	14	8	10	-	18	18	-	-	17.41
20	-	-	-	-	20	17	13	-	30	30	-	-	18.12
7	-	-	-	-	7	6	9	-	15	12	-	3	14.94
37	1	1	1	-	40	18	23	-	41	39	2	-	16.38
2	-	-	-	-	2	4	6	-	10	9	-	1	20.92
1	-	-	-	-	1	11	10	-	21	21	-	-	17.41
40	3	2	7	2	54	50	48	-	98	85	12	1	19.34
4	-	-	-	-	4	-	1	-	1	1	-	-	2.09
6	-	1	2	-	9	6	6	-	12	11	1	-	12.28

TABLE
Births, Marriages and Deaths
SOMERSET

TOWNS.	Population in 1890.	BIRTHS.										
		Sex.					Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	
Starks	766	6	6	-	12	15.67	12	-	-	-	-	
Bigelow Pl.....	62	-	1	-	1	16.13	1	-	-	-	-	
Brighton Pl.....	434	9	5	-	14	32.25	12	-	-	-	2	
Carratunk Pl.....	192	2	1	-	3	15.62	2	-	1	-	-	
Dead River Pl.....	104	3	-	-	3	28.85	3	-	-	-	-	
Dennistown Pl	66	-	2	-	2	30.30	1	-	-	1	-	
Flagstaff Pl	87	1	-	-	1	11.49	1	-	-	-	-	
Highland Pl.....	76	3	-	-	3	39.47	2	-	1	-	-	
Jackman Pl	217	8	4	-	12	55.30	1	5	2	4	-	
Lexington Pl	199	5	3	-	8	40.20	6	-	-	2	-	
Mayfield Pl	74	1	-	-	1	13.51	1	-	-	-	-	
Moose River Pl.....	170	1	4	-	5	29.41	2	-	-	3	-	
No. 1, R. 2, W. K. R. Pl.	-	-	-	-	-	-	-	-	-	-	-	
The Forks Pl.....	195	6	1	-	7	35.90	4	1	1	1	-	
West Forks Pl	146	2	1	-	3	20.55	3	-	-	-	-	
Long Pond	-	1	3	-	4	-	2	-	2	-	-	
Total.....	*32,429	3	21	300	1	622	19.19	486	56	41	32	7

* Population in unorganized plantations in 1890, 198.

No. 7—Continued.
for the Year 1895.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	5	6	-	11	11	-	-	14.36
-	-	-	-	-	-	1	-	-	1	-	1	-	16.13
6	-	1	-	-	7	-	3	-	3	3	-	-	6.91
4	-	-	-	-	4	2	-	-	2	1	1	-	10.42
1	-	-	-	-	1	1	1	-	2	2	-	-	19.23
-	-	-	-	-	-	1	-	-	1	1	-	-	15.15
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	2	2	-	-	26.32
-	2	1	2	-	5	2	1	-	3	2	1	-	13.82
1	-	-	-	-	1	2	1	-	3	3	-	-	15.08
-	-	-	-	-	-	1	-	-	1	1	-	-	13.51
-	-	-	1	-	1	1	3	-	4	4	-	-	23.53
1	-	-	-	-	1	1	2	-	3	3	-	-	-
2	-	-	-	-	2	2	-	-	2	2	-	-	10.26
1	-	-	-	-	1	1	1	-	2	1	1	-	13.70
-	-	-	-	-	-	-	-	-	-	-	-	-	-
255	11	11	26	4	307	262	259	-	521	487	25	9	16.07

TABLE
Births, Marriages and Deaths
WALDO

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	5,294	36	17	-	53	10.01	47	-	2	4	-
Belmont....	475	2	3	-	5	10.53	4	-	-	1	-
Brooks ..	730	4	4	-	8	10.96	8	-	-	-	-
Burnham .	846	14	22	-	36	42.55	36	-	-	-	-
Frankfort .	1,099	14	10	-	24	21.84	18	3	2	1	-
Freedom	510	5	2	-	7	13.72	7	-	-	-	-
Islesboro .	1,006	6	4	-	10	9.94	10	-	-	-	-
Jackson	522	3	1	-	4	9.58	4	-	-	-	-
Knox	657	5	5	-	10	15.22	10	-	-	-	-
Liberty.....	835	13	6	-	19	22.75	18	-	-	1	-
Lincolnvile	1,361	8	12	-	20	14.70	19	-	1	-	-
Monroe	1,079	6	10	-	16	14.83	12	-	2	2	-
Montville	1,049	7	8	-	15	14.30	14	-	-	1	-
Morrill	460	4	5	-	9	19.57	9	-	-	-	-
Northport	691	5	2	-	7	10.13	7	-	-	-	-
Palermo	887	5	7	-	12	13.53	11	-	-	1	-
Prospect	697	6	8	-	14	20.09	13	1	-	-	-
Searsmont .	1,144	7	8	-	15	13.11	13	-	2	-	-
Searsport	1,693	6	10	-	16	9.45	16	-	-	-	-
Stockton Springs	1,149	7	5	-	12	10.44	8	-	2	1	1
Swanville	689	13	5	-	18	26.12	16	-	1	1	-
Thorndike	589	3	5	-	8	13.58	8	-	-	-	-
Troy	868	9	8	-	17	19.59	15	-	-	2	-
Unity	922	5	10	-	15	16.27	15	-	-	-	-
Waldo	581	6	6	-	12	20.65	12	-	-	-	-
Winterport.....	1,926	16	14	-	30	15.58	25	-	-	5	-
Total	27,759	215	197	-	412	14.84	375	4	12	20	1

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
63	-	3	-	-	66	37	38	-	75	71	4	-	14.17
3	-	-	-	-	3	2	3	-	5	3	1	1	10.53
12	-	1	-	-	13	5	12	-	17	16	-	1	23.29
6	-	-	-	-	6	5	5	-	10	10	-	-	11.82
2	-	-	1	-	3	7	6	-	13	13	-	-	11.83
4	-	-	-	-	4	2	2	-	4	4	-	-	7.84
6	-	-	-	-	6	3	6	-	9	9	-	-	8.95
4	-	-	-	-	4	1	2	-	3	3	-	-	5.75
4	-	-	-	-	4	4	4	-	8	8	-	-	12.18
4	-	-	-	-	4	16	3	-	13	12	1	-	15.57
5	-	-	-	-	5	7	17	-	24	24	-	-	17.63
5	-	-	-	-	5	4	7	-	11	11	-	-	10.19
8	-	-	1	-	9	12	10	-	22	22	-	-	20.97
-	-	-	-	-	-	3	2	-	5	5	-	-	10.87
1	-	-	-	-	1	3	3	-	6	5	-	1	8.68
6	-	-	-	-	6	8	7	-	15	15	-	-	16.91
2	-	-	-	-	2	3	4	-	7	5	2	-	10.04
15	-	-	3	-	18	7	13	-	20	19	1	-	17.48
17	1	1	-	-	19	13	16	-	29	28	1	-	17.13
4	-	-	-	-	4	13	4	-	17	16	1	-	14.80
2	-	-	-	-	2	1	6	-	7	7	-	-	10.16
2	-	-	-	-	2	4	7	1	12	11	-	1	20.37
7	-	1	-	-	8	5	9	-	14	14	-	-	16.13
2	-	-	-	-	2	10	6	-	16	15	1	-	17.35
2	-	-	-	-	2	8	3	-	11	11	-	-	18.93
16	1	1	2	-	20	13	19	-	32	29	3	-	16.61
202	2	7	7	-	218	190	214	1	405	386	15	4	14.59

TABLE
Births, Marriages and Deaths
WASHINGTON

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	1,022	13	9	-	22	21.53	22	-	-	-	-
Alexander	337	7	4	-	11	32.64	10	-	1	-	-
Baileyville	226	3	1	-	4	17.70	2	-	2	-	-
Baring.....	273	7	1	-	8	29.30	4	2	1	1	-
Beddington	184	2	1	-	3	16.30	2	-	1	-	-
Brookton	429	4	5	-	9	20.98	3	1	2	3	-
Calais.....	7,290	89	117	-	206	28.26	68	55	26	51	6
Centerville.....	114	1	4	-	5	43.86	5	-	-	-	-
Charlotte.....	381	6	2	-	8	21.00	6	-	2	-	-
Cherryfield	1,787	15	18	-	33	18.47	32	-	1	-	-
Columbia	587	3	5	-	8	13.63	8	-	-	-	-
Columbia Falls	698	4	2	-	6	8.60	6	-	-	-	-
Cooper	264	-	4	-	4	15.15	1	-	2	-	1
Crawford	140	-	-	-	-	-	-	-	-	-	-
Cutler	662	-	-	-	-	-	-	-	-	-	-
Danforth	1,063	15	22	-	37	34.81	16	8	5	8	-
Deblois	76	1	1	-	2	26.32	2	-	-	-	-
Dennysville.....	452	7	6	-	13	28.76	13	-	-	-	-
East Machias	1,637	17	14	5	36	21.99	28	1	3	1	3
Eastport.....	4,908	-	-	-	-	-	-	-	-	-	-
Edmunds.....	395	5	7	-	12	30.38	10	1	-	1	-
Forest City.	287	3	6	-	9	31.36	3	2	1	3	-
Harrington	1,150	3	8	-	11	9.57	10	-	1	-	-
Jonesboro	470	10	12	-	22	46.81	20	-	1	-	1
Jonesport	1,917	25	20	-	45	23.47	42	1	2	-	-
Lubec.....	2,069	20	22	-	42	20.30	31	2	4	4	1

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	1	-	8	7	10	-	17	17	-	-	16.63
4	-	-	1	-	5	5	2	-	7	5	2	-	20.77
-	-	-	-	-	-	1	3	-	4	2	2	-	17.70
1	-	-	-	-	1	1	2	-	3	3	-	-	10.99
1	-	-	-	-	1	2	-	-	2	2	-	-	10.87
2	-	-	-	-	2	3	3	-	6	4	2	-	13.99
25	21	7	15	-	68	61	72	-	133	90	43	-	18.24
1	-	-	-	-	1	3	-	-	3	2	1	-	26.32
-	-	-	-	-	-	3	-	-	3	3	-	-	7.88
19	-	-	-	-	19	8	9	-	17	15	2	-	9.51
-	-	-	-	-	-	2	1	-	3	3	-	-	51.11
6	-	-	1	-	7	3	6	-	9	9	-	-	12.90
2	-	1	-	-	3	2	3	-	5	4	-	1	18.94
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	4	1	5	-	18	6	2	-	8	5	3	-	7.53
1	-	-	-	-	1	2	1	-	3	3	-	-	39.47
3	-	-	-	-	3	1	4	-	5	4	1	-	11.06
9	-	-	1	-	10	21	22	-	43	41	1	1	26.27
-	-	-	-	-	-	35	44	-	79	52	27	-	16.10
2	-	-	-	-	2	1	4	-	5	5	-	-	12.66
1	-	-	1	-	2	1	2	-	3	2	1	-	10.45
11	-	-	-	-	11	1	4	-	5	5	-	-	4.35
3	-	-	1	-	4	5	4	-	9	8	1	-	19.15
19	-	-	1	-	20	7	7	-	14	14	-	-	7.30
10	2	-	-	1	13	11	13	-	24	18	6	-	11.60

TABLE
Births, Marriages and Deaths
WASHINGTON

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Machias	2,035	27	24	1	52	25.55	47	-	3	2	-
Machiasport	1,437	10	16	-	26	18.09	26	-	-	-	-
Marshfield.....	299	2	-	-	2	6.69	2	-	-	-	-
Meddybemps	156	4	2	-	6	38.46	4	1	1	-	-
Milbridge	1,963	15	19	-	34	17.32	30	-	2	2	-
Northfield	143	2	1	-	3	20.98	3	-	-	-	-
Pembroke	1,514	20	23	-	43	28.40	35	1	1	4	2
Perry	945	16	9	-	25	26.46	18	1	2	4	-
Princeton	1,027	17	14	-	31	30.19	18	3	7	2	1
Robbinston	787	8	5	-	13	16.52	9	3	1	-	-
Roque Bluffs	154	1	1	-	2	12.99	2	-	-	-	-
Steuben	982	5	11	-	16	16.29	13	-	-	1	2
Talmage	112	1	4	-	5	44.64	3	-	2	-	-
Topsfield	375	7	4	-	11	29.33	9	-	2	-	-
Trescott	485	3	3	-	6	12.37	3	-	1	2	-
Vanceboro	870	9	17	-	26	29.89	4	14	3	5	-
Waite	159	2	-	-	2	12.58	1	-	-	-	1
Wesley	227	3	3	-	6	26.43	5	-	-	1	-
Whiting	393	3	5	-	8	20.36	7	-	1	-	-
Whitneyville.....	413	2	7	-	9	21.79	6	-	1	1	1
Grand Lake Stream Pl	404	4	11	-	15	37.13	9	1	3	1	1
Lambert Lake Pl....	152	2	2	-	4	26.32	2	1	1	-	-
No. 14 Pl	112	1	3	-	4	35.71	3	-	-	1	-
No. 21 Pl	81	2	2	-	4	49.38	4	-	-	-	-
Kossuth	68	3	2	-	5	73.53	3	-	-	-	2
Total.....	*44,111	429	479	6	914	20.72	610	98	86	98	22

* Population in unorganized plantations in 1890, 371.

No. 7—Continued.

for the Year 1895.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
32	-	1	4	-	37	20	15	-	35	33	1	1	17.20
8	-	-	-	-	8	11	16	-	27	25	2	-	18.79
2	-	-	-	-	2	1	-	-	1	1	-	-	3.34
1	-	-	-	-	1	-	-	-	-	-	-	-	-
12	-	-	-	-	12	14	11	-	25	23	2	-	12.74
-	-	-	-	-	-	-	3	-	3	3	-	-	20.98
10	-	1	2	-	13	8	5	-	13	12	1	-	8.59
3	-	-	-	-	3	8	4	-	12	9	3	-	12.70
8	-	1	1	-	10	10	5	-	15	13	2	-	14.61
4	-	-	-	-	4	5	8	-	13	9	4	-	16.52
-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	14	10	7	-	17	17	-	-	17.31
-	-	-	-	-	-	2	-	-	2	1	1	-	17.86
4	-	-	-	1	5	2	-	-	2	2	-	-	5.33
-	-	-	-	-	-	1	1	-	2	1	1	-	4.12
1	3	-	1	-	5	4	2	-	6	6	-	-	6.90
-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	2	-	5	4	1	-	21.10
1	-	-	-	-	1	1	1	-	2	2	-	-	5.09
1	-	-	-	-	1	3	1	-	4	3	1	-	9.69
-	-	-	1	-	1	3	1	-	4	2	2	-	9.90
1	1	-	-	-	2	1	-	-	1	1	-	-	6.58
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	1	-	4	4	-	-	49.38
-	-	-	-	-	-	-	-	-	-	-	-	-	-
238	32	12	36	2	320	302	301	-	603	487	113	3	13.67

TABLE
Births, Marriages and Deaths
YORK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton.....	878	7	6	-	13	14.81	11	1	-	-	1
Alfred.....	1,030	12	8	-	20	19.42	19	-	-	1	-
Berwick.....	2,294	31	21	-	52	22.67	43	8	-	1	-
Biddeford.....	14,443	277	255	-	532	36.83	94	362	35	35	6
Buxton.....	2,036	19	17	-	36	17.68	33	-	1	-	2
Cornish.....	1,118	10	13	-	23	20.57	22	-	1	-	-
Dayton.....	500	7	4	-	11	22.00	11	-	-	-	-
Eliot.....	1,463	13	19	-	32	21.87	26	3	2	1	-
Hollis.....	1,278	11	16	-	27	21.13	22	1	2	2	-
Kennebunk.....	3,172	23	27	-	50	15.76	42	6	-	1	1
Kennebunkport.....	2,196	18	12	-	30	13.66	27	-	1	1	1
Kittery.....	2,864	17	21	-	38	13.27	29	3	2	2	2
Lebanon.....	1,263	6	5	-	11	8.71	10	-	1	-	-
Limerick.....	966	11	9	-	20	20.70	18	-	-	2	-
Limington.....	1,092	12	8	-	20	18.32	17	-	1	1	1
Lyman.....	854	6	5	-	11	12.88	10	1	-	-	-
Newfield.....	796	4	5	-	9	11.31	9	-	-	-	-
North Berwick.....	1,803	26	8	-	34	18.86	32	-	-	1	1
Old Orchard.....	877	4	5	-	9	10.26	6	1	1	1	-
Parsonsfield.....	1,398	10	8	-	18	12.88	18	-	-	-	-
Saco.....	6,075	68	48	-	116	19.09	62	40	10	3	1
Sanford.....	4,201	90	70	-	160	38.09	71	64	14	10	1

No. 7—Continued.
for the Year 1895.
COUNTY.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign..	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
2	-	1	-	-	3	5	5	-	10	10	-	-	11.39	
4	-	-	1	-	5	7	6	-	13	13	-	-	12.62	
13	-	1	1	-	15	10	14	-	24	23	1	-	10.46	
38	67	12	11	-	128	158	167	-	325	238	87	-	22.50	
15	-	-	2	-	17	17	11	-	28	28	-	-	13.75	
12	1	-	-	-	13	5	10	-	15	13	1	1	13.42	
5	-	1	-	-	6	5	5	-	10	10	-	-	20.00	
5	-	-	-	-	5	11	8	-	19	19	-	-	12.99	
5	-	-	-	-	5	11	10	-	21	21	-	-	16.43	
13	-	1	1	-	15	20	27	-	47	45	2	-	14.82	
7	-	2	-	-	9	20	17	-	37	36	1	-	16.85	
10	-	-	-	-	10	18	13	-	31	29	-	2	10.82	
7	-	1	-	-	8	21	11	-	32	31	1	-	25.34	
5	-	-	1	-	6	3	5	-	8	7	1	-	8.28	
7	-	-	-	-	7	9	5	-	14	14	-	-	12.82	
5	-	-	-	-	5	8	4	-	12	12	-	-	14.05	
4	-	-	1	-	5	6	8	-	14	12	-	2	17.58	
11	-	1	1	-	13	19	15	-	34	32	2	-	18.86	
8	-	-	-	-	8	9	13	-	22	17	4	1	25.09	
12	-	-	-	-	12	9	11	-	20	19	1	-	14.31	
48	3	5	1	-	57	39	48	-	87	76	10	1	14.32	
27	12	3	3	-	45	41	42	-	83	75	8	-	19.76	

TABLE
Births, Marriages and Deaths
YORK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Shapleigh	968	13	7	-	20	20.66	16	-	-	4	-
South Berwick	3,434	37	35	-	72	20.97	34	22	6	7	3
Waterboro	1,357	9	6	-	15	11.05	15	-	-	-	-
Wells	2,029	19	19	-	38	18.73	37	1	-	-	-
York	2,444	26	31	-	57	23.32	48	3	3	3	-
Total	62,829	786	688	-	1,474	23.46	782	516	80	76	20

No. 7—Concluded.
for the Year 1895.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
4	-	-	-	-	4	10	6	-	16	14	1	1	16.53	
20	2	-	2	-	24	21	22	-	43	35	6	2	12.52	
11	-	-	-	-	11	10	9	-	19	19	-	-	14.00	
7	-	1	-	-	8	13	16	-	29	29	-	-	14.29	
8	-	-	-	-	8	18	18	-	36	35	1	-	15.14	
313	85	29	25	-	452	523	526	-	1,049	912	127	10	16.70	

TABLE
RECAPITULATION

COUNTIES.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin ...	48,968	638	606	-	1,244	25.40	474	590	83	78	19
Aroostook	49,589	1,000	946	-	1,946	39.56	1,001	351	294	280	20
Cumberland	90,949	1,093	1,052	1	2,146	23.60	1,203	598	142	173	30
Franklin	17,053	191	171	-	362	21.43	294	31	18	10	9
Hancock	37,312	391	391	-	782	21.13	684	18	33	29	18
Kennebec	57,012	576	498	1	1,075	18.86	631	226	84	113	21
Knox	31,473	317	304	1	622	19.78	487	62	41	24	8
Lincoln.....	21,996	189	187	-	376	17.09	349	4	4	13	6
Oxford	30,586	300	288	-	588	19.35	479	50	34	18	7
Penobscot.....	72,865	792	681	6	1,479	20.37	920	281	140	120	18
Piscataquis	16,134	166	167	-	333	21.14	256	33	17	21	6
Sagadahoc	19,452	198	189	-	387	19.90	278	59	18	29	3
Somerset	32,627	321	300	1	622	19.19	486	56	41	32	7
Waldo	27,759	215	197	-	412	14.84	375	4	12	20	1
Washington.....	44,482	429	479	6	914	20.72	610	98	86	98	22
York	62,829	786	688	-	1,474	23.46	782	516	80	76	20
Total	661,086	7,602	7,144	16	14,762	22.33	9,309	2,977	1,127	1,134	215

No. 8.

BY COUNTIES.

MARRIAGES.						DEATHS.								Death rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
252	128	47	28	4	459	425	441	-	866	681	166	19	14.40	
273	96	85	85	4	543	353	310	2	665	523	129	13	13.52	
534	133	84	57	5	813	806	822	1	1,629	1,289	243	97	17.91	
143	5	3	7	-	158	121	151	-	272	258	11	3	16.10	
276	8	14	22	1	321	250	260	-	510	478	27	5	13.78	
370	57	43	33	3	506	517	495	2	1,014	888	90	36	17.79	
248	10	13	12	4	287	267	258	1	526	478	41	7	16.73	
138	1	6	3	2	150	166	159	-	325	312	8	5	14.78	
223	3	9	13	1	249	224	230	1	455	434	15	6	14.98	
391	34	25	45	189	684	581	547	2	1,130	935	136	59	15.51	
117	7	10	13	4	151	94	113	-	207	195	10	2	13.14	
92	2	10	6	1	111	145	142	-	287	252	32	3	14.75	
255	11	11	26	4	307	262	259	-	521	487	25	9	16.07	
202	2	7	7	-	218	190	214	1	405	386	15	4	14.59	
238	32	12	36	2	320	302	301	-	603	487	113	3	13.67	
313	85	29	25	-	452	523	526	-	1,049	912	127	10	16.70	
4,065	614	408	418	224	5,729	5,226	5,228	10	10,464	8,995	1,188	281	15.83	

TABLE No. 9,
Births and Birth-Rates by Counties for the Years 1892-95.

	1892.		1893.		1894.		1895.	
	Births.	Rate.	Births	Rate.	Births.	Rate.	Births.	Rate.
State	14,028	21.21	13,908	21.04	13,940	21.09	14,762	22.33
Androscoggin ..	991	20.23	1,053	21.50	1,079	22.03	1,244	25.40
Aroostook	1,610	32.46	1,553	32.44	1,750	35.84	1,946	39.56
Cumberland	2,048	22.51	2,017	22.17	2,032	22.34	2,146	23.60
Franklin	345	20.23	314	18.60	328	19.43	362	21.43
Hancock	757	20.28	739	19.97	750	22.07	782	21.13
Kennebec....	1,064	18.66	1,149	20.15	997	17.49	1,075	18.86
Knox ...	572	18.14	652	20.73	600	19.05	622	19.78
Lincoln	402	18.27	348	15.89	362	16.50	376	17.09
Oxford	524	17.13	498	16.36	564	18.47	588	19.35
Penobscot	1,452	19.92	1,375	18.91	1,444	19.89	1,479	20.37
Piscataquis	343	21.25	339	21.66	288	18.19	333	21.14
Sagadahoc	375	19.27	391	20.10	367	18.87	387	19.90
Somerset	629	19.27	642	19.90	553	17.14	622	19.19
Waldo.....	404	14.55	435	15.67	390	14.04	412	14.84
Washington	1,081	24.30	1,001	22.64	1,106	25.02	914	20.72
York	1,431	22.77	1,402	22.31	1,330	21.17	1,474	23.46

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1895.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin.	638	606	-	1,244	32	-	105.2
Aroostook	1,000	946	-	1,946	54	-	105.7
Cumberland.....	1,093	1,052	1	2,146	41	-	103.9
Franklin	191	171	-	362	20	-	111.7
Hancock	391	391	-	782	-	-	100.0
Kennebec	576	498	1	1,075	78	-	115.7
Knox.....	317	304	1	622	13	-	104.3
Lincoln	189	187	-	376	2	-	101.1
Oxford.....	300	288	-	588	12	-	104.2
Penobscot	792	681	6	1,479	111	-	116.3
Piscataquis.....	166	167	-	333	-	1	99.4
Sagadahoc.	198	189	-	387	9	-	104.8
Somerset	321	300	1	622	21	-	107.0
Waldo	215	197	-	412	18	-	109.1
Washington	429	479	6	914	-	50	89.5
York	786	688	-	1,474	98	-	114.2
Total	7,602	7,144	16	14,762	458	-	106.4

TABLE No. 11.

Number of Births in Each Month of 1892, 1893, 1894, and 1895,
with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,016	85.3	1,151	97.5	962	81.3	1,182	94.3
February	1,113	103.4	1,082	101.5	980	91.7	1,082	95.6
March	1,345	112.9	1,162	98.4	1,335	116.6	1,329	106.1
April	1,275	110.6	1,259	110.1	1,324	115.6	1,287	106.1
May	1,323	111.1	1,273	107.7	1,255	106.1	1,308	104.4
June	1,176	101.9	1,162	101.7	1,200	104.8	1,236	101.9
July	1,222	102.6	1,176	99.6	1,286	108.7	1,290	103.0
August	1,191	100.0	1,213	102.7	1,213	102.5	1,312	104.7
September	1,144	99.2	1,115	97.6	1,168	102.0	1,233	101.6
October	1,047	87.9	1,126	95.3	1,064	89.9	1,189	94.9
November	1,002	86.9	1,032	90.3	980	85.6	1,115	91.9
December	1,111	93.1	1,109	93.9	1,164	98.4	1,193	95.2
Unknown	63	—	48	—	9	—	6	—

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 12.

Births by Sex and Months, by Counties, 1895.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	60	44	56	56	60	46	55	69	63	42	42	44	1	638	-
females...	50	45	55	53	49	41	54	48	63	62	44	41	1	606	1244
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males ...	80	73	96	106	87	69	96	99	73	63	83	75	-	1000	-
females ..	67	67	95	92	86	82	94	71	89	65	67	70	1	946	1946
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males ..	96	83	87	90	107	89	100	88	86	96	79	92	-	1093	-
females ..	59	78	97	79	93	82	86	107	86	84	86	85	-	1052	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2146
Franklin, males	10	19	22	12	21	13	17	12	19	13	14	19	-	191	-
females ..	4	11	24	12	9	18	12	17	22	15	13	14	-	171	362
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males	29	20	34	29	27	39	38	33	38	34	31	39	-	391	-
females ..	31	27	22	39	31	23	39	49	32	48	22	27	1	391	782
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males	39	57	56	51	36	53	54	49	54	39	39	49	-	576	-
females ..	28	40	43	39	48	48	46	45	42	50	35	34	-	498	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1075
Knox, males	33	23	32	22	21	23	29	30	15	29	32	28	-	317	-
females ..	21	25	36	24	21	27	33	18	22	19	27	31	-	304	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	1	622
Lincoln, males	14	18	14	20	21	20	15	20	11	10	18	8	-	189	-
females ..	11	21	21	12	19	10	19	8	15	15	24	12	-	187	376
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males	22	26	28	20	31	26	23	26	21	18	23	36	-	300	-
females ..	21	15	23	21	25	27	28	29	31	19	23	26	-	288	588
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males ...	82	43	84	70	67	60	64	45	71	68	58	75	-	792	-
females ..	59	48	55	53	64	65	56	62	50	53	49	66	1	681	-
not stated	1	1	-	-	2	1	-	-	-	-	-	-	-	6	1479
Piscataquis, males ..	16	13	23	16	13	15	13	11	13	14	11	8	-	166	-
females ..	11	14	10	19	13	12	14	24	22	7	13	8	-	167	333
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males ...	24	13	11	29	12	15	14	16	15	15	21	13	-	198	-
females ..	16	9	12	25	16	17	21	19	16	17	8	13	-	189	387
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males	28	21	30	20	29	28	27	25	15	33	29	36	-	321	-
females ..	28	22	27	30	33	35	10	30	21	18	27	19	-	300	-
not stated	-	-	-	-	-	1	-	-	-	-	-	-	-	1	622
Waldo, males	13	14	19	24	19	22	15	23	12	16	19	19	-	215	-
females ..	18	13	16	17	21	23	13	13	18	18	14	13	-	197	412
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males..	37	26	35	32	51	40	36	31	38	39	29	34	1	429	-
females ..	40	36	40	44	39	43	42	43	43	44	30	35	-	479	-
not stated	-	-	1	1	1	-	1	1	1	1	-	-	-	6	914
York, males	50	60	68	73	71	59	72	82	67	65	53	66	-	786	-
females ..	54	52	57	57	65	63	53	70	49	60	50	58	-	688	1474
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males	633	558	695	670	673	617	668	659	611	594	581	641	2	7602	-
females ..	548	523	633	616	632	616	620	653	621	594	532	552	4	7144	-
not stated	1	1	1	1	3	3	2	-	1	1	2	-	-	16	-
	1182	1082	1329	1287	1308	1236	1290	1312	1233	1189	1115	1193	6	14762	14762

TABLE No. 13.

Births in Cities for 1895, with Rate per 1,000 of Population.

CITIES.	Population in 1890.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	11,250	97	123	-	220	19.56	78.9
Augusta	10,527	130	115	-	245	23.27	113.0
Bangor	19,103	187	185	2	374	19.58	101.0
Bath	8,723	95	95	-	190	21.78	100.0
Belfast.....	5,294	36	17	-	53	10.01	21.2
Biddeford	14,443	277	255	-	532	36.83	108.1
Brewer	4,193	65	57	2	124	29.57	115.1
Calais ..	7,290	89	117	-	206	28.26	76.0
Deering.....	5,353	65	77	-	142	26.53	84.4
Eastport.....	4,908	-	-	-	-	-	-
Ellsworth	4,804	26	37	-	63	13.11	70.3
Gardiner.....	5,491	62	49	-	111	20.21	126.5
Hallowell.....	3,181	18	23	-	41	12.89	78.3
Lewiston ..	21,701	347	297	-	644	29.68	116.8
Old Town.....	5,312	64	60	-	124	23.34	106.7
Portland ..	36,425	438	465	1	904	24.82	94.2
Rockland	8,174	67	73	1	141	17.25	91.8
Saco	6,075	68	48	-	116	19.09	141.7
Waterville.....	7,107	128	104	1	233	32.78	123.1
Westbrook	6,632	127	102	-	229	34.53	124.5
Total	195,986	2,386	2,299	7	4,692	23.94	103.7

TABLE No. 14.

Percentage of American and Foreign Births by Counties, 1895.

COUNTIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	38.10	47.43	12.94	1.53
Aroostook	51.44	18.04	29.50	1.02
Cumberland	56.06	27.87	14.68	1.39
Franklin	81.22	8.56	7.73	2.49
Hancock ..	87.47	2.30	7.93	2.30
Kennebec	58.70	21.02	18.33	1.95
Knox	78.30	9.97	10.45	1.28
Lincoln	92.82	1.07	4.52	1.59
Oxford	81.47	8.49	8.83	1.21
Penobscot	62.28	18.96	17.55	1.21
Piscataquis	76.88	9.91	11.41	1.80
Sagadahoc	71.83	15.25	12.14	0.78
Somerset	78.13	9.00	11.74	1.13
Waldo	91.02	0.97	7.77	0.24
Washington	66.74	10.72	20.13	2.41
York	53.05	35.01	10.58	1.36
State	63.05	20.17	15.32	1.46

TABLE No. 15.

Percentage of American and Foreign Births, by Cities, 1895.

CITIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn	46.82	39.09	11.36	2.73
Augusta	52.65	27.75	16.75	2.85
Bangor	55.62	24.06	18.45	1.87
Bath	66.32	16.84	16.31	0.53
Belfast	88.68	-	11.32	-
Biddeford	17.66	68.05	13.16	1.13
Brewer	38.71	38.71	20.97	1.61
Calais	33.01	26.69	37.38	2.92
Deering	61.97	18.31	14.79	4.93
Eastport	-	-	-	-
Ellsworth	80.95	1.59	9.51	7.95
Gardiner	61.26	18.02	18.92	1.80
Hallowell	48.78	31.70	19.52	-
Lewiston	18.63	66.93	12.73	1.71
Old Town	33.86	28.23	37.09	0.82
Portland	46.46	32.96	19.25	1.33
Rockland	79.43	8.51	11.35	0.71
Saco	53.45	34.48	11.21	0.86
Waterville	30.04	36.48	32.62	0.86
Westbrook	34.94	51.97	12.66	0.43
Collectively	41.69	38.81	17.84	1.66

TABLE No. 16.
Twin Births by Months and Counties, 1895.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	1	1	2	3	3	3	1	3	-	2	-	2	21
Aroostook	5	2	-	5	3	1	4	-	2	1	2	1	26
Cumberland	1	1	3	4	3	2	2	3	3	-	1	2	25
Franklin	-	-	1	-	-	-	-	1	-	-	-	-	2
Hancock	-	1	-	-	-	-	-	3	-	1	-	1	6
Kennebec.	-	1	2	1	2	-	1	1	1	3	1	-	13
Knox.....	-	1	3	2	-	1	-	2	-	-	-	-	9
Lincoln.....	-	-	-	-	1	-	-	-	2	-	-	-	3
Oxford	-	-	-	-	-	1	1	-	-	1	-	-	3
Penobscot.....	2	-	1	1	1	1	-	2	3	2	1	1	15
Piscataquis.....	1	-	2	-	-	-	-	1	-	-	1	-	5
Sagadahoc	2	-	-	1	-	-	-	-	-	-	2	-	5
Somerset	1	1	2	-	-	1	-	-	-	-	1	-	6
Waldo	-	-	1	-	-	-	-	-	-	1	1	-	3
Washington	1	1	-	1	-	1	-	-	1	2	1	1	9
York	-	1	2	1	1	-	2	4	1	-	1	1	14
Total	14	10	19	19	14	11	11	20	13	13	12	9	165

TABLE No. 17.

Twin Births, by Sex and Parentage, by Counties, 1895.

COUNTIES.	SEX.				PARENTAGE.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	14	14	12	2	14	26	-	2	-	42	35	7	42
Aroostook	20	20	12	-	24	12	10	6	-	52	50	2	52
Cumberland	24	14	12	-	28	16	2	2	2	50	40	10	50
Franklin	-	4	-	-	4	-	-	-	-	4	4	-	4
Hancock	2	6	4	-	8	-	-	4	-	12	11	1	12
Kennebec	6	8	12	-	18	6	-	2	-	26	25	1	26
Knox	6	2	10	-	12	4	-	2	-	18	14	4	18
Lincoln	2	-	4	-	6	-	-	-	-	6	4	2	6
Oxford	4	2	-	-	2	2	2	-	-	6	6	-	6
Penobscot	12	12	6	-	16	8	4	2	-	30	30	-	30
Piscataquis	6	-	4	-	6	-	-	2	2	10	4	6	10
Sagadahoc	4	2	4	-	8	2	-	-	-	10	10	-	10
Somerset	4	-	8	-	12	-	-	-	-	12	11	1	12
Waldo	4	-	2	-	6	-	-	-	-	6	3	3	6
Washington	4	8	6	-	12	6	-	-	-	18	17	1	18
York	10	6	12	-	14	14	-	-	-	28	26	2	28
Total	122	98	108	2	190	96	18	22	4	330	290	40	330

TABLE No. 18.
Still-Births by Sex and Parentage, by Counties, 1895.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin.....	23	24	7	54	31	20	3
Aroostook.....	46	33	3	82	49	33	-
Cumberland.....	57	51	2	110	63	45	2
Franklin.....	8	6	-	14	14	-	-
Hancock.....	18	16	-	34	33	1	-
Kennebec.....	35	18	2	55	41	13	1
Knox.....	13	7	1	21	17	4	-
Lincoln.....	9	6	-	15	15	-	-
Oxford.....	14	9	-	23	22	1	-
Penobscot.....	34	30	4	68	49	17	2
Piscataquis.....	12	5	-	17	13	3	1
Sagadahoc.....	11	3	2	16	12	4	-
Somerset.....	22	11	-	33	27	5	1
Waldo.....	17	9	-	26	26	-	-
Washington.....	15	14	1	30	26	4	-
York.....	40	30	-	70	34	36	-
Total.....	374	272	22	668	472	186	10

TABLE No. 19.
Still-Births by Seasons, 1895.

MONTHS.			
January	56		
February	59		
March	71	Total for first quarter.....	186
April	59		
May.....	53		
June	46	Total for second quarter.....	158
July	50		
August	55		
September	60	Total for third quarter.. . . .	165
October	47		
November.....	46		
December.....	65	Total for fourth quarter	158
Month not stated.....	1	Total not stated	1
Total	668		668

NOTES ON BIRTHS.

In the year 1895, 15,430 births were registered in the State, including still-births (14,028 in 1892, 14,604 in 1893, and 14,607 in 1894).

The number of living children born was 14,762, and the number of still-births was 668.

Of the whole number of living children of which the sex was certified, 7,602 were males and 7,144 were females. In 16 births, the sex was not stated. For each 100 girls born there were 106.4 boys (106.7 in 1892, 107.4 in 1893, and 104.7 in 1894).

Birth-Rate.—The birth-rate of living children for the State was 22.23 for each 1,000 of population, using the figures as given in the census returns for 1890 as the basis of calculation.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 of population was 23.94 as compared with 21.65, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. It was the highest in Aroostook, 39.56, and the lowest in Waldo, 14.84. In four counties, Aroostook, Androscoggin, Cumberland, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and No. 8.

For the purpose of comparison it may be stated that in 1895 the birth-rate in New Hampshire was 21.08; in Vermont, 21.18; in Massachusetts, 27.02; in Rhode Island, 25.68; and in Connecticut, 24.41.

Parentage.—Of the total births in the State, 63.05 per cent. were of native parents; 20.17 per cent. were of foreign parentage; 15.32 per cent. were of parents, one of whom was foreign; while of 1.46 per cent. the nationality was not stated.

Lincoln county, as in each of the previous years, had the largest percentage of native-born parents, to wit, 92.82 per cent. Waldo followed with 91.02 per cent. of native parentage, and only 0.97 per cent. in which both parents were foreign-born.

In Hancock county, in 87.47 per cent. of the births, the parents were native-born.

In Franklin, the percentage was 81.22, and in Oxford, 81.47.

Low percentages of native-born parents were shown in Androscoggin county, where, in 38.10 per cent. of the births, the parents were native-born, and 47.43 per cent. were foreign-born; and in York county with 53.05 per cent., and in Aroostook with 51.44 per cent. of the parents native-born.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that, in the cities, 41.69 per cent. of the births were of American parentage, while in the rural

parts of the State, the percentage of American-born children was 73.01.

The largest percentage of foreign-born parents was in Biddeford, 68.05, and in Lewiston, 66.93 per cent.

The lowest percentage of foreign-born parents was again in Belfast where no birth was reported in which both parents were foreign, while in Ellsworth only 1.59 per cent., and in Rockland 8.51 per cent. of the births had both parents foreign-born. For further comparisons see Table No. 15.

Comparing the statistics of the other New England States with our 63.05 per cent. of American-born parents, we find that in 1895, in Vermont 78.93 per cent. of the births were of American-born parents; in Massachusetts, 32.45 per cent.; in Rhode Island, 33.31 per cent.; and in Connecticut, 41.4 per cent.

Seasons and Births.—The largest number of births in any one month in 1895 was 1,329 in March; the smallest was 1,115 in November; the largest quarterly total was 3,835 in the third quarter; the smallest, 3,497 in the last quarter.

The following is a tabular statement of the number of births in each quarter of each of the four years 1892-95:

	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
1892	3,474	3,774	3,557	3,160
1893	3,395	3,694	3,504	3,267
1894	3,277	3,779	3,667	3,208
1895	3,593	3,831	3,835	3,497

The three consecutive months in which the largest number of births occurred were March, April, and May, 3,924.

Twin Births.—In 1895, 165 twin births occurred; in 61 instances the twins were both boys; in 49, both girls; in 54, a boy and a girl. In 95 cases the parentage was American; in 48, foreign; and in 20 instances the parentage was mixed. Of the 330 children, 290 were born alive, and 40 were still-born.

Triplets in Portland and Jonesboro. Other facts may be learned by consulting Tables No. 16 and No. 17.

Still-Births.—Of the 668 still-born children, 374 were males, and 272 females. In 22 the sex was not stated. With the exception of 10 still-births, as to which the nativity of the mother was not stated, 472 were of American mothers, and 186 were of foreign mothers.

The largest number of still-births, 110, occurred in Cumberland county; while the minimum number, 14, was reported in Franklin county.

The largest number of still-births, 71, was returned in March; the smallest number was 46 in June and November. See Tables No. 18 and No. 19 for other details.

TABLE No. 20.

Marriages and Marriage Rates by Counties for the Years 1892-95.

	1892.		1893.		1894.		1895.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,726	8.56	5,795	8.76	5,591	8.46	5,729	8.67
Androscoggin	479	9.78	463	9.46	456	9.31	459	9.37
Aroostook	458	9.24	494	9.96	492	9.92	543	10.95
Cumberland	779	8.57	820	9.02	757	8.32	813	8.94
Franklin	145	8.50	150	8.80	166	9.73	158	9.27
Hancock	307	8.23	311	8.33	327	8.76	321	8.60
Kennebec.....	553	9.70	529	9.28	478	8.38	506	8.88
Knox	276	8.77	318	10.10	270	8.58	287	9.12
Lincoln	172	7.82	155	7.05	143	6.50	150	6.81
Oxford	224	7.32	223	7.29	217	7.10	249	8.14
Penobscot	697	9.58	694	9.52	631	8.66	684	9.39
Piscataquis	133	8.24	143	8.86	144	8.92	151	9.35
Sagadahoc	157	8.07	131	6.73	131	6.73	111	5.71
Somerset.....	297	9.10	298	9.13	285	8.74	307	9.41
Waldo	240	8.65	225	8.11	226	8.14	218	7.89
Washington	354	7.96	406	9.13	414	9.31	320	7.19
York	455	7.24	435	6.92	454	7.23	452	7.19

TABLE No. 21.
Marriages by Counties and Nativity, 1895.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	252	128	47	28	4	459
Aroostook... ..	273	96	85	85	4	543
Cumberland	534	133	84	57	5	813
Franklin	143	5	3	7	-	158
Hancock.....	276	8	14	22	1	321
Kennebec	370	57	43	33	3	506
Knox	248	10	13	12	4	287
Lincoln.....	138	1	6	3	2	150
Oxford.....	223	3	9	13	1	249
Penobscot.....	391	34	25	45	189	684
Piscataquis	117	7	10	13	4	151
Sagadahoc	92	2	10	6	1	111
Somerset	255	11	11	26	4	307
Waldo	202	2	7	7	-	218
Washington.....	238	32	12	36	2	320
York	313	85	29	25	-	452
Total	4,065	614	408	418	224	5,729

TABLE No. 22.
Marriages by Months and Counties, 1895.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	36	44	19	33	36	53	35	35	36	52	49	31	-	459
Aroostook	36	47	15	60	41	43	33	50	61	59	52	46	-	543
Cumberland	53	52	41	50	48	129	54	61	80	91	89	65	-	813
Franklin	20	11	12	11	12	8	13	10	16	13	23	9	-	158
Hancock	37	14	20	13	28	27	16	25	27	37	39	38	-	321
Kennebec	56	32	24	36	38	59	19	39	57	48	54	44	-	506
Knox	23	22	19	21	18	23	21	17	26	33	31	33	-	287
Lincoln	9	7	9	7	13	18	11	14	11	19	16	16	-	150
Oxford	17	16	18	7	16	20	15	18	31	32	37	22	-	249
Penobscot	51	55	45	52	33	85	42	52	71	76	75	46	1	684
Piscataquis	6	7	10	12	13	17	9	7	13	23	21	13	-	151
Sagadahoc	3	11	2	6	6	15	12	8	8	16	9	15	-	111
Somerset	25	18	15	23	32	27	18	28	32	34	27	28	-	307
Waldo	22	9	11	15	16	24	7	15	24	18	20	37	-	218
Washington	26	15	24	21	21	26	40	23	34	27	32	31	-	320
York	29	24	23	23	29	48	37	31	49	54	56	49	-	452
Total	449	384	307	390	400	622	382	433	576	632	630	523	1	5,729

TABLE No. 23.

Number of Marriages in Each Month of 1892, 1893, 1894, and 1895,
with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.	
	Marriages.	*Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	321	66.1	397	80.7	400	84.2	449	92.2
February	334	76.1	315	70.8	298	64.9	384	87.5
March	322	66.0	345	70.1	342	72.0	307	63.0
April.....	456	96.8	476	100.0	414	90.2	390	82.8
May	390	80.2	425	86.4	386	81.3	400	82.1
June	542	115.1	652	137.0	603	131.0	622	132.1
July	444	91.4	428	87.0	378	79.6	382	78.4
August.....	437	89.9	421	85.6	393	82.7	433	88.9
September	567	120.4	551	115.8	541	117.9	576	122.2
October.....	569	117.1	582	118.3	636	133.9	632	129.8
November.....	698	148.2	652	137.0	628	136.8	630	133.8
December	608	125.1	515	104.7	554	116.6	523	107.4
Unknown.	38	-	36	-	18	-	1	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 24.
Marriages by Ages and Counties, 1895.

COUNTIES.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin.....	males	-	22	173	118	58	27	19	17	13	4	4	4	-	-	459
	females	1	114	171	76	38	28	11	9	5	1	4	1	-	-	459
Aroostook.....	males	-	15	220	166	56	43	17	9	2	6	6	1	-	2	543
	females	4	223	204	56	24	18	5	3	2	3	-	-	-	1	543
Cumberland.....	males	-	21	277	244	109	62	32	20	15	12	13	7	1	-	813
	females	-	147	321	191	70	34	19	14	5	5	6	1	-	-	813
Franklin.....	males	-	8	49	48	22	9	4	7	3	3	3	2	-	-	158
	females	2	54	53	22	9	5	6	-	4	1	1	1	-	-	158
Hancock.....	males	-	7	117	92	36	27	11	11	9	5	5	1	-	-	321
	females	2	115	102	40	20	18	8	11	2	2	1	-	-	-	321
Kennebec.....	males	-	20	178	124	64	44	25	15	12	12	10	1	-	1	506
	females	-	151	181	73	34	25	9	11	8	5	8	-	-	1	506
Knox.....	males	-	13	96	78	31	19	16	20	3	4	3	4	-	-	287
	females	1	96	96	41	23	13	5	5	3	2	2	-	-	-	287
Lincoln.....	males	-	7	45	41	27	11	6	3	3	2	4	-	1	-	150
	females	-	48	51	23	11	5	3	5	-	2	1	1	-	-	150
Oxford.....	males	-	4	86	71	24	14	11	12	6	5	12	3	1	-	249
	females	1	76	84	29	18	10	6	9	5	2	9	-	-	-	249
Penobscot.....	males	-	22	230	185	94	48	31	19	13	13	12	5	1	-	684
	females	3	177	250	126	48	29	19	10	9	2	7	1	-	3	684
Piscataquis.....	males	-	5	46	53	20	8	8	3	3	1	2	2	-	-	151
	females	-	45	53	23	8	7	6	2	1	1	3	-	-	-	151
Sagadahoc.....	males	-	3	33	34	18	13	1	2	3	3	1	-	-	-	111
	females	-	26	42	18	8	7	2	4	1	1	1	-	-	1	111
Somerset.....	males	-	10	112	72	43	23	20	8	6	6	4	3	-	-	307
	females	3	98	95	54	22	13	10	5	3	1	2	1	-	-	307
Waldo.....	males	-	7	79	58	18	17	10	12	5	6	4	2	-	-	218
	females	1	52	82	40	10	8	13	4	3	1	2	1	-	1	218
Washington.....	males	-	24	120	93	41	15	5	4	6	4	5	3	-	-	320
	females	1	112	120	51	13	6	6	4	-	1	3	1	-	2	320
York.....	males	-	16	182	109	48	34	14	17	9	9	13	-	-	1	452
	females	1	98	189	70	27	28	13	11	8	3	3	-	-	1	452
Total.....	males	-	264	2,052	1,586	709	414	230	179	113	95	101	38	4	4	5,729
	females	20	1,632	2,096	933	383	254	141	107	59	33	53	8	-	10	5,729
Grand total.....		20	1,836	4,148	2,519	1,092	668	371	286	172	128	154	46	4	14	11,458

TABLE
Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.		Widowers.	Widows.	Divorced.	First marriage.		Second marriage.		Third marriage.		Fourth marriage.	
						M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	82	86	56	15	17	357	384	93	68	6	4	-	1
Aroostook	49	72	37	5	6	464	499	68	40	8	2	-	1
Cumberland	130	130	83	16	18	667	711	128	96	17	2	1	1
Franklin.....	20	30	19	6	8	122	131	35	27	1	-	-	-
Hancock	49	45	34	8	14	267	273	51	45	3	2	-	-
Kennebec	71	100	69	24	16	382	421	107	79	16	6	1	-
Knox.....	37	58	32	18	17	211	238	68	45	8	4	-	-
Lincoln	19	26	22	6	4	118	124	28	24	4	1	-	1
Oxford	35	52	39	12	11	184	199	52	42	9	8	3	-
Penobscot	93	97	81	28	35	558	564	107	111	16	6	-	-
Piscataquis	23	23	19	8	7	119	123	28	24	3	3	-	-
Sagadahoc	17	17	7	1	4	93	100	16	9	2	2	-	-
Somerset	36	48	36	13	15	245	256	56	47	6	4	-	-
Waldo	44	40	25	14	15	164	179	49	37	5	2	-	-
Washington	37	51	23	3	6	266	290	50	27	4	2	1	-
York	75	77	43	9	6	365	403	82	46	2	3	2	-
Total	817	952	625	186	199	4,582	4,895	1,018	767	110	51	8	4

No. 25.

Relation to Marriage.

Fifth marriage.		Number of marriages not stated.		Total number of persons married.	Oldest.		Youngest.		Oldest couple.		Youngest couple.	
M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.
-	-	3	2	918	72	70	18	14	68	70	18	17
-	-	3	1	1,086	70	57	18	14	69	52	18	15
-	-	-	3	1,626	80	76	18	15	80	76	18	17
-	-	-	-	316	75	72	18	14	66	72	19	16
-	1	-	-	642	70	62	18	14	52	62	18	16
-	-	-	-	1,012	77	67	17	15	77	65	17	17
-	-	-	-	574	79	66	18	14	75	64	19	15
-	-	-	-	300	80	74	17	15	80	74	17	15
-	-	1	-	498	84	69	19	14	84	60	19	16
-	-	3	3	1,368	81	74	17	14	81	74	17	17
-	-	1	1	302	75	66	19	15	75	56	19	15
-	-	-	-	222	68	67	17	15	68	67	17	19
-	-	-	-	614	76	75	17	14	76	75	17	16
-	-	-	-	436	74	75	17	14	73	75	20	16
-	-	-	-	640	77	76	16	14	77	76	16	16
-	-	1	-	904	69	62	18	14	65	62	19	15
-	1	12	10	11,458								

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1895 was 5,729 (5,726 in 1892, 5,795 in 1893, and 5,594 in 1894). We have, therefore, for the year 1895, a marriage-rate of 17.34 (persons married) to every 1,000 of population, or at the rate of 8.67 marriages per 1,000 persons.

Marriage-Rates.—The marriage-rate was higher in Aroostook county than elsewhere in the State, as in the preceding year, it being for that county 21.90 per 1,000. The lowest marriage-rate, that of 11.42 per 1,000, was in Sagadahoc county. See Table No. 4.

Comparing the marriage-rate of Maine, 17.34 per 1,000, with that of the other New England States, we find that for the same year, 1895, it was in New Hampshire 20.52; in Vermont, 16.51; Massachusetts, 18.48; Rhode Island, 18.2; and Connecticut, 16.2.

Nativity.—Of the 5,505 records of marriage in which there is a statement of birthplace, in 74 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 7 per cent. the groom was American and the bride of foreign birth; while in 8 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 632, was solemnized in October, while the smallest number in any one month, 307, occurred in March. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 20 brides were married; in the age-period 15-20 years, there were 204 grooms and 1,632 brides; in the period 20-25 years, 2,052 men and 2,096 women were married; from 25-30, 1,586 men and 933 women; from 30-35, 709 men and 383 women; from 35-40, 414 men and 254 women; from 40-45, 230 men and

141 women; from 45-50, 179 men and 107 women; from 50-55, 113 men and 59 women; from 55-60, 95 men and 33 women; from 60-70, 101 men and 53 women; from 70-80, 38 men and 8 women; over 80, 4 men. See Table No. 24.

In 4,912 marriages the groom was older than the bride; while in 817, the bride was the elder; 952 widowers and 625 widows were remarried; 186 men and 199 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 4,582 men and 4,895 women were married the first time; that 1,018 men and 767 women were married the second time; that 110 men and 51 women were united in a third marriage; while 8 men and 4 women contracted marriage a fourth time. In one marriage in which the bride was 41, it was her fifth marriage.

The oldest groom was 84 years of age, and the oldest bride was 76; in 11 marriages the bride was only 14 years old.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

Counties.	Libellant wife.	Libellant husband.	Adultery.	Adultery and desertion.	Extreme cruelty.	Extreme cruelty and intoxication.	Desertion.	Desertion and intoxication.	Desertion and extreme cruelty.	Desertion and failure to support.	Desertion and cruel and abusive treatment.
Androscoggin	45	18	12	-	-	-	20	1	-	1	1
Aroostook	20	10	4	-	-	-	6	-	-	-	-
Cumberland	59	25	6	-	-	-	35	-	1	1	1
Franklin	18	4	4	-	-	-	7	-	-	-	-
Hancock	17	8	5	-	2	-	11	-	-	-	-
Kennebec	57	26	10	-	-	-	18	-	-	2	-
Knox	46	20	9	-	2	-	15	-	-	-	-
Lincoln	15	9	4	-	1	-	8	-	-	-	-
Oxford	19	13	6	-	-	-	13	-	-	-	-
Penobscot	67	19	18	1	2	-	23	-	-	-	-
Piscataquis ..	9	3	4	-	-	-	3	-	-	-	-
Sagadahoc	12	4	-	-	-	-	9	-	-	-	-
Somerset	27	21	6	-	1	-	11	-	-	1	1
Waldo	19	1	-	-	-	1	3	-	-	-	-
Washington	12	4	3	-	-	-	7	-	-	-	-
York	38	16	12	-	3	-	18	-	-	-	-
Total	480	201	103	1	11	1	207	1	1	5	3

No 26.

Year 1895, as Returned by Clerks of the Several Counties.

Desertion, cruel and abusive treatment and intoxication.	Intoxication.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	Failure to support, cruel and abusive treatment and desertion.	Nullity of marriage.	No cause reported.	Total.
-	2	-	9	3	1	5	7	1	-	-	-	63
-	5	-	13	-	-	-	1	1	-	-	-	30
-	7	2	12	1	-	6	7	5	-	-	-	84
-	1	-	7	-	-	2	-	1	-	-	-	22
-	3	-	3	-	-	-	-	1	-	-	-	25
-	8	6	15	-	-	1	6	9	-	-	8	83
-	8	-	24	-	-	-	4	2	2	-	-	66
-	2	-	4	-	-	-	2	1	-	2	-	24
-	2	1	6	-	-	-	1	2	1	-	-	32
-	16	-	22	-	-	-	4	-	-	-	-	86
-	-	1	3	-	-	-	1	-	-	-	-	12
-	2	1	1	1	-	-	-	1	1	-	-	16
-	2	-	7	1	2	2	3	5	6	-	-	48
-	1	-	2	-	-	9	2	1	-	-	1	20
-	1	1	2	-	-	-	-	2	-	-	-	16
-	2	-	15	-	-	-	-	4	-	-	-	54
-	62	12	145	6	3	25	38	36	10	2	9	681

TABLE No. 27.

Divorces by Causes, the Sex of the Libellants, and the Number of Years Married, 1895.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.								
	Number.	Sex.									
				Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery....	103	Males,	61	1	1	28	10	16	3	1	1
		Females,	42	-	-	9	9	17	4	-	3
Adultery and desertion.....	1	Females,	1	-	-	-	-	-	-	1	-
Desertion and extreme cruelty.....	1	Males,	1	-	-	-	-	1	-	-	-
		Females,	-	-	-	-	-	-	-	-	-
Extreme cruelty.....	11	Males,	11	-	-	5	3	1	1	1	-
		Females,	-	-	-	-	-	-	-	-	-
Extreme cruelty and intoxication.....	1	Females,	1	-	-	-	1	-	-	-	-
Desertion.....	207	Males,	95	-	-	20	21	31	12	11	-
		Females,	112	-	-	23	34	33	17	3	2
Desertion and intoxication.....	1	Males,	-	-	-	-	-	-	-	-	-
		Females,	1	-	-	-	1	-	-	-	-
Desertion and failure to support.....	5	Males,	-	-	-	-	-	-	-	-	-
		Females,	5	-	-	-	1	3	-	1	-
Desertion and cruel and abusive treatment.	3	Males,	1	-	-	1	-	-	-	-	-
		Females,	2	-	-	-	1	1	-	-	-
Intoxication.	62	Males,	3	-	-	2	-	1	-	-	-
		Females,	59	-	-	17	18	15	8	1	-
Intoxication and failure to support....	12	Males,	12	-	-	5	2	4	1	-	-
		Females,	33	-	1	12	8	8	3	1	-
Cruel and abusive treatment.....	145	Males,	112	1	6	37	26	31	8	3	-
		Females,	-	-	-	-	-	-	-	-	-
Cruel and abusive treatment and adultery....	6	Males,	1	-	-	-	-	1	-	-	-
		Females,	5	-	-	2	-	3	-	-	-
Cruel and abusive treatment and extreme cruelty	3	Males,	1	-	-	1	-	-	-	-	-
		Females,	2	-	-	1	-	-	-	1	-
Cruel and abusive treatment and failure to support.....	25	Males,	1	-	-	-	-	-	1	-	-
		Females,	24	-	-	11	1	10	1	1	-
Cruel and abusive treatment and intoxication.....	38	Males,	1	-	-	1	-	-	-	-	-
		Females,	37	-	-	13	13	10	1	-	-
Failure to support.....	36	Males,	-	-	-	-	-	-	-	-	-
		Females,	36	-	-	17	8	8	3	-	-
Failure to support, cruel and abusive treatment and desertion.....	10	Males,	-	-	-	-	-	-	-	-	-
		Females,	10	-	-	4	2	-	3	1	-
Nullity of marriage	2	Males,	2	-	1	1	-	-	-	-	-
		Females,	-	-	-	-	-	-	-	-	-
No cause reported	9	Males,	1	-	-	1	-	-	-	-	-
		Females,	8	-	-	2	2	1	2	1	-
Total	681	Males,	201	1	3	67	39	58	19	13	1
		Females,	480	1	6	146	122	137	49	14	5

NOTES ON DIVORCES.

Six hundred and eighty-one divorces were decreed in the year 1895 (552 in 1892, 627 in 1893, and 674 in 1894). In 1895 there was decreed in Maine one divorce for every 8.4 marriages solemnized within the same year; in New Hampshire, one to every 9.8; in Vermont, one to 9.7; in Massachusetts, one to 24.2; in Rhode Island, one to 9.4; in Connecticut, one to 15.8. The divorce-rate is, therefore, greater in Maine than in any other New England State, and much greater than in some of them.

Some of the causes for which divorces were granted are: Adultery, 103, or 15.1 per cent. of the whole number; extreme cruelty, 11, or 1.6 per cent.; desertion, 207, or 30.4 per cent.; intoxication, 62, or 9.1 per cent.; cruel and abusive treatment, 145, or 21.3 per cent.; failure to support, 36, or 5.2 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 480 divorces, and the husband in 201.

In the divorces granted for adultery, the husband was the libellant 61 times, and the wife 42 times.

On account of extreme cruelty, the wife was the libellant in all of the 11 cases.

For desertion, the husband was the libellant 95 times, and the wife in 112.

For intoxication, the husband was the libellant in 3 cases, and the wife in 59.

For cruel and abusive treatment, the husband was the libellant in 33 instances, and the wife in 112.

For failure to support, the wife was the libellant in the 36 divorces decreed for that cause.

Two divorces were granted before the married life had lasted 6 months; 9, before 1 year; 213, after from 1 to 5 years marriage; 161, after 5 to 10 years; 195, after 10 to 20 years; 68, after 20 to 30 years; and 27, after more than 30 years of married life. Tables No. 26 and 27 may be consulted for more detailed statements.

TABLE No. 28.
Deaths and Death-Rates by Counties, for the Years 1892-95.

	1892.		1893.		1894.		1895.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State.	12,147	18.37	11,134	16.84	11,012	16.66	10,464	15.83
Androscoggin.....	803	16.39	819	16.73	941	19.22	866	14.40
Aroostook.	619	12.48	609	12.72	657	13.46	665	13.52
Cumberland.....	1,845	20.28	1,719	18.90	1,690	18.57	1,629	17.91
Franklin.....	337	19.76	319	18.98	276	16.35	272	16.10
Hancock.....	581	15.57	494	13.35	553	16.27	510	13.78
Kennebec.....	1,273	22.32	1,153	20.22	1,132	19.86	1,014	17.79
Knox.. ...	629	19.99	569	18.09	509	16.18	526	16.73
Lincoln.....	439	19.95	330	15.06	341	15.50	325	14.78
Oxford.....	561	18.30	506	16.62	470	15.42	455	14.98
Penobscot.....	1,208	16.57	1,122	15.43	1,192	16.40	1,130	15.51
Piscataquis.....	246	15.24	249	15.91	214	13.52	207	13.14
Sagadahoc.....	352	18.09	326	16.76	290	14.91	287	14.75
Somerset ...	548	16.79	511	15.84	520	16.12	521	16.07
Waldo.....	538	19.38	408	14.70	444	16.00	405	14.59
Washington.....	775	17.42	761	17.22	636	14.39	603	13.67
York.....	1,393	22.20	1,239	19.72	1,147	18.26	1,049	16.70

TABLE No. 29.

Number of Deaths in Each Month of 1892, 1893, 1894, and 1895,
with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.	
	Deaths.	* Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	1,577	154.5	849	90.0	1,266	136.6	906	101.9
February	1,292	136.7	845	100.0	980	116.6	821	102.2
March.....	1,095	106.0	959	103.3	920	103.4	1,053	118.4
April	1,048	106.0	1,037	100.0	994	110.0	854	99.3
May	1,045	106.0	969	100.0	851	93.3	843	94.8
June	833	84.6	819	90.0	816	96.0	715	83.1
July ..	866	84.6	823	90.0	865	93.3	803	90.3
August.....	938	82.2	1,080	106.6	953	100.0	938	105.5
September	976	93.9	975	106.6	956	106.6	1,023	118.9
October	844	81.8	917	100.0	821	86.6	902	101.5
November	790	78.8	796	86.6	761	83.3	743	86.4
December	793	76.5	1,037	100.0	819	86.6	858	96.5
Unknown	50		28		10		5	

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE

Shows the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes	11,302	935	757	1,782
Specified causes	10,755	842	698	1,713
CLASSES.				
I.—Zymotic diseases	2,885	236	296	439
II.—Parasitic diseases.	3	-	1	-
III.—Dietetic diseases.....	35	3	1	6
IV.—Constitutional diseases.....	666	50	29	103
V.—Developmental diseases... .	1,688	135	157	275
VI.—Local diseases.....	5,065	386	191	823
VII.—Deaths from violence.....	413	32	23	67
VIII.—Deaths from ill-defined causes	547	93	59	69
GROUPS.				
I.-1. Infectious diseases.....	727	48	102	121
2. Specific neoplastic diseases.....	1,405	107	81	227
3. Diarrheal diseases	635	71	102	75
4. Zoögenous diseases	1	-	-	-
5. Septic diseases.	117	10	11	16
II.-1. Parasitic diseases.....	3	-	1	-
III.-1. Dietetic diseases... .	35	3	1	6
IV.-1. Constitutional diseases.....	666	50	29	103
V.-1. Developmental diseases.....	1,688	135	157	275
VI.-1. Diseases of nervous system	1,585	104	50	260
2. Diseases of organs of special sense	4	-	1	-
3. Diseases of circulatory system	1,048	99	21	152
4. Diseases of respiratory system....	1,165	92	51	208
5. Diseases of digestive system....	693	51	50	103
6. Diseases of lymphatics, etc	4	-	-	2
7. Diseases of urinary system	475	35	13	91
8. Diseases of organs of generation.....	35	4	1	3
9. Accidents and diseases of reproduction	36	-	4	3
10. Diseases of osseous system	6	-	-	1
11. Diseases of the integument.....	14	1	-	-
VII.-1. Accident, negligence or doubtful.. . . .	341	30	19	57
2. Homicide	6	-	-	1
3. Suicide	66	2	4	9
VIII.-1 Deaths from ill-defined causes	547	93	59	69

No. 30.

Each County, Arranged by Classes and Groups.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
286	547	1,087	556	343	484	1,208	227	307	562	435	642	1,144
273	521	1,050	538	332	465	1,150	218	299	536	413	618	1,089
69	122	259	146	62	93	309	60	65	130	83	223	293
-	-	-	-	1	-	-	-	-	1	-	-	-
2	3	1	7	1	-	7	-	-	-	-	1	3
26	29	67	36	25	38	66	13	18	41	30	31	64
37	74	138	81	58	63	178	46	36	92	68	83	167
128	274	555	241	170	258	536	94	165	254	212	259	519
11	19	30	27	15	13	54	5	15	18	20	21	43
13	26	37	18	11	19	58	9	8	26	22	24	55
23	23	60	49	12	21	85	8	15	27	16	41	76
30	77	130	65	38	48	168	38	36	73	49	121	117
13	17	60	26	10	18	45	8	7	26	14	53	90
-	-	-	1	-	-	-	-	-	-	-	-	-
3	5	9	5	2	6	11	6	7	4	4	8	10
-	-	-	-	1	-	-	-	-	1	-	-	-
2	3	1	7	1	-	7	-	-	-	-	1	3
26	29	67	36	25	38	66	13	18	41	30	31	64
37	74	138	81	58	63	178	46	36	92	68	83	167
44	74	210	67	66	86	151	28	51	64	74	81	175
-	1	1	-	-	-	-	-	-	-	-	1	-
27	59	111	64	36	55	118	23	37	43	45	55	103
23	65	123	42	30	64	127	20	38	62	36	60	124
20	40	67	28	24	27	81	9	20	56	31	39	47
1	-	-	1	-	-	-	-	-	-	-	-	-
8	30	34	34	13	19	48	12	17	24	23	17	57
1	1	4	3	-	5	2	-	-	1	2	3	5
4	2	1	1	1	1	4	-	1	4	1	2	7
-	1	-	-	-	1	1	-	-	-	-	1	1
-	1	4	1	-	-	4	2	1	-	-	-	-
9	17	25	20	14	9	43	4	11	14	17	21	31
-	1	-	-	-	-	2	-	-	-	-	-	2
2	1	5	7	1	4	9	1	4	4	3	-	10
13	26	37	18	11	19	58	9	8	26	22	24	55

TABLE No. 30—Continued.
Deaths by Classes and Groups.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—Zymotic.																	
1. Infectious diseases.																	
Totals	727	48	102	121	23	23	60	49	12	21	85	8	15	27	16	41	76
Small-pox	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Chicken-pox	8	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	4
Measles	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rötheln	25	2	3	1	2	1	—	4	—	—	4	—	—	1	—	3	4
Scarlet-fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus fever	152	15	7	18	4	7	14	12	2	8	21	5	6	1	4	10	12
Influenza	82	5	24	21	—	4	5	—	1	—	7	1	—	2	1	6	5
Whooping cough	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mumps	135	6	15	33	1	5	9	17	4	2	17	—	3	2	6	3	12
Diphtheria	62	4	19	4	—	1	14	3	1	2	1	—	4	3	1	3	2
Croup	4	—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—
Tonsilitis, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal meningitis	29	—	2	2	1	1	4	1	1	3	4	—	1	1	—	2	6
Tetanus	10	—	—	4	—	—	—	2	1	—	—	—	—	—	1	—	2
Typhoid fever	185	12	30	35	10	3	11	4	2	4	26	1	1	5	3	11	27
Simple continued fever	21	1	—	—	3	1	2	2	—	—	4	1	—	4	—	1	2
Malarial diseases	10	1	—	1	2	—	—	1	—	2	1	—	—	1	—	1	—
Other specific febrile diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
I.—2. Specific neoplastic.																	
Totals	1,405	107	81	227	30	77	130	65	38	48	168	38	36	73	49	121	117
Tuberculosis, cerebral	82	6	2	20	2	7	5	2	4	2	8	2	1	3	2	11	5
Tuberculosis, pulmonary	1,195	92	75	186	27	64	111	58	28	42	143	29	34	64	45	98	99
Tuberculosis, mesenteric	31	1	2	4	1	1	2	2	2	1	4	—	—	2	1	4	4
Tuberculosis, other	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
forus	89	7	2	16	—	4	12	3	3	3	10	7	1	4	1	8	8
Syphilis	8	1	—	1	—	1	—	—	1	—	3	—	—	—	—	—	1
I.—3. Diarrheal diseases.																	
Totals	635	71	102	75	13	17	60	26	10	18	45	8	7	26	14	53	90
Infantile diarrhea	523	67	89	62	9	15	48	19	6	14	39	6	4	18	9	32	86
Cholera morbus	25	—	4	3	—	—	1	4	—	1	2	—	1	2	1	6	—
Dysentery	45	3	3	5	1	1	7	1	3	2	1	—	1	5	—	11	1
Diarrhea	42	1	6	5	3	1	4	2	1	1	3	2	1	1	4	4	3
I.—4. Zoögenous diseases.																	
Totals	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malignant pustule	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cow-pox and vaccination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
I.—5. Septic diseases.																	
Totals	117	10	11	16	3	5	9	5	2	6	11	6	7	4	4	8	10
Phagadema	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	25	3	1	4	—	1	3	—	—	3	3	2	1	—	—	4	—
Pyæmia, septicæmia	57	7	4	7	2	2	3	5	1	2	5	4	2	1	2	2	8
Puerperal fever	35	—	6	5	1	2	3	—	1	1	3	—	4	3	2	2	2

TABLE No. 30—Continued.
Deaths by Classes and Groups.

Causes of death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Parasitic.																	
Totals	3	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatids.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal parasites.	3	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Other parasitic diseases.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.—Dietetic.																	
Totals	35	3	1	6	2	3	1	7	1	-	7	-	-	-	-	1	3
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malnutrition of infants..	16	1	1	1	2	1	-	4	-	-	4	-	-	-	-	1	1
Scurvy.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets.....	3	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
Alcoholism	16	2	-	4	-	2	1	3	-	-	2	-	-	-	-	-	2
IV.—Constitutional.																	
Totals	666	50	29	103	26	29	67	36	25	38	66	13	18	41	30	31	64
Rheumatism.....	56	5	6	4	-	2	7	-	1	7	5	2	4	3	3	2	5
Gout.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, gastric	137	7	6	19	7	6	12	11	5	8	10	3	6	8	8	8	13
Cancer, mammary	62	7	1	8	3	2	10	2	1	4	4	1	3	2	5	6	3
Cancer, hepatic.....	42	3	2	8	3	1	4	1	4	2	2	1	1	1	2	2	5
Cancer, uterine.....	74	6	-	13	3	4	10	5	5	1	8	1	-	3	4	4	7
Cancer, other.....	165	15	7	32	3	7	13	9	7	8	21	3	2	15	2	6	15
Purpura hemorrhagic diathesis	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Anemia, etc.....	51	6	1	5	3	2	3	3	-	5	7	2	1	5	2	-	6
Diabetes mellitus	77	1	6	13	4	5	8	5	2	3	9	-	1	4	3	3	10
Other constitutional dis- eases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.—Developmental.																	
Totals	1,688	135	157	275	37	74	138	81	58	63	178	46	36	92	68	83	167
Still-born.....	668	54	82	110	14	34	55	21	15	23	68	17	16	33	26	30	70
Premature birth.....	170	15	10	43	-	3	18	9	3	6	10	3	4	8	4	9	25
Ill-defined diseases of i fancy	208	29	46	13	6	4	15	11	2	7	22	8	1	11	7	10	16
Atelectasis.....	17	3	-	4	1	1	1	-	-	-	1	2	2	1	-	-	1
Cyanosis.....	25	3	1	5	-	1	1	1	1	2	1	-	-	2	1	-	6
Spina bifida.....	5	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-
Imperforate anus....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital defects.	12	1	-	6	-	1	1	-	-	-	1	-	1	-	-	1	-
Umbilical hemorrhage...	3	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
Old age (over 70).....	579	30	17	89	16	30	45	38	37	25	75	16	12	37	30	33	49

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—Local.																	
1.—Diseases of the nervous system.																	
Totals	1,585	104	50	260	44	74	210	67	66	86	151	28	51	64	74	81	175
Inflammation of brain or membranes	261	13	13	47	6	14	23	8	7	17	32	3	5	13	6	22	32
Apoplexy	488	36	8	101	14	21	50	15	19	30	47	9	28	14	26	20	50
Softening of brain	77	5	1	7	5	2	6	3	5	7	6	2	3	11	4	3	7
Hemiplegia	12	1	-	1	-	-	-	-	2	1	-	-	1	-	-	-	5
Paralysis agitans	4	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-
Paralysis	261	11	5	34	11	11	27	19	20	12	27	9	5	8	23	9	30
Hydrocephalus (not acute)	21	-	2	3	1	2	1	1	-	-	2	1	1	-	-	7	-
Insanity	123	6	1	10	-	6	69	1	4	1	8	1	-	3	1	4	8
Brain, other diseases of	76	8	2	11	-	10	8	6	3	4	5	-	1	3	3	1	11
Chorea	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	34	4	3	3	2	1	8	1	-	1	3	-	-	1	3	1	3
Convulsions	110	10	11	25	3	2	4	9	-	2	8	2	3	3	6	8	14
Laryngismus stridulus	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Spinal meningitis	23	3	1	1	-	1	3	1	-	3	1	-	-	3	1	2	3
Myelitis	7	-	-	1	-	-	1	1	-	1	2	-	1	-	-	-	-
Paraplegia	12	1	-	4	-	-	1	-	2	1	-	-	-	-	1	-	2
Locomotor ataxia	10	1	-	1	-	1	-	-	2	-	2	-	2	-	-	1	-
Other diseases of spinal cord	20	1	2	2	1	-	3	-	2	3	1	-	-	3	-	1	1
Other diseases of nervous system	42	4	1	7	1	3	6	1	-	2	6	1	1	-	-	1	8
VI.—2. Diseases of organs of special sense.																	
Totals	4	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-
Diseases of the ear	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Epistaxis and diseases of nose	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of the eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—3. Circulatory system.																	
Totals	1,048	99	21	152	27	59	111	64	36	55	118	23	37	43	45	55	103
Endocarditis	23	2	1	-	-	-	4	2	-	5	3	-	-	-	-	4	2
Valvular disease of heart	217	24	5	35	5	11	20	18	3	10	24	6	4	7	3	17	25
Hypertrophy of heart	49	1	-	6	1	4	3	4	3	6	8	1	1	2	3	1	5
Pericarditis	12	1	-	2	1	1	2	-	2	1	1	-	-	-	1	-	-
Diseases of heart, unspecified	602	55	10	82	13	34	66	30	22	27	68	12	27	31	36	28	61
Angina pectoris	45	5	1	2	-	4	7	4	3	3	3	3	3	2	-	1	4
Syncope	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	12	-	1	3	2	-	-	3	-	-	3	-	-	-	-	-	-
Senile gangrene	52	5	3	11	3	4	6	2	3	2	3	1	2	1	1	1	4
Embolism, thrombosis	31	5	-	9	2	1	2	1	-	-	5	-	-	-	1	3	2
Phlebitis	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Others, circulatory system	4	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.																	
State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.	
VI.—4. Respiratory system.																	
Totals	1,165	92	51	208	133	65	123	42	30	64	127	20	38	62	36	60	124
Laryngitis	6	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	2
Other diseases of larynx and trachea.	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Emphysema, asthma.	17	23	-	3	-	2	2	1	1	1	1	2	-	-	1	2	1
Bronchitis	225	23	9	39	2	14	39	2	3	10	17	2	8	13	7	41	29
Pneumonia	812	57	34	139	20	42	73	37	26	50	100	14	28	47	27	41	77
Pleurisy	19	2	1	4	-	1	-	-	-	5	-	-	-	-	2	4	-
Other diseases of respiratory system.	84	7	6	21	1	6	9	2	-	3	4	3	2	2	1	6	11
VI.—5. Digestive system.																	
Totals	693	51	50	103	20	40	67	28	24	27	81	9	20	56	31	39	47
Diseases of the mouth.	2	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-
Dyspepsia	23	4	7	2	-	1	2	1	-	-	1	-	-	1	1	1	-
Gastric ulcer	17	1	-	1	-	4	1	-	-	1	3	-	1	3	-	-	1
Hematemesis	5	1	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-
Gastritis	88	4	5	5	2	5	5	2	6	3	11	3	-	17	5	7	8
Other diseases of stomach	16	1	-	2	1	2	5	-	-	1	-	1	2	1	-	-	-
Enteritis ..	114	14	12	19	3	6	11	4	2	6	9	1	4	8	-	8	7
Ulceration of intestines.	9	-	-	5	-	-	-	1	-	-	1	-	-	2	-	-	-
Stricture and strangulation of intestines.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of intestines.	5	1	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-
Hernia	15	-	1	2	-	1	4	1	-	-	1	-	2	-	2	1	-
Other obstructive diseases of intestines.	43	2	-	7	2	4	2	1	2	2	4	-	1	4	2	2	8
Fistula	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Peritonitis	125	7	16	23	4	5	12	5	1	5	13	1	5	7	8	8	5
Appendicitis, etc.	36	5	-	5	1	-	3	2	-	3	9	-	1	1	4	-	2
Ascites	11	-	2	1	1	-	1	3	-	-	1	-	-	1	-	-	1
Gallstones	6	-	-	2	-	-	1	-	-	-	1	-	-	-	-	1	1
Cirrhosis of liver	33	1	-	11	2	3	-	3	2	2	2	-	2	1	1	2	2
Hepatitis	28	2	-	5	1	1	2	1	3	1	2	-	2	2	1	3	2
Jaundice	20	1	1	3	2	2	1	-	1	3	1	2	1	1	-	1	3
Other diseases of liver ..	66	5	4	7	1	5	9	2	6	3	8	2	1	4	1	5	3
Other diseases of digestive system.	29	2	-	3	-	1	6	1	1	1	6	-	1	1	3	-	3
VI.—6. Lymphatics, etc.																	
Totals	4	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of lymphatics.	3	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the spleen.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's disease.	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—7. Urinary system.																	
Totals	475	35	13	91	8	30	34	34	13	19	48	12	17	24	23	17	57
Nephritis	90	6	3	30	1	8	2	4	2	1	9	5	-	2	3	7	7
Bright's disease, albuminuria	234	15	7	38	4	8	19	17	7	12	24	4	9	18	13	6	33
Uremia	45	4	1	11	-	2	2	5	-	1	4	2	4	1	2	2	4
Suppression of urine	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1
Calculus	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Stricture	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hematuria	3	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of bladder and prostate	67	6	1	9	3	5	10	5	2	5	6	-	2	2	2	1	8
Other diseases of urinary system	31	4	1	2	-	5	1	3	1	-	3	1	2	1	2	1	4
VI.—8. Organs of generation.																	
Totals	35	4	1	3	1	1	4	3	-	5	2	-	-	1	2	3	5
Ovarian disease	11	3	-	-	-	1	2	1	-	2	1	-	-	-	1	-	-
Diseases of uterus and appendages	20	1	1	1	1	-	2	1	-	2	1	-	-	1	1	3	5
Paramenia	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Pelvic abscess	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of male organs of generation	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VI.—9. Accidents and diseases of reproduction.																	
Totals	36	-	4	3	4	2	1	1	1	1	4	-	1	4	1	2	7
Abortion, miscarriage	7	-	1	1	1	-	-	1	-	-	-	-	-	2	-	-	1
Puerperal mania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal convulsions	5	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	2
Placenta previa	4	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-
Puerperal hemorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidents of reproduction	20	-	2	1	1	1	1	-	1	1	3	-	-	2	1	2	4
VI.—10. Osseous system.																	
Totals	6	-	-	1	-	1	-	-	-	1	1	-	-	-	-	1	1
Diseases of the joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the bones	5	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	1
Other diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—11. Integument.																	
Totals	14	1	-	-	-	1	4	1	-	-	4	2	1	-	-	-	-
Carbuncle	4	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
Phlegmon, cellulitis	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Ulcer, bed sore	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other diseases of integument	7	-	-	-	-	1	3	1	-	-	2	-	-	-	-	-	-

TABLE 30—Concluded.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VII.—Deaths from violence.																	
1. Accident, negligence or doubtful.																	
Totals	341	30	19	57	9	17	25	20	14	9	43	4	11	14	17	21	31
Fracture, contusion.....	45	4	-	5	1	-	5	1	2	1	9	-	3	3	5	4	4
Falling	28	-	4	12	1	1	1	1	-	-	6	-	1	2	4	1	4
Gunshot wounds	18	-	2	1	1	3	1	-	1	1	2	-	1	1	-	3	1
Railway injuries	27	2	3	8	-	1	1	-	-	-	5	-	1	1	-	-	5
Cuts	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Burns and scalds.....	31	3	-	5	-	1	7	1	2	1	3	-	-	2	1	3	2
Poison	10	-	1	-	-	-	1	-	1	2	3	-	-	1	1	1	1
Drowning.....	81	6	3	15	1	6	1	2	2	1	7	3	4	1	3	6	8
Suffocation	11	1	-	3	1	-	1	3	-	3	-	-	-	-	-	1	1
Various	88	14	6	17	4	5	7	6	-	3	9	1	2	3	6	1	4
Lost at sea.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.—2. Homicide.																	
Totals ..	6	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	2
Murder, manslaughter...	6	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	2
VII.—3. Suicide.																	
Totals	66	2	4	9	2	1	5	7	1	4	9	1	4	4	3	-	10
Gunshot wounds	15	-	-	4	1	1	1	-	-	-	4	1	1	-	-	-	2
Cut, stab	10	2	-	-	-	-	1	-	-	2	1	-	1	-	1	-	2
Poison ..	10	-	1	-	-	-	2	1	-	1	3	-	-	1	-	-	1
Drowning.....	7	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	3
Hanging	15	-	1	3	1	-	-	4	1	-	-	-	1	2	1	-	1
Otherwise	9	-	1	2	-	-	1	1	-	1	1	-	1	-	-	-	1
VIII.—Deaths from ill-defined causes.																	
Totals	547	93	59	69	13	26	37	18	11	19	58	9	8	26	22	24	55
Heart failure	37	2	6	4	1	6	-	1	2	1	4	-	-	3	3	3	1
Dropsy	69	4	3	4	4	6	2	5	1	4	15	2	3	3	6	3	4
Debility, exhaustion. ...	83	9	3	12	3	4	5	2	1	2	1	2	1	5	2	7	24
Atrophy and inanition ..	81	5	2	36	1	1	5	-	-	3	5	-	1	2	3	5	12
Sunstroke.....	7	-	-	2	-	-	-	1	-	-	1	1	-	-	1	-	1
Mortification	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tumor	9	1	-	1	-	1	1	-	-	1	-	-	1	3	-	-	-
Abscess	14	-	-	-	-	2	2	1	1	1	1	-	-	2	-	2	2
Hemorrhage.....	9	1	2	-	-	-	-	-	-	-	3	-	-	2	1	-	-
Sudden (cause unascertained)	16	-	-	1	1	1	-	-	2	-	5	1	-	1	1	1	2
Not specified, or ill-defined.....	220	71	43	8	3	5	22	8	4	7	22	3	2	5	5	3	9

TABLE
Deaths in Each Town from Special

THE STATE AND COUNTIES.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
MAINE	661,086	-	8	25	197	4	29	82
Androscoggin	48,968	-	1	2	10	-	-	5
Aroostook	49,589	-	1	3	34	-	2	24
Cumberland	90,949	-	1	1	37	1	2	21
Franklin	17,053	-	-	2	1	-	1	-
Hancock	37,312	-	-	1	6	-	1	4
Kennebec	57,012	-	-	-	23	-	4	5
Knox	31,473	-	1	4	20	2	1	-
Lincoln	21,996	-	-	-	5	-	1	1
Oxford	30,586	-	-	-	4	-	3	-
Penobscot	72,865	-	-	4	18	-	4	7
Piscataquis	16,134	-	-	-	-	-	-	1
Sagadahoc	19,452	-	-	-	7	-	1	-
Somerset.....	32,627	-	-	1	5	-	1	2
Waldo	27,759	-	-	-	7	-	-	1
Washington ...	44,482	-	-	3	6	1	2	6
York	62,829	-	4	4	14	-	6	5
ANDROSCOGGIN COUNTY.....	-	-	1	2	10	-	-	5
Auburn	11,250	-	-	-	2	-	-	1
Durham.....	1,111	-	-	-	-	-	-	-
East Livermore.....	1,506	-	-	-	-	-	-	-
Greene	885	-	-	-	-	-	-	-
Leeds	909	-	-	-	-	-	-	1
Lewiston	21,701	-	-	1	5	-	-	3
Lisbon	3,120	-	1	1	1	-	-	-
Livermore.....	1,151	-	-	-	2	-	-	-
Mechanic Falls.	-	-	-	-	-	-	-	-
Minot	1,355	-	-	-	-	-	-	-
Poland	2,472	-	-	-	-	-	-	-
Turner	2,016	-	-	-	-	-	-	-
Wales	451	-	-	-	-	-	-	-
Webster.	951	-	-	-	-	-	-	-

No. 31.
Causes, Mostly Infectious Diseases.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
185	25	35	57	152	45	42	25	523	1,195	202	10	10
12	3	-	7	15	3	1	-	67	92	14	1	-
30	1	6	4	7	3	6	4	89	75	6	-	-
35	4	5	7	18	5	5	3	62	186	40	1	4
10	-	1	2	4	1	3	-	9	27	3	2	-
3	1	2	2	7	1	1	-	15	64	12	-	-
11	3	3	3	14	7	4	1	48	111	19	-	-
4	-	-	5	12	1	2	4	19	58	7	1	2
2	-	1	1	2	3	1	-	6	28	9	-	1
4	3	1	2	8	2	1	1	14	42	6	2	-
26	3	3	5	21	1	3	2	39	143	22	1	-
1	2	-	4	5	-	2	-	6	29	9	-	-
1	1	4	2	6	1	1	1	4	34	2	-	-
5	-	3	1	7	5	1	2	18	64	9	1	-
3	-	2	2	4	-	4	1	9	45	4	-	1
11	4	2	2	10	11	4	6	32	98	23	1	-
27	-	2	8	12	1	3	-	86	99	17	-	2
12	3	-	7	15	3	1	-	67	92	14	1	-
1	1	-	1	3	-	-	-	9	20	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	6	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
9	1	-	5	7	1	1	-	53	43	6	1	-
-	1	-	-	1	2	-	-	2	6	4	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	-	-	-	-	-	-	-	6	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	2	-	-	-
-	-	-	1	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
AROOSTOOK COUNTY.....	-	-	1	3	34	-	2	24
Amity.....	420	-	-	-	-	-	-	-
Ashland.....	568	-	-	-	-	-	-	-
Baneroft	264	-	-	-	-	-	-	-
Benedicta	317	-	-	-	-	-	-	-
Blaine.....	784	-	-	-	-	-	-	-
Bridge water.....	946	-	-	-	-	-	-	-
Caribou.....	4,087	-	1	-	-	-	-	-
Dyer Brook.....	221	-	-	-	-	-	-	-
Easton.....	978	-	-	-	-	-	-	-
Fort Fairfield.....	3,526	-	-	1	5	-	-	-
Fort Kent.....	1,826	-	-	-	1	-	-	5
Frenchville.....	2,560	-	-	-	1	-	-	-
Grand Isle	964	-	-	-	2	-	-	-
Haynesville.....	280	-	-	-	-	-	-	-
Hersey	151	-	-	-	-	-	-	-
Hodgdon.....	1,113	-	-	-	-	-	-	-
Houlton.....	4,015	-	-	-	2	-	-	-
Island Falls.....	223	-	-	1	3	-	1	2
Limestone	933	-	-	-	-	-	-	-
Linneus.....	965	-	-	-	-	-	-	1
Littleton.....	924	-	-	-	1	-	-	1
Ludlow	375	-	-	-	-	-	-	-
Madawaska.	1,451	-	-	-	-	-	-	1
Mapleton	832	-	-	-	-	-	-	-
Mars Hill	837	-	-	-	-	-	-	-
Masardis.....	250	-	-	-	-	-	-	-
Monticello.....	1,132	-	-	-	-	-	-	-
New Limerick.....	567	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
New Sweden.....	707	-	-	-	-	-	-	-
Orient	244	-	-	-	-	-	-	-
Presque Isle.....	3,046	-	-	-	1	-	1	3
Sherman... ..	909	-	-	-	-	-	-	-
Smyrna	303	-	-	-	-	-	-	-
Van Buren.....	1,168	-	-	-	1	-	-	-
Washburn	1,097	-	-	1	1	-	-	-
Weston.....	404	-	-	-	-	-	-	-
Woodland	885	-	-	-	2	-	-	1
Plantations.								
Allagash.. ..	200	-	-	-	-	-	-	-
Cary.....	390	-	-	-	-	-	-	-
Castle Hill ..	537	-	-	-	-	-	-	-
Caswell	212	-	-	-	3	-	-	-
Chapman	231	-	-	-	-	-	-	-
Connor....	526	-	-	-	-	-	-	-
Crystal ...	297	-	-	-	-	-	-	-
Cyr	429	-	-	-	-	-	-	-
Eagle Lake	313	-	-	-	-	-	-	1
Garfield	86	-	-	-	-	-	-	1
Glenwood.. ..	183	-	-	-	-	-	-	1
Hamlin	484	-	-	-	6	-	-	-
Hammond	109	-	-	-	-	-	-	-
Macwahoe... ..	216	-	-	-	-	-	-	-
Merrill	244	-	-	-	-	-	-	-
Molunkus	77	-	-	-	-	-	-	-
Moro....	199	-	-	-	-	-	-	-
Nashville	34	-	-	-	-	-	-	-
New Canada.....	301	-	-	-	-	-	-	-
Oakfield.....	720	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	8	5	1	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	7	2	-	-	-
1	-	-	-	-	-	-	-	4	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
3	-	-	-	-	-	-	-	-	1	1	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
1	-	-	-	-	-	-	-	3	1	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	4	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Oxbow	94	-	-	-	-	-	-	-
Perham	438	-	-	-	1	-	-	-
Portage Lake.....	140	-	-	-	-	-	-	-
Reed	203	-	-	-	-	-	-	-
Sheridan ...	221	-	-	-	-	-	-	-
St. Francis.	461	-	-	-	-	-	-	-
St. John.....	226	-	-	-	1	-	-	1
Silver Ridge ...	195	-	-	-	-	-	-	-
Stockholm	105	-	-	-	-	-	-	-
Wade.....	158	-	-	-	-	-	-	-
Wallagrass	595	-	-	-	1	-	-	4
Westfield ..	166	-	-	-	-	-	-	-
Westmanland	52	-	-	-	-	-	-	-
Winterville .	72	-	-	-	2	-	-	2
CUMBERLAND COUNTY	-	-	1	1	37	1	2	21
Baldwin .	932	-	-	-	-	-	-	-
Bridgton.....	2,605	-	-	-	-	-	-	-
Brunswick.....	6,012	-	1	-	-	-	-	2
Cape Elizabeth.....	5,459	-	-	-	-	-	-	1
Casco.....	844	-	-	-	-	-	-	-
Cumberland	1,487	-	-	-	1	-	-	1
Deering .	5,353	-	-	1	3	-	-	5
Falmouth	1,580	-	-	-	2	-	-	-
Freeport.....	2,482	-	-	-	-	1	-	1
Gorham	2,888	-	-	-	2	-	-	-
Gray.	1,517	-	-	-	1	-	-	1
Harpwell	1,766	-	-	-	-	-	-	-
Harrison	1,071	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
2	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
35	4	5	7	18	5	5	3	62	186	40	1	4
-	-	-	1	-	-	1	-	-	1	-	-	-
-	1	-	-	1	-	-	-	-	7	-	1	-
6	1	-	1	1	-	-	-	5	17	1	-	-
-	-	-	-	-	-	-	1	-	3	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	1	-	-	-	3	-	-	-
2	-	1	1	2	-	-	-	1	16	3	-	-
-	-	-	-	-	-	-	-	2	3	1	-	-
-	-	1	-	1	-	-	-	3	3	-	-	-
-	-	-	-	1	-	-	-	1	6	-	-	-
-	-	-	-	1	-	1	-	-	3	-	-	-
-	1	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	1	-	2	-	-	-

TABLE
Deaths in Each Town from Special
CUMBERLAND

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Naples.....	846	-	-	-	-	-	-	1
New Gloucester..	1,234	-	-	-	-	-	-	-
North Yarmouth..	709	-	-	-	-	-	1	-
Otisfield.....	838	-	-	-	-	-	-	-
Portland.....	36,425	-	-	-	25	-	-	5
Pownal	712	-	-	-	-	-	-	-
Raymond	927	-	-	-	-	-	-	-
Scarboro	1,794	-	-	-	-	-	-	-
Sebago.....	681	-	-	-	-	-	-	-
South Portland....	-	-	-	-	2	-	1	2
Standish.....	1,841	-	-	-	1	-	-	-
Westbrook... ..	6,632	-	-	-	-	-	-	2
Windham	2,216	-	-	-	-	-	-	-
Yarmouth.....	2,098	-	-	-	-	-	-	-
FRANKLIN COUNTY.....	-	-	-	2	1	-	1	-
Avon.....	439	-	-	-	-	-	-	-
Carthage.. ..	390	-	-	-	-	-	-	-
Chesterville... ..	770	-	-	-	-	-	-	-
Eustis	321	-	-	-	-	-	-	-
Farmington... ..	3,207	-	-	-	1	-	1	-
Freeman	464	-	-	-	-	-	-	-
Industry	545	-	-	-	-	-	-	-
Jay.....	1,541	-	-	-	-	-	-	-
Kingfield.....	601	-	-	-	-	-	-	-
Madrid	441	-	-	-	-	-	-	-
New Sharon.	1,064	-	-	-	-	-	-	-
New Vineyard....	660	-	-	2	-	-	-	-
Phillips	1,394	-	-	-	-	-	-	-
Rangeley.. ..	616	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	1	-	1	-	-
1	-	-	-	1	-	-	-	-	3	-	-	-
-	-	1	-	-	-	-	-	1	1	1	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
21	1	1	4	1	3	1	1	34	84	22	-	2
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	2	1	-	-	1	7	1	-	1
-	-	-	-	1	-	-	-	1	3	1	-	-
3	-	-	-	4	-	-	-	11	6	6	-	-
-	-	-	-	-	-	-	-	-	5	-	-	1
-	-	-	-	1	-	2	-	-	2	2	-	-
10	-	1	2	4	1	3	-	9	27	3	2	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	1	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	1	-	-	-	1	6	1	1	-
-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
4	-	-	-	-	-	-	-	2	4	1	-	-
1	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
FRANKLIN

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Salem	218	-	-	-	-	-	-	-
Strong.	627	-	-	-	-	-	-	-
Temple.	470	-	-	-	-	-	-	-
Weld	885	-	-	-	-	-	-	-
Wilton	1,622	-	-	-	-	-	-	-
Coplin Pl.....	71	-	-	-	-	-	-	-
Dallas Pl.....	184	-	-	-	-	-	-	-
Greenvale Pl.	52	-	-	-	-	-	-	-
Jerusalem Pl.....	18	-	-	-	-	-	-	-
Lang Pl.....	51	-	-	-	-	-	-	-
Lowell Pl.....	49	-	-	-	-	-	-	-
Perkins Pl.....	94	-	-	-	-	-	-	-
Rangeley Pl	58	-	-	-	-	-	-	-
Redington Pl.....	28	-	-	-	-	-	-	-
Sandy River Pl.....	45	-	-	-	-	-	-	-
Township No. 6.....	26	-	-	-	-	-	-	-
HANCOCK COUNTY.....	-	-	-	1	6	-	1	4
Amherst	375	-	-	-	-	-	-	-
Aurora	175	-	-	-	-	-	-	-
Bluehill	1,980	-	-	-	-	-	-	-
Brooklin	1,046	-	-	-	-	-	-	-
Brooksville.....	1,310	-	-	-	-	-	-	-
Bucksport	2,921	-	-	-	1	-	-	-
Castine	987	-	-	-	-	-	-	-
Cranberry Isles.....	330	-	-	-	-	-	-	-
Dedham.....	366	-	-	-	-	-	-	-
Deer Isle.	3,422	-	-	-	3	-	-	-
Eastbrook	246	-	-	-	-	-	-	-
Eden ...	1,946	-	-	-	-	-	-	3
Ellsworth	4,804	-	-	-	-	-	1	-
Franklin	1,264	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	2	2	7	1	1	-	15	64	12	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	2	2	3	-	-
-	-	-	-	1	-	-	-	-	1	1	-	-
-	-	-	-	1	-	-	-	-	2	2	-	-
-	-	1	-	-	-	1	-	-	5	-	-	-
1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	7	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	4	4	1	-	-
-	-	-	-	-	-	-	-	4	8	-	-	-
-	-	1	-	-	-	-	-	-	4	1	-	-

TABLE
Deaths in Each Town from Special
HANCOCK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Gouldsboro	1,709	-	-	-	1	-	-	-
Hancock	1,190	-	-	-	-	-	-	-
Isle au Haut	206	-	-	-	-	-	-	-
Lamoine	726	-	-	-	-	-	-	-
Mariaville	271	-	-	-	-	-	-	-
Mount Desert	1,355	-	-	-	-	-	-	-
Orland	1,390	-	-	-	-	-	-	-
Otis	239	-	-	-	-	-	-	-
Penobscot	1,313	-	-	-	-	-	-	-
Sedgwick	1,012	-	-	-	-	-	-	-
Sorrento	-	-	-	-	-	-	-	-
Sullivan	1,379	-	-	-	-	-	-	1
Surry	986	-	-	-	-	-	-	-
Tremont	2,036	-	-	-	-	-	-	-
Trenton	528	-	-	-	-	-	-	-
Verona	323	-	-	-	-	-	-	-
Waltham	242	-	-	-	-	-	-	-
Winter Harbor	-	-	-	-	-	-	-	-
Long Island Pl.	132	-	-	1	1	-	-	-
No. 33 Pl.	112	-	-	-	-	-	-	-
Swan Island Pl.	632	-	-	-	-	-	-	-
KENNEBEC COUNTY	-	-	-	-	23	-	4	5
Albion	1,042	-	-	-	-	-	-	-
Augusta	10,527	-	-	-	3	-	2	3
Belgrade	1,090	-	-	-	-	-	-	-
Benton	1,136	-	-	-	-	-	-	-
Chelsea	2,356	-	-	-	1	-	-	-
China	1,423	-	-	-	1	-	-	-
Clinton	1,518	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	3	3	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
11	3	3	3	14	7	4	1	48	111	19	-	-
-	-	1	-	-	2	-	-	-	2	1	-	-
5	1	-	1	3	1	-	-	26	33	4	-	-
-	-	-	1	-	-	1	-	-	4	-	-	-
-	-	1	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	5	-	-	-
-	1	-	-	1	-	-	-	-	3	-	-	-

TABLE
Deaths in Each Town from Special
KENNEBEC

COUNTY AND TOWNS.	Population in 1890.	Small pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Farmingdale	821	-	-	-	-	-	-	-
Fayette	649	-	-	-	-	-	-	-
Gardiner.....	5,491	-	-	-	-	-	-	-
Hallowell.....	3,181	-	-	-	-	-	-	-
Litchfield.....	1,126	-	-	-	-	-	-	-
Manchester.....	612	-	-	-	-	-	-	-
Monmouth.....	1,362	-	-	-	-	-	-	-
Mount Vernon.....	940	-	-	-	-	-	-	-
Oakland.....	2,044	-	-	-	3	-	-	-
Pittston.....	1,281	-	-	-	1	-	-	-
Randolph.....	1,281	-	-	-	-	-	-	-
Readfield.....	1,176	-	-	-	-	-	-	-
Rome.....	500	-	-	-	1	-	-	-
Sidney.....	1,334	-	-	-	-	-	-	-
Vassalboro.....	2,052	-	-	-	1	-	1	-
Vienna.....	495	-	-	-	-	-	-	-
Waterville.....	7,107	-	-	-	9	-	1	-
Wayne.....	775	-	-	-	-	-	-	-
West Gardiner.....	853	-	-	-	-	-	-	1
Windsor.....	853	-	-	-	-	-	-	-
Winslow.....	1,814	-	-	-	3	-	-	-
Winthrop.....	2,111	-	-	-	-	-	-	-
Unity Pl.....	62	-	-	-	-	-	-	-
KNOX COUNTY.....	-	-	1	4	20	2	1	-
Appleton.....	1,080	-	-	-	-	-	-	-
Camden.....	2,471	-	-	-	1	-	-	-
Cushing.....	688	-	-	-	-	-	-	-
Friendship.....	877	-	-	-	-	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	1	12	1	-	-
1	-	-	-	-	-	1	-	1	4	2	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	1	-	-	-	-
1	-	-	-	-	-	-	-	1	1	1	-	-
2	-	-	1	2	-	-	-	2	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	1	-	-	3	-	-	-	13	11	5	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
1	-	-	-	1	1	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	2	-	-	-
-	-	-	-	-	-	1	-	1	6	2	-	-
-	-	-	-	-	-	-	-	-	5	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	5	12	1	2	4	19	58	7	1	2
-	-	-	-	3	-	-	1	-	4	-	-	-
-	-	-	1	-	-	-	2	1	9	1	-	1
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-

TABLE
Deaths in Each Town from Special
KNOX

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Hope	641	-	-	-	-	-	-	-
Hurricane Isle.....	266	-	-	-	-	-	-	-
North Haven	522	-	-	-	-	-	-	-
Rockland ...	8,174	-	-	2	9	-	-	-
Rockport	2,150	-	-	-	2	-	-	-
South Thomaston.....	1,534	-	1	1	-	-	-	-
St. George.....	2,491	-	-	-	2	-	-	-
Thomaston.....	3,009	-	-	-	2	-	-	-
Union	1,436	-	-	-	1	-	-	-
Vinalhaven	2,617	-	-	1	-	1	-	-
Warren.....	2,037	-	-	-	1	-	-	-
Washington	1,230	-	-	-	2	-	1	-
Matinicus Isle Pl.. ...	196	-	-	-	-	-	-	-
LINCOLN COUNTY ...	-	-	-	-	5	-	1	1
Alna.....	512	-	-	-	-	-	-	-
Boothbay	1,718	-	-	-	-	-	-	-
Boothbay Harbor	1,699	-	-	-	-	-	-	-
Bremen	842	-	-	-	-	-	-	-
Bristol	2,821	-	-	-	-	-	-	-
Damariscotta.....	1,012	-	-	-	-	-	-	-
Dresden.....	1,043	-	-	-	-	-	-	-
Edgecomb	749	-	-	-	-	-	-	-
Jefferson	1,391	-	-	-	-	-	-	-
Newcastle.....	1,282	-	-	-	-	-	-	-
Nobleboro.....	947	-	-	-	-	-	-	-
Somerville.....	453	-	-	-	1	-	-	-
Southport.....	533	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
2	-	-	2	3	1	1	-	8	9	1	1	1
-	-	-	-	1	-	1	-	1	2	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	3	-	-	-	3	11	1	-	-
-	-	-	1	1	-	-	-	1	4	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	2	9	-	-	-
1	-	-	-	1	-	-	-	2	3	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	1	2	3	1	-	6	28	9	-	1
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	5	1	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
2	-	-	-	-	2	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-

TABLE
Deaths in Each Town from Special
LINCOLN

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Waldoboro	3,505	-	-	-	2	-	1	-
Westport	451	-	-	-	-	-	-	-
Whitefield	1,215	-	-	-	1	-	-	1
Wiscasset	1,733	-	-	-	1	-	-	-
Monhegan Pl	90	-	-	-	-	-	-	-
OXFORD COUNTY	-	-	-	-	4	-	3	-
Albany	645	-	-	-	-	-	-	-
Andover.	740	-	-	-	-	-	-	-
Bethel	2,209	-	-	-	-	-	-	-
Brownfield	1,134	-	-	-	-	-	-	-
Buckfield	1,200	-	-	-	-	-	-	-
Byron	180	-	-	-	-	-	-	-
Canton	1,303	-	-	-	1	-	1	-
Denmark	755	-	-	-	-	-	-	-
Dixfield	988	-	-	-	-	-	-	-
Fryeburg	1,418	-	-	-	-	-	1	-
Gilead	336	-	-	-	-	-	-	-
Grafton	98	-	-	-	-	-	-	-
Greenwood	727	-	-	-	-	-	-	-
Hanover	212	-	-	-	1	-	-	-
Hartford	689	-	-	-	-	-	-	-
Hebron..	600	-	-	-	-	-	-	-
Hiram	1,063	-	-	-	-	-	-	-
Lovell.	853	-	-	-	-	-	-	-
Mason	80	-	-	-	-	-	-	-
Mexieo	355	-	-	-	-	-	-	-
Newry	343	-	-	-	-	-	-	-
Norway	2,665	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	1	-	-	-	-	1	2	2	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	1	-	1	1	2	-	-
-	-	-	-	-	-	-	-	2	5	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	3	1	2	8	2	1	1	14	42	6	2	-
-	-	-	-	2	-	-	-	-	2	-	-	-
-	1	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-
1	-	-	-	-	-	-	-	2	3	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	1	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	1	6	-	-	-

TABLE
Deaths in Each Town from Special
OXFORD

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Oxford	1,455	-	-	-	-	-	-	-
Paris	3,156	-	-	-	1	-	1	-
Peru	692	-	-	-	-	-	-	-
Porter	1,015	-	-	-	-	-	-	-
Roxbury	222	-	-	-	-	-	-	-
Rumford	898	-	-	-	-	-	-	-
Stow.....	291	-	-	-	-	-	-	-
Stoneham.	322	-	-	-	-	-	-	-
Sumner	901	-	-	-	-	-	-	-
Sweden	338	-	-	-	-	-	-	-
Upton	232	-	-	-	-	-	-	-
Waterford	1,001	-	-	-	-	-	-	-
Woodstock	859	-	-	-	1	-	-	-
Franklin Pl.....	112	-	-	-	-	-	-	-
Lincoln Pl.....	59	-	-	-	-	-	-	-
Milton Pl.....	211	-	-	-	-	-	-	-
Batchelders Grant	26	-	-	-	-	-	-	-
PENOBSCOT COUNTY	-	-	-	4	18	-	4	7
Alton.....	348	-	-	-	-	-	-	-
Argyle	263	-	-	-	-	-	-	-
Bangor.....	19,103	-	-	-	4	-	-	-
Bradford.....	1,215	-	-	-	-	-	-	-
Bradley	823	-	-	-	-	-	-	-
Brewer.....	4,193	-	-	-	-	-	-	1
Burlington.....	460	-	-	-	-	-	-	-
Carmel	1,066	-	-	-	-	-	-	-
Carroll	546	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	-	1	2	1	-	-	-
-	1	-	-	2	-	-	-	-	5	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	3	2	-	1	-
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
26	3	3	5	21	1	3	2	39	143	22	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
13	-	3	-	4	-	-	-	10	47	9	-	-
-	-	-	-	1	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	4	-	-	-	3	13	4	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Charleston.. .. .	971	-	-	-	-	-	-	-
Chester	368	-	-	2	-	-	-	-
Clifton	284	-	-	-	-	-	-	-
Corinna	1,207	-	-	-	-	-	-	-
Corinth	1,154	-	-	-	-	-	1	-
Dexter	2,732	-	-	-	-	-	-	-
Dixmont	919	-	-	-	-	-	-	-
Eddington	729	-	-	-	-	-	-	-
Edinburg	54	-	-	-	-	-	-	-
Enfield	769	-	-	-	-	-	-	-
Etna	646	-	-	-	-	-	-	-
Exeter	939	-	-	-	-	-	-	-
Garland	973	-	-	-	-	-	-	-
Glenburn	583	-	-	-	-	-	-	-
Greenbush	659	-	-	-	-	-	-	-
Greenfield	231	-	-	-	-	-	-	-
Hampden	2,484	-	-	-	-	-	-	-
Hermon.	1,282	-	-	-	-	-	-	-
Holden	609	-	-	-	-	-	-	-
Howland	171	-	-	-	-	-	-	-
Hudson	510	-	-	-	-	-	-	-
Kenduskeag	536	-	-	-	-	-	-	-
Kingman	671	-	-	-	-	-	-	2
Lagrange	721	-	-	-	-	-	-	-
Lee	929	-	-	-	-	-	-	1
Levant	880	-	-	-	-	-	-	-
Lincoln	1,756	-	-	2	-	-	-	-
Lowell	439	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	1	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	1	-	-	-	-	-	-	-	2	1	-	-
-	-	-	1	-	-	-	-	-	3	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	1	-	-	5	-	-	-
1	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	7	-	-	-
-	-	-	-	-	-	4	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
1	-	-	-	-	-	-	-	2	3	-	1	-
-	-	-	-	-	-	-	-	1	1	-	-	-

TABLE
Deaths in Each Town from Special
PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Mattawamkeag	633	-	-	-	-	-	-	-
Maxfield	134	-	-	-	-	-	-	-
Medway	653	-	-	-	-	-	-	-
Milford	835	-	-	-	-	-	-	-
Mt. Chase.....	284	-	-	-	2	-	-	-
Newburg.....	867	-	-	-	-	-	-	1
Newport	1,188	-	-	-	-	-	-	-
Old Town.....	5,312	-	-	-	2	-	-	1
Orono.	2,790	-	-	-	2	-	2	-
Orrington.....	1,406	-	-	-	-	-	-	-
Passadumkeag.....	343	-	-	-	-	-	-	-
Patten	936	-	-	-	3	-	1	-
Plymouth.....	689	-	-	-	-	-	-	-
Prentiss.. ..	401	-	-	-	-	-	-	1
Springfield.....	677	-	-	-	-	-	-	-
Stetson	618	-	-	-	-	-	-	-
Veazie	650	-	-	-	3	-	-	-
Winn	936	-	-	-	1	-	-	-
Woodville.....	242	-	-	-	-	-	-	-
Drew Pl.....	110	-	-	-	-	-	-	-
Lakeville Pl.....	144	-	-	-	-	-	-	-
No. 2 Grand Falls Pl.....	68	-	-	-	-	-	-	-
Sebocis Pl	98	-	-	-	-	-	-	-
Stacyville Pl.....	250	-	-	-	1	-	-	-
Webster Pl.....	135	-	-	-	-	-	-	-
PISCATAQUIS COUNTY.	-	-	-	-	-	-	-	1
Abbot.	622	-	-	-	-	-	-	-
Atkinson.....	605	-	-	-	-	-	-	-
Blanchard	213	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
2	-	-	3	4	-	1	-	11	8	1	-	-
1	-	-	-	1	1	1	-	2	4	1	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	1	1	-	-	-
-	1	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	2	-	4	5	-	2	-	6	29	9	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
PISCATAQUIS

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping-cough.
Brownville	1,074	-	-	-	-	-	-	-
Dover	1,942	-	-	-	-	-	-	-
Foxcroft	1,726	-	-	-	-	-	-	-
Greenville	781	-	-	-	-	-	-	1
Guilford	1,023	-	-	-	-	-	-	-
Medford	306	-	-	-	-	-	-	-
Milo	1,029	-	-	-	-	-	-	-
Monson	1,237	-	-	-	-	-	-	-
Orneville..	492	-	-	-	-	-	-	-
Parkman.....	813	-	-	-	-	-	-	-
Sangerville	1,236	-	-	-	-	-	-	-
Sebec.....	725	-	-	-	-	-	-	-
Shirley.....	291	-	-	-	-	-	-	-
Wellington	584	-	-	-	-	-	-	-
Williamsburg ...	162	-	-	-	-	-	-	-
Willimantic	446	-	-	-	-	-	-	-
Barnard Pl.....	100	-	-	-	-	-	-	-
Bowerbank Pl.....	87	-	-	-	-	-	-	-
Elliottsville Pl.....	53	-	-	-	-	-	-	-
Kingsbury Pl.	205	-	-	-	-	-	-	-
Lake View Pl.	-	-	-	-	-	-	-	-
North East Carry.	-	-	-	-	-	-	-	-
SAGadahoc COUNTY.	-	-	-	-	7	-	1	-
Arrowsic..	177	-	-	-	-	-	-	-
Bath.....	8,723	-	-	-	3	-	1	-
Bowdoin	940	-	-	-	-	-	-	-
Bowdoinham	1,508	-	-	-	1	-	-	-
Georgetown	849	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	3	-	-	-
-	1	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	-	1	-	1	6	2	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	1	-	-	1	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	1	-	-	-	-	1	1	-	-
1	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	2	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	1	1	-	-
-	-	-	-	-	-	1	-	1	2	1	-	-
-	-	-	1	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	4	2	6	1	1	1	4	34	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	1	1	1	1	1	3	20	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
SAGADAHOC

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Perkins	69	-	-	-	-	-	-	-
Phippsburg.....	1,396	-	-	-	-	-	-	-
Richmond.....	3,082	-	-	-	3	-	-	-
Topsham	1,394	-	-	-	-	-	-	-
West Bath.	307	-	-	-	-	-	-	-
Woolwich.....	1,007	-	-	-	-	-	-	-
SOMERSET COUNTY	-	-	-	1	5	-	1	2
Anson.	1,444	-	-	-	-	-	-	-
Athens.....	1,072	-	-	-	-	-	-	-
Bingham.....	757	-	-	-	-	-	-	-
Cambridge.....	425	-	-	-	-	-	-	-
Canaan.....	1,130	-	-	-	-	-	-	-
Concord.	345	-	-	-	-	-	-	-
Cornville.....	785	-	-	-	-	-	-	-
Detroit.....	590	-	-	-	-	-	-	-
Embden.....	579	-	-	-	-	-	-	-
Fairfield.	3,510	-	-	-	2	-	-	1
Harmony	704	-	-	-	-	-	-	-
Hartland....	974	-	-	-	-	-	-	-
Madison ...	1,815	-	-	-	-	-	1	-
Mercer....	584	-	-	-	-	-	-	-
Moscow..	422	-	-	-	1	-	-	-
New Portland.....	1,034	-	-	1	-	-	-	-
Norridgewock	1,656	-	-	-	-	-	-	-
Palmyra	1,004	-	-	-	1	-	-	-
Pittsfield.....	2,503	-	-	-	-	-	-	-
Ripley.....	478	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	*	-	-	-	2	1	-	-
-	1	1	1	1	-	-	-	1	4	1	-	-
-	-	1	-	2	-	-	-	-	5	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
5	-	3	1	7	5	1	2	18	64	9	1	-
-	-	1	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	1	1	-	-	-
-	-	-	-	1	1	-	1	6	5	1	-	-
-	-	-	-	-	1	-	-	-	3	-	-	-
-	-	1	-	-	-	-	-	-	4	1	-	-
-	-	-	-	1	1	-	-	1	4	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	1	-	1	-
-	-	-	-	3	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
3	-	-	-	-	-	-	-	-	7	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-

TABLE
Deaths in Each Town from Special
SOMERSET

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
St. Albans ..	1,206	-	-	-	-	-	-	-
Skowhegan.	5,068	-	-	-	1	-	-	-
Smithfield	479	-	-	-	-	-	-	-
Solon	977	-	-	-	-	-	-	-
Starks	766	-	-	-	-	-	-	-
Bigelow Pl.....	62	-	-	-	-	-	-	-
Brighton Pl.....	434	-	-	-	-	-	-	-
Carratunk Pl	192	-	-	-	-	-	-	-
Dead River Pl.....	104	-	-	-	-	-	-	-
Dennistown Pl.....	66	-	-	-	-	-	-	-
Flagstaff Pl.....	87	-	-	-	-	-	-	-
Highland Pl	76	-	-	-	-	-	-	-
Jackman Pl.....	217	-	-	-	-	-	-	-
Lexington Pl.	199	-	-	-	-	-	-	-
Mayfield Pl.	74	-	-	-	-	-	-	-
Moose River Pl.....	170	-	-	-	-	-	-	1
No. 1, R. 2, W. K. R. Pl	128	-	-	-	-	-	-	-
The Forks Pl.....	195	-	-	-	-	-	-	-
West Forks Pl.....	146	-	-	-	-	-	-	-
Long Pond.....	-	-	-	-	-	-	-	-
WALDO COUNTY.....	-	-	-	-	7	-	-	1
Belfast.....	5,294	-	-	-	3	-	-	-
Belmont	475	-	-	-	-	-	-	-
Brooks	730	-	-	-	-	-	-	-
Burnham.....	846	-	-	-	-	-	-	-
Frankfort	1,099	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	1	1	-	-
2	-	-	-	1	-	1	1	6	11	3	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	2	2	4	-	4	1	9	45	4	-	1
1	-	-	-	-	-	-	-	-	10	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	-	-	1	5	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	1

TABLE
Deaths in Each Town from Special
WALDO

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Freedom	510	-	-	-	-	-	-	-
Islesboro	1,006	-	-	-	-	-	-	-
Jackson	522	-	-	-	-	-	-	-
Knox	657	-	-	-	-	-	-	-
Liberty	835	-	-	-	-	-	-	-
Lincolntonville	1,361	-	-	-	-	-	-	-
Monroe	1,079	-	-	-	-	-	-	-
Montville	1,049	-	-	-	-	-	-	-
Morrill	460	-	-	-	-	-	-	-
Northport	691	-	-	-	-	-	-	-
Palermo	887	-	-	-	2	-	-	1
Prospect	697	-	-	-	-	-	-	-
Searsmont	1,144	-	-	-	-	-	-	-
Searsport	1,693	-	-	-	-	-	-	-
Stockton Springs	1,149	-	-	-	-	-	-	-
Swanville	689	-	-	-	-	-	-	-
Thorndike	589	-	-	-	-	-	-	-
Troy	868	-	-	-	-	-	-	-
Unity	922	-	-	-	-	-	-	-
Waldo	581	-	-	-	2	-	-	-
Winterport	1,926	-	-	-	-	-	-	-
WASHINGTON COUNTY.	-	-	-	3	6	1	2	6
Addison	1,022	-	-	-	-	-	-	-
Alexander	337	-	-	-	-	-	-	-
Baileyville	226	-	-	-	-	-	-	-
Baring	273	-	-	-	-	-	-	-
Beddington	184	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Brookton	429	-	-	-	-	-	-	-
Calais	7,290	-	-	-	2	-	1	2
Centerville	114	-	-	-	-	-	-	-
Charlotte	381	-	-	-	-	-	-	-
Cherryfield	1,787	-	-	-	-	-	-	-
Columbia	587	-	-	-	-	-	-	-
Columbia Falls...	698	-	-	-	-	-	-	-
Cooper	264	-	-	-	-	-	-	-
Crawford	140	-	-	-	-	-	-	-
Cutler	662	-	-	-	-	-	-	-
Danforth.....	1,063	-	-	-	-	-	-	-
Deblois ...	76	-	-	-	-	-	-	-
Dennysville ...	452	-	-	-	-	-	-	-
East Machias.....	1,637	-	-	-	-	-	-	-
Eastport ..	4,908	-	-	-	1	-	-	2
Edmunds	395	-	-	-	-	-	-	-
Forest City.....	287	-	-	-	-	-	-	-
Harrington	1,150	-	-	-	-	-	-	-
Jonesboro ...	470	-	-	1	-	-	-	-
Jonesport.....	1,917	-	-	-	-	-	-	1
Lubec	2,069	-	-	-	-	-	-	-
Machias.....	2,035	-	-	-	-	-	-	-
Machiasport.....	1,437	-	-	-	-	-	-	-
Marion	90	-	-	-	-	-	-	-
Marshfield..	299	-	-	-	-	-	-	-
Meddybemps.....	156	-	-	-	-	-	-	-
Milbridge	1,963	-	-	2	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	5	2	-	-	12	19	7	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	5	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	1	1	-	-
2	1	-	1	-	7	-	-	-	4	-	-	-
3	-	-	-	-	-	2	2	8	18	1	-	-
-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	1	-	-	-
2	-	-	-	-	-	-	-	-	1	1	-	-
2	-	-	-	-	-	-	1	3	5	1	-	-
-	-	-	-	1	1	-	-	-	5	4	-	-
1	-	-	-	2	1	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	2	3	1	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Northfield.....	143	-	-	-	-	-	-	-
Pembroke	1,514	-	-	-	-	-	-	-
Perry.....	945	-	-	-	2	-	-	1
Princeton.....	1,027	-	-	-	-	-	1	-
Robbinston ...	787	-	-	-	-	-	-	-
Roque Bluffs	154	-	-	-	-	-	-	-
Steuben	982	-	-	-	-	-	-	-
Talmage.....	112	-	-	-	-	-	-	-
Topsfield.....	375	-	-	-	-	-	-	-
Trescott.	485	-	-	-	-	-	-	-
Vanceboro.....	870	-	-	-	-	1	-	-
Waite	159	-	-	-	-	-	-	-
Wesley	227	-	-	-	1	-	-	-
Whiting	393	-	-	-	-	-	-	-
Whitneyville	413	-	-	-	-	-	-	-
Grand Lake Stream Pl	404	-	-	-	-	-	-	-
Lambert Lake Pl.	152	-	-	-	-	-	-	-
No. 14 Pl.	37	-	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	-	-
Kossuth	68	-	-	-	-	-	-	-
YORK COUNTY.....	-	-	4	4	14	2	6	5
Acton	878	-	-	-	-	-	1	-
Alfred.	1,030	-	-	-	-	-	-	-
Berwick	2,294	-	-	-	1	-	-	-
Biddleford.	14,443	-	4	4	7	-	1	4
Buxton.....	2,036	-	-	-	-	-	-	-
Cornish	1,118	-	-	-	-	-	-	-
Dayton.....	500	-	-	-	-	-	-	-
Eliot	1,463	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	1	1	-	-
-	1	-	-	-	-	-	-	-	5	-	-	-
-	-	-	-	-	-	1	-	-	2	-	-	-
-	-	-	-	-	-	-	-	3	2	-	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	1	4	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	2	8	12	1	3	-	86	99	17	-	2
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	1	-	-	-	-	-	2	-	-	-
12	-	2	-	-	-	1	-	60	28	4	-	1
1	-	-	-	4	-	1	-	-	5	-	-	-
-	-	-	1	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-

TABLE
Deaths in Each Town from Special
YORK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Hollis	1,278	-	-	-	-	-	-	-
Kennebunk	3,172	-	-	-	1	-	1	-
Kennebunkport	2,196	-	-	-	-	-	-	-
Kittery.....	2,864	-	-	-	-	-	-	-
Lebanon	1,263	-	-	-	1	-	-	-
Limerick	966	-	-	-	-	-	-	-
Linington.....	1,092	-	-	-	-	-	-	-
Lyman.....	854	-	-	-	-	-	-	-
Newfield	796	-	-	-	-	-	-	-
North Berwick	1,803	-	-	-	-	-	-	-
Old Orchard.....	877	-	-	-	-	-	-	-
Parsonsfield	1,398	-	-	-	-	-	-	-
Saco	6,075	-	-	-	-	-	1	1
Sanford	4,201	-	-	-	3	-	1	-
Shapleigh.....	968	-	-	-	-	-	-	-
South Berwick.....	3,434	-	-	-	-	-	-	-
Waterboro.....	1,357	-	-	-	-	-	1	-
Wells	2,029	-	-	-	1	-	-	-
York	2,444	-	-	-	-	-	-	-

No. 31—Concluded.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	3	9	-	-	-
1	-	-	1	-	-	-	-	-	4	1	-	-
-	-	-	-	-	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	-	-	-	-	-	2	4	-	-	-
-	-	-	-	-	-	-	-	1	2	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
6	-	-	-	2	-	1	-	3	8	4	-	-
1	-	-	2	-	-	-	-	11	7	1	-	-
-	-	-	-	1	-	-	-	1	3	1	-	-
2	-	-	-	1	-	-	-	3	3	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	1	4	-	-	-
-	-	-	2	-	1	-	-	-	2	-	-	1

TABLE
Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or meninges.
MAINE.	661,086	16	19	56	480	130	584	271	261
Androscoggin	48,968	2	1	5	38	7	30	36	13
Aroostook.....	49,589	-	1	6	16	7	17	48	13
Cumberland.....	90,949	4	2	4	80	19	89	33	47
Franklin	17,053	-	2	-	19	7	16	7	6
Hancock	37,312	2	1	2	20	7	31	7	14
Kennebec	57,012	1	-	7	49	11	46	20	23
Knox	31,473	3	4	-	28	8	38	13	8
Lincoln.....	21,996	-	1	1	22	2	37	3	7
Oxford.....	30,586	-	-	7	23	8	25	9	17
Penobscot.....	72,865	2	5	5	45	16	76	25	32
Piscataquis	16	-	-	2	9	2	16	10	3
Sagadahoc	19,452	-	-	4	12	2	12	4	5
Somerset	32,627	-	-	3	29	9	38	14	13
Waldo	27,759	-	-	3	21	6	30	8	6
Washington...	44,482	-	1	2	26	3	33	11	22
York	62,829	2	1	5	43	16	50	23	32
ANDROSCOGGIN COUNTY	-	2	1	5	38	7	30	36	13
Auburn.....	11,250	-	-	2	5	3	9	3	2
Durham	1,111	-	-	-	1	-	1	-	-
East Livermore	1,506	-	-	-	3	-	1	-	-
Greene.....	885	-	-	-	2	-	4	1	1
Leeds	999	-	-	-	-	-	1	-	-
Lewiston	21,701	2	1	2	15	2	8	18	7
Lisbon....	3,120	-	-	-	2	-	1	5	-
Livermore	1,151	-	-	1	1	-	-	2	1
Mechanic Falls	-	-	-	-	2	-	1	1	-
Minot	1,355	-	-	-	1	-	1	4	-
Poland.....	2,472	-	-	-	3	-	1	1	1
Turner	2,016	-	-	-	1	-	2	-	1
Wales	451	-	-	-	-	-	-	-	-
Webster	951	-	-	-	2	2	-	1	-

No. 32.
Diseases and Groups of Diseases.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
488	836	948	812	225	128	693	324	151	35	36	341	66
36	55	88	57	23	12	51	21	14	4	-	30	2
8	29	17	34	9	8	50	10	3	1	4	19	4
101	112	127	139	39	30	103	68	23	3	3	57	9
14	24	20	20	2	1	20	5	3	1	4	9	2
21	39	54	42	14	9	40	16	14	1	2	17	1
50	137	102	73	39	11	67	21	13	4	1	25	5
15	44	58	37	2	3	28	21	13	3	1	20	7
19	40	33	26	3	1	24	9	4	-	1	14	1
30	39	52	50	10	4	27	13	6	5	1	9	4
47	72	107	100	17	10	81	33	15	2	4	43	9
9	16	22	14	2	4	9	9	3	-	-	4	1
28	18	35	28	8	2	20	9	8	-	1	11	4
14	37	42	47	13	2	56	20	4	1	4	14	4
26	42	43	27	7	2	31	16	7	2	1	17	3
20	39	51	41	8	11	39	13	4	3	2	21	-
50	93	97	77	29	18	47	40	17	5	7	31	10
36	55	88	57	23	12	51	21	14	4	-	30	2
5	16	15	15	3	3	13	6	1	1	-	3	1
-	2	2	1	-	-	1	3	1	-	-	3	-
2	1	3	3	-	-	5	-	-	-	-	1	-
2	1	2	1	-	-	1	-	1	-	-	-	-
1	1	2	1	-	-	1	1	-	-	-	1	-
18	19	34	20	18	8	18	7	1	2	-	19	1
3	4	4	1	1	1	4	-	1	1	-	2	-
-	-	1	3	1	-	1	-	1	-	-	-	-
-	3	5	1	-	-	1	1	2	-	-	-	-
2	1	1	-	-	-	-	2	1	-	-	1	-
2	2	4	8	-	-	3	-	1	-	-	-	-
-	2	6	3	-	-	2	1	2	-	-	-	-
1	1	6	-	-	-	-	-	-	-	-	-	-
-	2	3	-	-	-	1	-	2	-	-	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
AROOSTOOK COUNTY	-	-	1	6	16	7	17	48	13
Amity	420	-	-	-	-	1	-	-	-
Ashland	568	-	-	-	-	-	-	-	-
Bancroft ..	264	-	-	-	-	-	-	-	-
Benedicta	317	-	-	-	-	-	-	-	-
Blaine	784	-	-	-	-	-	1	-	-
Bridgewater	946	-	-	-	-	-	-	1	-
Caribou.....	4,087	-	-	-	1	1	3	5	-
Dyer Brook	221	-	-	-	-	1	-	-	-
Easton.....	978	-	-	-	1	-	-	-	-
Fort Fairfield.....	3,526	-	-	-	1	1	2	4	-
Fort Kent	1,826	-	-	-	2	-	-	4	-
Frenchville	2,560	-	-	-	-	-	-	2	-
Grand Isle.....	964	-	-	1	-	-	-	-	-
Haynesville	280	-	-	-	-	-	2	-	-
Hersey	151	-	-	-	-	-	-	-	-
Hodgdon	1,113	-	-	1	-	-	-	-	-
Houlton	4,015	-	-	1	-	1	-	1	-
Island Falls.....	223	-	-	-	-	-	-	1	-
Limestone	933	-	-	-	-	-	-	-	-
Linneus	965	-	-	-	2	-	-	-	-
Littleton	924	-	-	-	-	-	-	-	-
Ludlow	375	-	-	-	-	-	-	1	-
Madawaska	1,451	-	-	-	-	-	-	-	-
Mapleton ..	832	-	-	-	-	-	1	1	-
Mars Hill.....	837	-	-	-	-	-	-	-	-
Masardis	250	-	-	-	-	-	-	-	-
Monticello .	1,132	-	-	-	2	-	-	-	-
New Limerick	567	-	-	-	1	-	-	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
8	29	17	34	9	8	50	10	3	1	4	19	4
-	2	-	1	-	-	1	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	1	-	-	1	-	-	-	-	2	-
-	-	-	1	-	-	1	-	-	-	-	-	-
-	2	1	4	-	-	10	1	-	-	-	3	1
-	-	-	2	-	-	-	-	-	-	-	-	-
-	1	-	1	1	-	-	-	-	-	-	-	-
4	2	1	2	-	-	-	-	-	-	-	-	-
-	2	-	1	2	-	1	1	-	-	-	2	-
-	-	1	-	-	-	1	-	-	-	-	1	-
-	-	-	-	1	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	3	2	-	1	-	2	-	-	-	-	-	-
2	2	1	2	-	1	4	1	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	1	-	-	-	-	-	-	-	1	1
-	1	-	-	3	-	-	-	-	-	-	-	-
-	1	1	1	-	-	1	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	2	1	1	-	1	-	-	-	-	-	-
-	-	1	2	-	-	3	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	1	-	-	2	-	-	-	-	1	1
-	1	-	1	-	-	1	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
New Sweden.....	707	-	-	-	-	-	-	-	-
Orient	244	-	-	-	-	-	-	-	-
Presque Isle....	3,046	-	-	-	4	2	-	7	-
Sherman	909	-	-	-	-	-	-	-	-
Smyrna.	303	-	-	1	-	-	-	-	-
Van Buren.....	1,168	-	-	-	-	-	1	2	-
Washburn... ..	1,097	-	-	-	-	-	-	-	-
Weston... ..	404	-	-	-	-	-	-	-	-
Woodland	885	-	-	-	1	-	-	1	-
Plantations.									
Allagash	200	-	-	-	-	-	1	-	-
Cary	390	-	1	-	-	-	-	1	-
Castle Hill.....	537	-	-	-	-	-	-	-	-
Caswell	212	-	-	1	-	-	-	2	-
Chapman.....	231	-	-	-	-	-	1	-	-
Connor	526	-	-	-	1	-	-	3	-
Crystal	297	-	-	-	-	-	-	-	-
Cyr	429	-	-	1	-	-	-	-	-
Eagle Lake.....	313	-	-	-	-	-	-	-	-
Garfield	86	-	-	-	-	-	-	-	-
Glenwood	183	-	-	-	-	-	-	-	-
Hamlin	484	-	-	-	-	-	-	3	-
Hammond	109	-	-	-	-	-	-	-	-
Macwahoc	216	-	-	-	-	-	1	-	-
Merrill	244	-	-	-	-	-	-	-	-
Molunkus	77	-	-	-	-	-	-	-	-
Moro	199	-	-	-	-	-	-	-	-
Nashville.....	34	-	-	-	-	-	-	-	-
New Canada.....	301	-	-	-	-	-	-	1	-
Oakfield	720	-	-	-	-	-	2	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or mem-
Oxbow	94	-	-	-	-	-	1	1	-
Perham..	438	-	-	-	-	-	-	1	-
Portage Lake.....	140	-	-	-	-	-	-	-	-
Reed	203	-	-	-	-	-	-	1	-
Sheridan	221	-	-	-	-	-	-	-	-
St. Francis.	461	-	-	-	-	-	-	2	-
St. John	226	-	-	-	-	-	-	-	-
Silver Ridge.....	195	-	-	-	-	-	-	-	-
Stockholm.	105	-	-	-	-	-	-	-	-
Wade	158	-	-	-	-	-	-	-	-
Wallagrass	595	-	-	-	-	-	-	2	-
Westfield.	166	-	-	-	-	-	-	-	-
Westmanland	52	-	-	-	-	-	1	-	-
Winterville	72	-	-	-	-	-	-	-	-
CUMBERLAND COUNTY	-	4	2	4	80	19	89	33	4
Baldwin.....	932	-	-	-	1	-	-	-	-
Bridgton	2,605	-	-	-	2	-	3	-	-
Brunswick	6,012	-	-	1	9	-	5	6	-
Cape Elizabeth	5,459	-	-	1	-	-	2	1	-
Casco... ..	844	-	-	-	-	1	1	-	-
Cumberland	1,487	-	-	-	-	-	3	-	-
Deering	5,353	-	-	1	3	2	5	1	-
Falmouth	1,580	-	-	-	1	-	3	-	-
Freeport.	2,482	-	-	1	1	-	4	2	-
Gorham	2,888	-	-	-	1	1	5	1	-
Gray	1,517	-	-	-	1	-	2	-	-
Harpwell.....	1,766	-	-	-	1	-	-	-	-
Harrison.....	1,071	-	-	-	1	-	-	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	2	-	-	-	-	-	-	-	-	-	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-
101	112	127	139	39	30	103	68	23	3	3	57	9
2	-	-	-	-	1	1	1	1	-	-	-	-
4	5	3	3	1	-	2	2	1	-	1	2	-
6	5	8	11	2	-	9	-	-	-	-	2	-
3	2	2	5	-	-	1	1	-	-	-	1	-
-	2	1	-	-	-	-	2	-	-	-	-	-
2	3	3	8	1	-	-	2	-	-	-	1	-
2	6	10	10	2	3	5	3	-	-	-	2	-
-	3	-	2	-	1	1	-	-	-	-	-	-
2	3	3	5	-	-	3	1	2	-	-	-	2
3	5	6	1	1	-	2	-	1	-	-	-	-
5	3	-	1	-	-	4	1	2	-	-	-	-
-	1	4	3	-	-	1	2	-	-	-	3	-
1	1	3	2	1	2	2	1	1	-	-	-	-

TABLE
Deaths in Each Town from Certain
CUMBERLAND

COUNTY AND TOWNS.	Population of 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Naples	846	-	-	-	-	-	2	-	-
New Gloucester	1,234	-	-	-	2	1	2	1	-
North Yarmouth	709	-	-	-	1	-	-	-	-
Otisfield	838	-	-	-	1	-	2	-	-
Portland	36,425	4	1	-	40	10	29	8	2
Pownal	712	-	-	-	2	2	-	-	-
Raymond	927	-	-	-	1	-	2	1	-
Scarboro	1,794	-	-	-	2	-	-	-	-
Sebago	681	-	-	-	1	-	-	-	-
South Portland	-	-	1	-	1	1	3	3	-
Standish	1,841	-	-	-	1	-	4	-	-
Westbrook	6,632	-	-	-	5	-	6	7	-
Windham	2,216	-	-	-	-	-	4	-	-
Yarmouth.....	2,098	-	-	-	2	1	2	1	-
FRANKLIN COUNTY	-	-	2	-	19	7	16	7	-
Avon	439	-	-	-	-	-	1	-	-
Carthage	390	-	-	-	-	-	-	-	-
Chesterville.....	770	-	-	-	2	-	4	-	-
Eustis	321	-	-	-	-	-	-	3	-
Farmington.....	3,207	-	-	-	5	-	2	-	-
Freeman	464	-	-	-	-	-	-	-	-
Industry....	545	-	-	-	-	-	1	1	-
Jay	1,541	-	-	-	1	2	-	-	-
Kingfield	601	-	-	-	-	1	-	-	-
Madrid	441	-	-	-	-	-	-	-	-
New Sharon.....	1,064	-	-	-	2	-	1	-	-
New Vineyard	660	-	-	-	1	-	3	-	-
Phillips	1,394	-	-	-	2	-	1	-	-
Rangeley	616	-	-	-	-	-	-	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
2	1	1	-	-	-	-	-	-	-	-	-	-
2	4	3	3	-	-	2	-	-	-	-	2	-
1	-	1	1	1	-	-	-	-	-	1	-	-
-	1	2	2	-	-	-	1	-	-	-	-	-
50	42	53	69	19	17	45	40	12	2	-	35	5
1	1	-	-	-	-	1	-	-	1	-	-	-
1	-	2	2	-	-	-	-	-	-	-	-	-
2	2	3	2	2	-	1	1	1	-	-	1	-
-	1	-	-	-	-	1	1	-	-	-	-	-
2	7	4	3	1	1	5	1	-	-	1	1	-
4	4	1	1	4	-	2	1	1	-	-	2	1
1	9	8	2	3	4	7	1	-	-	-	4	1
2	-	4	3	-	-	2	5	1	-	-	1	-
3	1	2	-	1	1	6	1	-	-	-	-	-
14	24	20	20	2	1	20	5	3	1	4	9	2
-	-	4	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	2	1	-	-	-	2	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
5	2	-	4	-	-	2	-	1	-	-	2	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	-	1	2	-	-	-	-	-	-	-	-	-
-	2	-	1	-	-	3	1	-	-	-	1	-
1	-	1	-	-	-	1	-	-	-	-	-	-
-	3	-	-	-	-	1	-	-	-	-	-	-
1	1	1	3	-	-	2	-	-	-	-	-	-
-	2	3	1	-	-	1	-	1	-	-	2	1
3	-	2	1	1	-	3	-	1	-	1	-	-
1	2	-	1	-	-	1	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
FRANKLIN

COUNTY AND TOWNS.	Population of 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Salem	218	-	-	-	-	-	-	-	-
Strong	627	-	2	-	-	1	1	1	3
Temple	470	-	-	-	2	-	1	-	-
Weld.....	885	-	-	-	-	-	1	-	1
Wilton.....	1,622	-	-	-	4	2	-	1	-
Coplin Pl.....	71	-	-	-	-	-	-	-	-
Dallas Pl	184	-	-	-	-	1	-	-	-
Greenvale Pl.....	52	-	-	-	-	-	-	-	-
Jerusalem Pl ...	18	-	-	-	-	-	-	-	-
Lang Pl	51	-	-	-	-	-	-	-	-
Lowell Pl	49	-	-	-	-	-	-	-	-
Perkins Pl.....	94	-	-	-	-	-	-	-	-
Rangeley Pl... ..	58	-	-	-	-	-	-	-	-
Redington Pl	28	-	-	-	-	-	-	-	-
Sandy River Pl	45	-	-	-	-	-	-	-	-
Township No. 6	26	-	-	-	-	-	-	-	-
HANCOCK COUNTY.....	-	2	1	2	20	7	30	7	14
Amherst	375	-	-	-	-	-	1	-	-
Aurora	175	-	-	1	-	-	-	1	-
Bluehill	1,980	-	-	-	-	-	-	1	1
Brooklin	1,046	-	-	-	-	-	2	-	1
Brooksville	1,310	-	-	-	2	-	-	-	-
Bucksport.....	2,921	-	1	-	2	2	1	1	4
Castine	987	-	-	-	-	-	1	-	-
Cranberry Isles.....	330	-	-	-	-	-	1	-	-
Dedham	366	-	-	-	-	1	-	-	-
Deer Isle	3,422	-	-	-	3	-	1	-	1
Eastbrook.....	246	-	-	-	-	-	-	-	-
Eden.....	1,946	-	-	-	-	1	1	-	1
Ellsworth	4,804	1	-	-	1	-	2	2	3
Franklin	1,264	-	-	-	-	-	1	-	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	1	-	-	-	-	-	-	-	-	-	-	-
-	3	1	-	-	-	-	-	-	-	1	-	-
1	1	-	3	-	1	-	-	-	-	-	-	-
-	2	3	1	-	-	-	1	-	-	-	-	-
1	2	3	2	1	-	2	1	-	-	1	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
21	39	54	42	14	9	40	16	14	1	2	17	1
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	7	5	3	-	1	1	-	-	-	2	-
1	-	-	-	1	-	1	1	-	-	-	3	-
-	2	2	-	1	-	2	-	1	-	-	1	-
2	6	7	2	-	1	4	1	-	-	-	1	-
-	3	4	-	-	-	2	-	1	-	-	-	-
-	-	1	1	-	-	-	1	1	-	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	1	-	-	2	1	2	1	-	-	2	1
-	1	-	1	-	-	-	-	-	-	-	-	-
4	3	2	3	3	-	4	1	3	-	-	1	-
1	5	6	7	1	-	5	4	1	1	1	-	-
-	-	4	3	-	1	2	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
HANCOCK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Gouldsboro	1,709	-	-	-	-	-	3	-	1
Hancock	1,190	-	-	-	-	-	2	-	-
Isle au Haut	206	-	-	-	1	-	-	-	-
Lamoine	726	-	-	-	1	-	1	-	-
Mariaville	271	-	-	-	-	-	-	-	-
Mount Desert	1,355	-	-	-	3	1	-	-	-
Orland	1,390	1	-	-	-	-	2	-	-
Otis	239	-	-	-	-	-	-	-	-
Penobscôt	1,313	-	-	1	-	1	-	-	-
Sedgwick	1,012	-	-	-	3	-	4	-	-
Sorrento	-	-	-	-	-	-	-	-	-
Sullivan	1,379	-	-	-	2	-	1	-	-
Surry	986	-	-	-	-	-	3	-	1
Tremont	2,036	-	-	-	2	-	-	1	-
Trenton	528	-	-	-	-	-	2	-	-
Verona	323	-	-	-	-	-	-	-	-
Waltham	242	-	-	-	-	1	1	-	-
Winter Harbor	-	-	-	-	-	-	-	-	-
Long Island Pl	132	-	-	-	-	-	-	-	-
No. 33 Pl	112	-	-	-	-	-	-	-	-
Swan Island Pl	632	-	-	-	-	-	-	1	-
KENNEBEC COUNTY	-	1	-	7	49	11	45	20	23
Albion	1,042	-	-	-	-	-	1	-	-
Augusta	10,527	-	-	1	9	4	10	7	6
Belgrade	1,090	-	-	-	2	-	1	1	-
Benton	1,136	-	-	-	1	-	1	-	-
Chelsea	2,356	1	-	-	1	-	1	-	-
China	1,423	-	-	1	1	1	-	-	-
Clinton	1,518	-	-	-	1	-	2	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	1	2	4	1	-	2	1	-	-	-	1	-
2	-	4	2	-	-	2	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	2	-	-	-	-	-	-
-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	2	-	1	-	-	2	-
-	1	4	2	2	1	1	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
1	3	3	-	-	1	1	-	-	-	-	-	-
1	1	-	4	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	2	-	-	1	2	-	-	-	-	-	-
1	-	1	-	-	1	-	-	1	-	-	-	-
-	2	-	3	1	-	-	3	1	-	-	-	-
-	-	2	1	1	-	-	-	-	-	-	1	-
1	1	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	1	2	-	-	-	-	-	-
-	1	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	1	1	-	-	1	1	-	-	-	-	-
50	137	102	73	39	11	67	21	13	4	1	25	5
-	1	4	1	-	1	2	1	3	-	-	2	-
7	84	24	16	12	4	17	1	1	-	1	6	3
4	-	1	1	-	-	-	-	-	-	-	1	-
1	-	1	1	-	-	1	2	-	-	-	-	1
1	3	-	-	-	-	-	-	1	-	-	-	-
1	1	7	3	-	-	1	1	2	1	-	-	-
1	2	2	5	1	-	-	1	-	-	-	1	-

TABLE
Deaths in Each Town from Certain
KENNEBEC

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Farmingdale.....	821	-	-	-	1	-	2	-	-
Fayette.....	649	-	-	-	1	-	1	-	-
Gardiner.....	5,491	-	-	3	6	3	4	3	8
Hallowell.....	3,181	-	-	1	3	-	4	-	-
Litchfield.....	1,126	-	-	-	2	1	-	-	-
Manchester.....	612	-	-	-	-	-	1	-	1
Monmouth.....	1,362	-	-	1	2	-	-	1	-
Mount Vernon.....	940	-	-	-	1	-	-	-	-
Oakland.....	2,044	-	-	-	1	-	1	1	3
Pittston.....	1,281	-	-	-	-	-	4	1	-
Randolph.....	1,281	-	-	-	1	-	-	-	-
Readfield.....	1,176	-	-	-	2	-	1	2	-
Rome.....	500	-	-	-	1	-	-	-	-
Sidney.....	1,334	-	-	-	-	-	-	-	-
Vassalboro.....	2,052	-	-	-	2	-	2	-	-
Vienna.....	495	-	-	-	1	1	-	-	-
Waterville.....	7,107	-	-	-	2	-	3	4	3
Wayne.....	775	-	-	-	1	-	1	-	-
West Gardiner.....	853	-	-	-	-	-	-	-	1
Windsor.....	853	-	-	-	1	-	1	-	1
Winslow.....	1,814	-	-	-	4	-	-	-	-
Winthrop.....	2,111	-	-	-	2	1	4	-	-
Unity Pl.....	62	-	-	-	-	-	-	-	-
KNOX COUNTY.....	-	3	4	-	28	8	38	13	-
Appleton.....	1,080	-	-	-	1	-	1	-	-
Camden.....	2,471	-	-	-	4	-	1	-	-
Cushing.....	688	-	-	-	1	-	2	-	-
Friendship.....	877	-	-	-	-	1	1	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

[illegible]

TABLE
Deaths in Each Town from Certain
KNOX

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Hope	641	-	-	-	-	-	-	1	1
Hurricane Isle	266	-	-	-	-	-	-	-	-
North Haven.....	552	-	-	-	-	-	-	-	-
Rockland.....	8,174	2	1	-	9	4	12	2	3
Rockport.....	2,150	-	-	-	2	-	3	-	-
South Thomaston	1,534	-	-	-	-	-	1	-	-
St. George.....	2,491	-	2	-	4	1	6	3	-
Thomaston.....	3,009	1	-	-	3	-	2	2	-
Union.....	1,436	-	-	-	1	1	-	2	1
Vinalhaven	2,617	-	-	-	1	-	3	1	1
Warren	2,037	-	1	-	-	1	6	1	-
Washington.....	1,230	-	-	-	2	-	-	-	2
Matinicus Isle Pl	196	-	-	-	-	-	-	-	-
LINCOLN COUNTY.....	-	-	1	1	22	2	37	3	7
Alna	512	-	-	-	1	-	1	-	1
Boothbay	1,718	-	1	-	-	1	1	-	1
Boothbay Harbor	1,699	-	-	-	2	-	2	1	-
Bremen	842	-	-	-	-	-	1	-	-
Bristol.....	2,821	-	-	-	1	1	8	1	1
Damariscotta	1,012	-	-	-	3	-	2	-	1
Dresden	1,043	-	-	-	-	-	2	-	1
Edgecomb	749	-	-	-	1	-	2	1	-
Jefferson	1,391	-	-	-	2	-	2	-	-
Newcastle	1,282	-	-	-	3	-	3	-	-
Nobleboro.	947	-	-	-	1	-	4	-	1
Somerville.....	453	-	-	-	-	-	-	-	-
Southport	533	-	-	-	-	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	2	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	2	-	-	-	-	-	-	-	-	-	-
3	19	16	10	-	1	10	4	5	-	-	4	1
2	-	8	2	-	-	1	1	2	-	1	4	-
1	2	4	-	-	-	2	-	-	-	-	1	-
1	4	3	-	-	1	3	1	-	-	-	1	1
-	5	4	1	-	-	1	1	1	1	-	3	1
-	2	1	2	1	-	3	1	2	-	-	1	-
-	4	1	5	1	1	1	6	-	-	-	3	-
-	4	2	3	-	-	1	-	-	1	-	1	-
1	2	-	3	-	-	1	1	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
19	40	33	26	3	1	24	9	4	-	1	14	1
-	-	1	-	-	-	3	-	-	-	-	-	-
-	3	-	2	-	-	1	2	-	-	-	-	-
-	4	-	1	-	-	2	-	1	-	-	6	-
2	1	1	-	-	-	-	-	-	-	-	-	-
-	3	4	2	-	1	4	-	1	-	-	2	-
2	2	1	-	-	-	2	-	-	-	-	-	-
1	2	5	4	-	-	-	-	-	-	-	-	-
-	1	2	2	-	-	-	-	-	-	-	-	-
1	3	3	2	-	-	2	-	1	-	-	1	-
2	1	1	1	1	-	2	-	1	-	-	-	-
1	4	2	1	-	-	-	-	-	-	-	1	-
-	-	1	1	1	-	1	-	-	-	1	1	-
2	-	-	-	-	-	-	-	-	-	-	2	-

TABLE
Deaths in Each Town from Certain
LINCOLN

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Waldoboro	3,505	-	-	1	6	-	4	-	1
Westport	451	-	-	-	-	-	-	-	-
Whitefield	1,215	-	-	-	1	-	3	-	-
Wiscasset	1,733	-	-	-	1	-	2	-	-
Monhegan Pl.	90	-	-	-	-	-	-	-	-
OXFORD COUNTY	-	-	-	7	23	8	25	9	17
Albany	645	-	-	-	-	-	1	-	1
Andover	740	-	-	-	1	1	-	-	-
Bethel	2,209	-	-	-	1	1	-	-	1
Brownfield	1,134	-	-	-	1	-	-	-	1
Buckfield	1,200	-	-	1	1	2	-	1	1
Byron	180	-	-	-	-	-	-	-	-
Canton	1,303	-	-	-	-	-	2	-	-
Denmark	755	-	-	1	-	-	2	-	-
Dixfield	988	-	-	-	2	-	1	-	-
Fryeburg	1,418	-	-	-	1	-	2	-	1
Gilead	336	-	-	1	-	-	-	-	1
Grafton	98	-	-	-	-	-	-	-	-
Greenwood	727	-	-	-	-	-	2	-	-
Hanover	212	-	-	-	-	-	-	-	-
Hartford	689	-	-	-	-	-	-	-	-
Hebron	600	-	-	1	1	-	-	-	1
Hiram	1,063	-	-	1	2	1	-	-	-
Lovell	853	-	-	-	3	-	1	1	-
Mason	80	-	-	-	1	-	-	-	-
Mexico	355	-	-	-	1	-	-	-	-
Newry	343	-	-	-	-	-	-	-	-
Norway	2,665	-	-	-	2	-	3	3	4

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
5	4	4	5	-	-	3	5	-	-	-	1	1
1	-	3	-	-	-	-	-	-	-	-	-	-
1	3	1	3	-	-	2	-	-	-	-	-	-
1	8	4	2	1	-	2	2	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
30	39	52	50	10	4	27	13	6	5	1	9	4
-	2	-	1	-	-	-	-	-	-	-	-	-
-	2	1	2	-	2	1	-	-	-	-	-	-
2	-	5	-	1	-	-	-	-	-	-	1	-
2	1	3	3	1	-	4	1	1	-	-	1	-
1	4	4	2	-	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	-	-	1	-
1	1	-	3	-	-	1	-	-	1	-	-	-
-	1	4	-	-	-	-	-	-	-	-	-	-
-	-	1	1	1	-	2	-	-	-	-	-	-
1	3	5	8	1	1	-	-	-	-	1	1	1
1	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	1	-	-	1	-	-	1	-	1	-
1	1	2	-	-	-	-	-	-	-	-	-	-
-	2	1	-	-	-	1	-	-	-	-	-	-
-	1	-	1	-	-	1	-	-	-	-	-	-
3	-	1	3	1	-	2	2	1	-	-	-	-
1	-	1	1	1	-	1	-	1	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	-	-	-
-	2	-	1	-	-	1	-	-	-	-	-	1
5	3	4	3	1	-	1	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
OXFORD

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Oxford	1,455	-	-	1	2	-	-	1	-
Paris	3,156	-	-	-	1	2	2	-	-
Peru	692	-	-	-	-	-	-	-	-
Porter	1,015	-	-	-	-	-	3	-	-
Roxbury	222	-	-	-	-	-	1	-	-
Rumford	898	-	-	1	1	1	1	1	-
Stow	291	-	-	-	-	-	-	-	-
Stoneham	322	-	-	-	-	-	-	-	-
Sumner	901	-	-	-	1	-	1	1	-
Sweden	338	-	-	-	-	-	-	-	-
Upton	232	-	-	-	-	-	-	1	-
Waterford	1,001	-	-	-	1	-	1	-	-
Woodstock	859	-	-	-	-	-	2	-	-
Franklin Pl.	112	-	-	-	-	-	-	-	-
Lincoln Pl.	59	-	-	-	-	-	-	-	-
Milton Pl.	211	-	-	-	-	-	-	-	-
Batchelders Grant	26	-	-	-	-	-	-	-	-
PENOBSCOT COUNTY	-	2	5	5	45	16	75	25	32
Alton	348	-	-	-	-	-	-	-	-
Argyle	263	-	-	-	-	-	-	-	-
Bangor	19,103	-	3	2	15	7	16	6	12
Bradford	1,215	-	-	-	-	-	1	-	3
Bradley	823	-	-	-	1	-	1	-	-
Brewer	4,193	1	-	-	6	1	2	-	2
Burlington	460	-	-	-	1	-	1	-	-
Carmel	1,066	-	-	-	-	-	-	-	-
Carroll	546	-	-	-	-	-	2	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	3	2	2	-	-	-	-	-	-	-	1	-
2	2	3	2	2	-	5	5	2	-	-	1	-
3	1	-	-	-	-	-	-	-	1	-	1	-
-	-	-	4	-	-	-	-	-	-	-	-	1
-	1	1	-	-	-	-	-	-	-	-	-	-
1	1	1	2	-	-	3	-	-	-	-	-	-
1	1	3	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	1
1	1	1	-	-	-	-	1	-	1	-	1	-
-	-	1	2	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	3	2	-	-	2	2	-	-	-	-	-
-	1	-	5	1	-	1	1	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
47	72	107	100	17	10	81	33	15	2	4	43	9
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
16	20	28	37	1	4	25	9	3	1	2	8	2
2	1	1	-	1	-	1	1	-	-	-	-	-
1	-	3	-	-	-	-	-	-	-	-	2	-
4	1	7	13	3	1	1	2	1	-	-	6	-
1	-	1	-	-	-	-	-	-	-	-	-	-
-	2	1	-	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	1	-	1	-	-	-	-

TABLE
Deaths in Each Town from Certain
PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Charleston	971	-	-	-	-	-	2	-	-
Chester	368	-	-	-	-	-	-	-	-
Clifton.....	284	-	-	-	-	-	1	-	-
Corinna	1,207	-	-	1	1	-	2	-	-
Corinth	1,154	-	-	1	2	1	1	-	-
Dexter.....	2,732	-	-	-	-	1	6	2	3
Dixmont.....	919	-	-	-	-	-	3	-	1
Eddington	729	-	-	-	1	-	1	-	1
Edinburg.....	54	-	-	-	-	-	1	-	1
Enfield	769	-	-	-	-	-	-	1	-
Etna	646	-	-	-	-	-	2	-	-
Exeter	939	-	-	-	1	1	-	-	-
Garland	973	-	-	-	-	-	1	-	-
Glenburn	583	-	-	-	1	-	1	-	-
Greenbush	659	-	-	-	-	-	1	1	-
Greenfield.....	231	-	-	-	-	-	-	-	-
Hampden	2,484	-	-	-	1	-	3	-	1
Hermon	1,282	-	-	-	1	-	-	-	-
Holden	609	-	-	-	1	-	-	-	2
Howland	171	-	-	-	-	-	2	1	-
Hudson	510	-	-	-	-	-	1	-	-
Kenduskeag	536	-	-	1	2	-	-	-	-
Kingman	671	-	-	-	-	-	-	2	-
Lagrange.....	721	-	-	-	1	-	3	-	-
Lee	929	-	-	-	-	-	1	-	-
Levant	880	-	-	-	-	-	2	-	-
Lincoln.. . . .	1,756	-	-	-	-	1	-	1	-
Lowell	439	-	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
PENOBSCOT

COUNTY AND TOWNS.	Population of 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Mattawamkeag.....	633	-	-	-	-	-	-	1	-
Maxfield	134	-	-	-	-	-	-	-	-
Medway.....	653	-	-	-	-	-	-	-	-
Milford.	835	-	-	-	-	-	-	-	-
Mt. Chase	284	-	-	-	-	-	-	-	-
Newburg	867	-	-	-	1	-	-	-	-
Newport....	1,188	-	-	-	-	1	1	-	-
Old Town	5,312	-	1	-	3	-	5	-	3
Orono.....	2,790	1	1	-	1	1	2	3	1
Orrington	1,406	-	-	-	1	1	4	-	-
Passadumkeag	343	-	-	-	1	-	1	1	-
Patten	936	-	-	-	-	1	4	1	-
Plymouth	689	-	-	-	2	-	-	-	1
Prentiss	401	-	-	-	-	-	-	3	-
Springfield.....	677	-	-	-	1	-	-	-	-
Stetson	618	-	-	-	-	-	-	-	-
Veazie	650	-	-	-	-	-	1	2	-
Winn	936	-	-	-	-	-	-	1	1
Woodville Pl	242	-	-	-	-	-	-	-	-
Drew Pl.....	110	-	-	-	-	-	-	-	-
Lakeville Pl	144	-	-	-	-	-	-	-	-
No. 2, Grand Falls Pl....	68	-	-	-	-	-	-	-	-
Seboeis Pl.....	98	-	-	-	-	-	-	-	-
Stacyville Pl.....	250	-	-	-	-	-	-	-	-
Webster Pl.....	135	-	-	-	-	-	-	-	-
PISCATAQUIS COUNTY	-	-	-	2	9	2	16	10	3
Abbot	622	-	-	-	-	1	-	2	-
Atkinson	605	-	-	-	1	-	-	-	-
Blanchard.....	213	-	-	-	-	-	-	-	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	1	1	-	1	1	2	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	2	-	-	-	1	-	1	-	-	2	-
2	6	3	1	-	-	2	-	-	-	-	-	2
4	10	6	6	4	-	4	-	1	1	-	4	2
2	2	2	3	1	1	3	1	1	-	-	1	1
2	1	4	4	1	-	1	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	2	-	1	1	-	2	-	-	-	-	-	-
-	1	-	1	-	-	-	1	1	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	2	3	1	-	-	-	-	-	-	-	-
1	1	2	-	-	-	1	1	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
9	16	22	14	2	4	9	9	3	-	-	4	1
-	-	1	-	-	-	1	-	-	-	-	-	-
-	1	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
PISCATAQUIS

COUNTY AND TOWNS.	Population of 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Brownville.	1,074	-	-	-	1	-	1	-	-
Dover	1,942	-	-	-	-	-	3	1	-
Foxcroft. ...	1,726	-	-	-	1	-	-	-	-
Greenville	781	-	-	-	-	-	1	2	-
Guilford	1,023	-	-	-	-	1	1	-	-
Medford... ..	306	-	-	-	-	-	1	-	-
Milo	1,029	-	-	1	2	-	2	1	1
Monson.	1,237	-	-	-	1	-	1	2	1
Orneville. ..	492	-	-	-	-	-	-	-	-
Parkman.. ..	813	-	-	-	-	-	-	-	-
Sangerville	1,236	-	-	-	-	-	5	-	-
Sebec.....	725	-	-	-	1	-	-	-	-
Shirley	291	-	-	-	-	-	-	1	-
Wellington....	584	-	-	1	-	-	-	-	-
Williamsburg.....	162	-	-	-	-	-	-	-	-
Willimantic.....	446	-	-	-	-	-	1	-	-
Barnard Pl....	100	-	-	-	1	-	-	-	-
Bowerbank Pl....	87	-	-	-	-	-	-	-	-
Elliottsville Pl	53	-	-	-	-	-	-	-	-
Kingsbury Pl.....	205	-	-	-	-	-	-	-	-
Lake View Pl	-	-	-	-	1	-	-	1	-
North East Carry....	-	-	-	-	-	-	-	-	-
SAGADAHOE COUNTY	-	-	-	4	12	2	12	4	5
Arrowsic	177	-	-	-	-	-	-	-	-
Bath	8,723	-	-	2	5	1	6	3	-
Bowdoin.	940	-	-	-	-	1	-	-	-
Bowdoinham	1,508	-	-	1	2	-	1	1	-
Georgetown.....	849	-	-	-	-	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	2	2	-	-	-	-	-	-	-	1	-
1	4	3	2	1	-	-	2	-	-	-	2	-
-	1	3	3	-	2	-	1	-	-	-	-	1
1	-	-	-	-	-	-	1	-	-	-	-	-
1	1	2	-	-	-	2	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
2	-	-	2	-	-	-	-	-	-	-	-	-
1	1	-	-	-	1	1	2	-	-	-	1	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	3	3	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	2	1	-	1	-	-	-
-	2	4	1	-	1	-	-	-	-	-	-	-
1	1	-	1	-	-	-	-	-	-	-	-	-
-	-	2	-	-	-	1	1	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	1	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
28	18	35	28	8	2	20	9	8	-	1	11	4
-	-	1	-	1	-	-	-	-	-	-	1	1
10	8	14	11	3	1	12	6	4	-	-	7	-
2	-	2	1	-	-	1	-	-	-	-	-	-
3	3	6	3	-	-	1	-	1	-	-	-	-
2	1	1	2	1	-	2	1	-	-	1	-	-

TABLE
Deaths in Each Town from Certain
SAGADAHOC

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Perkins.	69	-	-	-	-	-	-	-	-
Phippsburg.	1,396	-	-	-	-	-	-	-	2
Richmond.	3,082	-	-	1	4	-	1	-	-
Topsham.	1,394	-	-	-	-	-	1	-	2
West Bath.	307	-	-	-	-	-	-	-	1
Woolwich.	1,007	-	-	-	1	-	3	-	-
SOMERSET COUNTY.	-	-	-	3	29	9	37	14	13
Anson.	1,444	-	-	-	1	-	-	1	-
Athens.	1,072	-	-	-	-	1	-	-	-
Bingham.	757	-	-	-	2	-	-	-	-
Cambridge.	425	-	-	1	1	1	1	-	-
Canaan.	1,130	-	-	-	2	-	1	-	-
Concord.	345	-	-	-	-	-	-	1	-
Cornville.	785	-	-	1	1	-	1	-	-
Detroit.	590	-	-	-	-	-	1	1	1
Embden.	579	-	-	-	-	-	1	2	-
Fairfield.	3,510	-	-	-	2	1	3	-	2
Harmony.	704	-	-	-	-	1	-	1	-
Hartland.	974	-	-	-	2	-	1	1	1
Madison.	1,815	-	-	-	2	-	2	1	2
Mercer.	584	-	-	-	-	-	4	-	-
Moscow.	422	-	-	-	1	-	-	-	-
New Portland.	1,034	-	-	-	1	-	1	-	-
Norridgewock.	1,656	-	-	-	2	-	3	-	-
Palmyra.	1,004	-	-	-	1	-	2	1	-
Pittsfield.	2,503	-	-	-	3	2	4	1	-
Ripley.	478	-	-	-	1	-	2	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	3	-	1	1	-	1	-	-	1	-
4	1	2	2	2	-	-	1	1	-	-	-	1
4	2	5	3	1	-	3	1	-	-	-	2	1
-	1	1	-	-	-	-	-	-	-	-	-	-
2	1	2	3	-	-	-	-	1	-	-	-	-
14	37	42	47	13	2	56	20	4	1	4	14	4
2	1	1	4	1	-	1	1	-	-	-	-	-
-	1	-	1	1	-	1	-	-	-	-	1	-
-	-	-	1	-	-	4	2	-	-	-	-	-
-	3	3	-	-	-	3	-	-	-	-	-	-
-	3	2	-	-	-	1	2	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	1	-	-	-	1
-	-	-	2	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	1
2	4	4	3	3	-	3	-	1	-	-	1	1
-	-	-	3	-	-	2	-	-	-	-	-	-
1	1	4	2	-	-	2	2	-	-	-	-	-
3	2	6	3	2	-	4	-	1	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	2	-	-	-	-	-	-
-	-	1	2	1	-	2	1	-	-	1	2	-
-	3	1	3	2	-	2	3	-	-	-	2	-
-	1	3	2	-	-	-	1	-	-	-	-	-
-	3	3	6	-	-	4	1	-	-	1	-	1
-	-	1	-	-	-	1	-	-	1	-	-	-

TABLE
Deaths in Each Town from Certain
SOMERSET

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
St. Albans.....	1,206	-	-	-	2	-	1	1	-
Skowhegan	5,068	-	-	-	4	-	5	3	4
Smithfield.....	479	-	-	-	-	-	-	-	-
Solon	977	-	-	-	-	-	-	-	2
Starks	766	-	-	-	-	3	1	-	1
Bigelow Pl.....	62	-	-	-	-	-	-	-	-
Brighton Pl.....	434	-	-	-	-	-	-	-	-
Carratunk Pl.....	192	-	-	-	1	-	1	-	-
Dead River Pl	104	-	-	-	-	-	1	-	-
Dennistown Pl ..	66	-	-	-	-	-	-	-	-
Flagstaff Pl	87	-	-	-	-	-	-	-	-
Highland Pl....	76	-	-	-	-	-	-	-	-
Jackman Pl.....	217	-	-	1	-	-	-	-	-
Lexington Pl	199	-	-	-	-	-	1	-	-
Mayfield Pl	74	-	-	-	-	-	-	-	-
Moose River Pl.....	170	-	-	-	-	-	-	-	-
No. 1, R. 2, W. K. R Pl	128	-	-	-	-	-	-	-	-
The Forks Pl.....	195	-	-	-	-	-	-	-	-
West Forks Pl	146	-	-	-	-	-	-	-	-
Long Pond ..	-	-	-	-	-	-	-	-	-
WALDO COUNTY	-	-	-	3	21	6	30	8	6
Belfast	5,294	-	-	1	8	-	5	1	-
Belmont.....	475	-	-	-	-	-	-	-	-
Brooks	730	-	-	-	1	-	-	-	-
Burnham	846	-	-	-	2	-	-	1	-
Frankfort	1,099	-	-	-	-	2	1	2	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	4	1	3	-	-	3	1	-	-	-	1	-
5	5	11	7	1	2	15	4	1	-	-	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	2	-	-	1	-	-	-	-	-	-
1	-	-	1	-	-	2	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
26	42	43	27	7	2	31	16	7	2	1	17	3
3	12	10	4	-	-	7	4	4	-	-	3	1
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	2	1	1	-	2	-	-	-	-	1	-
-	1	-	1	-	-	-	-	1	-	-	-	-
-	-	1	-	-	-	2	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
WALDO

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Freedom	510	-	-	-	-	-	2	-	-
Islesboro	1,006	-	-	-	-	-	2	-	-
Jackson	522	-	-	-	-	-	-	-	-
Knox	657	-	-	-	-	-	2	-	1
Liberty	835	-	-	-	-	1	-	-	-
Lincolntonville	1,361	-	-	1	-	-	3	-	1
Monroe	1,079	-	-	-	1	-	1	1	-
Montville	1,049	-	-	-	1	-	5	-	-
Morrill	460	-	-	-	1	-	-	-	-
Northport	691	-	-	-	-	-	1	-	-
Palermo	887	-	-	1	-	-	1	-	-
Prospect	697	-	-	-	1	-	-	-	1
Searsmont	1,144	-	-	-	2	1	1	-	1
Searsport	1,693	-	-	-	-	1	2	-	-
Stockton Springs	1,149	-	-	-	-	-	3	-	-
Swanville	689	-	-	-	-	-	-	-	1
Thorndike	589	-	-	-	-	-	-	2	-
Troy	868	-	-	-	1	-	-	-	-
Unity	922	-	-	-	-	-	1	1	-
Waldo	581	-	-	-	-	-	-	-	1
Winterport	1,926	-	-	-	3	1	-	-	-
WASHINGTON COUNTY	-	-	1	2	26	3	33	11	22
Addison	1,022	-	-	-	1	-	3	-	-
Alexander	337	-	-	-	-	-	-	-	-
Baileyville	226	-	-	-	-	-	-	-	-
Baring	273	-	-	-	-	-	-	-	-
Beddington	184	-	-	-	-	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	1	-	-	-	1	-	-	-	-	-
1	-	-	-	-	-	-	1	-	1	-	2	-
-	2	-	-	-	-	-	-	-	-	-	1	-
1	-	2	1	-	-	1	-	-	-	-	-	-
2	2	3	-	-	-	-	-	-	-	-	2	-
1	4	1	4	-	-	3	3	-	-	-	-	-
1	1	-	-	1	1	-	-	-	-	-	-	-
1	4	1	1	-	-	-	-	-	-	-	1	-
-	-	1	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	1	-	2	-
-	4	1	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	2	4	-	-	1	-	1	-	-	-	-
1	3	5	1	1	-	3	5	1	-	1	2	-
-	2	2	-	1	1	1	1	-	-	-	1	1
-	-	-	2	-	-	2	-	-	-	-	-	-
2	-	-	-	-	-	2	-	-	-	-	-	-
4	1	2	1	-	-	1	-	-	-	-	-	-
2	2	2	2	-	-	2	-	-	-	-	1	-
-	-	2	2	-	-	1	-	-	-	-	-	-
5	2	6	2	3	-	3	-	-	-	-	-	-
20	39	51	41	8	11	39	13	4	3	2	21	-
1	-	3	1	-	-	2	-	-	-	-	1	-
-	-	-	-	-	-	2	-	-	-	-	1	-
-	-	-	2	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
WASHINGTON

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Brookton.....	429	-	-	-	1	-	1	-	-
Calais.	7,290	-	-	-	9	1	3	2	9
Centerville.....	114	-	-	-	-	-	1	-	-
Charlotte.....	381	-	-	-	-	-	-	-	-
Cherryfield.....	1,787	-	-	-	1	-	1	-	1
Columbia	587	-	-	-	-	-	-	-	-
Columbia Falls	698	-	-	-	-	-	1	-	-
Cooper	264	-	-	-	-	-	-	-	-
Crawford.....	140	-	-	-	-	-	-	-	-
Cutler	662	-	-	-	-	-	-	-	-
Danforth	1,063	-	-	-	1	-	1	-	1
Deblois.....	76	-	-	-	-	-	-	1	-
Dennysville.....	452	-	-	-	1	-	-	-	-
East Machias	1,637	-	-	1	2	-	6	-	-
Eastport	4,908	-	-	-	1	1	4	1	4
Edmunds.....	395	-	-	-	1	-	-	-	-
Forest City.....	287	-	-	-	-	-	1	-	-
Harrington	1,150	-	-	-	-	-	-	-	-
Jonesboro....	470	-	-	-	-	-	1	-	-
Jonesport.....	1,917	-	-	-	-	-	1	-	-
Lubec	2,069	-	1	-	-	-	-	-	-
Machias	2,035	-	-	-	-	-	3	-	2
Machiasport	1,437	-	-	-	1	-	3	-	-
Marion	90	-	-	-	-	-	-	-	-
Marshfield	299	-	-	-	1	-	-	-	-
Meddybemps	156	-	-	-	-	-	-	-	-
Milbridge.....	1,963	-	-	-	3	-	-	-	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	-	1	-	-	-	-	-	-	-	-	-	-
3	5	12	15	4	2	7	2	1	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-
-	3	1	2	-	-	1	-	-	-	-	2	-
-	-	1	-	-	-	-	1	-	-	-	1	-
-	-	1	-	-	-	1	1	-	-	-	-	-
1	-	-	-	-	-	2	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	3	5	1	-	-	-	-	-	-	2	-
1	8	5	2	1	3	3	2	1	-	-	2	-
1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	1	-
-	2	1	1	-	1	1	-	-	-	-	2	-
2	-	1	2	-	1	1	-	-	-	-	1	-
-	8	2	-	-	-	3	-	1	2	-	2	-
1	2	3	1	-	-	8	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	3	1	-	1	2	1	-	-	-	1	-

TABLE
Deaths in Each Town from Certain
WASHINGTON

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Northfield.....	143	-	-	1	-	-	-	-	-
Pembroke.....	1,514	-	-	-	1	-	-	1	1
Perry.....	945	-	-	-	-	-	1	1	-
Princeton.....	1,027	-	-	-	-	-	-	-	1
Robbinston.....	787	-	-	-	-	-	2	-	-
Roque Bluffs.....	154	-	-	-	-	-	-	-	-
Steuben.....	982	-	-	-	1	-	-	2	-
Tahmage.....	112	-	-	-	-	-	-	-	-
Topsfield.....	375	-	-	-	-	-	-	1	-
Trescott.....	485	-	-	-	-	-	-	-	-
Vanceboro.....	870	-	-	-	-	-	-	1	1
Waite.....	159	-	-	-	-	-	-	-	-
Wesley.....	227	-	-	-	-	1	-	-	-
Whiting.....	393	-	-	-	-	-	-	-	1
Whitneyville.....	413	-	-	-	-	-	-	-	-
Grand Lake Stream Pl.....	404	-	-	-	1	-	-	-	-
Lambert Lake Pl.....	152	-	-	-	-	-	-	-	-
No. 14 Pl.....	37	-	-	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	-	1	-
Kossuth.....	68	-	-	-	-	-	-	-	-
YORK COUNTY.....	-	2	1	5	43	16	49	23	32
Acton.....	878	-	-	-	-	1	-	-	-
Alfred.....	1,030	-	-	-	-	-	-	-	-
Berwick.....	2,294	-	-	-	2	1	1	1	-
Biddeford.....	14,443	-	-	1	9	6	3	8	17
Buxton.....	2,036	-	-	-	-	-	2	-	-
Cornish.....	1,118	-	-	1	1	-	1	-	-
Dayton.....	500	-	-	-	-	-	-	-	1
Eliot.....	1,463	-	-	-	-	1	3	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	1	-	-	-	-	-	-	-
-	1	-	2	-	-	-	-	-	-	-	1	-
1	1	2	1	-	-	2	1	-	-	-	-	-
-	1	1	1	-	-	1	2	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	2	-	-	-	-	2	-	-	1	-	-
-	-	1	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	1	-	-	-	-	-	-
50	93	97	77	29	18	47	40	17	5	7	31	10
1	2	2	-	-	-	-	1	-	-	-	-	-
1	2	2	3	1	-	-	-	1	-	-	-	1
-	2	2	2	1	-	1	2	-	-	-	2	-
11	29	18	25	13	3	9	4	2	3	2	4	1
4	-	4	1	1	2	-	-	-	-	-	-	-
-	2	1	-	2	-	-	2	-	-	-	-	-
1	2	1	2	-	-	-	-	-	-	-	-	-
-	3	1	1	1	2	2	-	-	-	-	1	1

TABLE
Deaths in Each Town from Certain
YORK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Hollis.....	1,278	-	-	-	-	-	2	1	-
Kennebunk	3,172	-	-	-	2	1	6	1	-
Kennebunkport	2,196	-	-	-	3	-	2	-	-
Kittery	2,864	1	-	-	1	1	4	1	1
Lebanon	1,263	-	-	1	3	-	1	-	-
Limerick.....	966	-	-	-	-	-	2	-	-
Limington	1,092	-	-	-	-	1	-	-	-
Lyman	854	-	-	-	-	-	2	-	-
Newfield	796	-	-	-	-	-	3	1	-
North Berwick	1,803	-	-	-	3	-	-	3	2
Old Orchard.....	877	-	-	-	3	1	1	-	-
Parsonsfield	1,398	-	-	-	1	2	2	-	-
Saco	6,075	1	1	2	5	-	4	2	3
Sanford..	4,201	-	-	-	4	1	1	3	5
Shapleigh	968	-	-	-	1	-	-	-	2
South Berwick.....	3,434	-	-	-	1	-	-	1	-
Waterboro	1,357	-	-	-	1	-	1	-	-
Wells	2,029	-	-	-	2	-	4	-	-
York	2,444	-	-	-	1	-	4	1	1

No. 32—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	4	3	1	-	-	3	2	1	-	-	1	-
1	5	6	1	-	2	3	1	-	-	-	1	-
2	2	7	-	1	-	4	-	1	-	-	3	-
1	5	1	2	-	1	2	1	-	-	-	4	-
1	-	8	2	2	-	1	4	-	-	1	1	1
-	3	-	3	-	-	-	-	-	-	-	-	-
-	-	2	1	-	-	-	3	2	-	-	2	-
-	-	3	2	-	-	1	-	-	-	1	-	1
-	2	4	-	-	1	2	-	-	-	-	-	-
1	2	2	2	-	-	3	4	2	-	-	-	1
3	3	-	1	-	-	2	2	-	-	-	2	-
2	3	3	4	-	-	1	-	-	-	-	-	-
3	5	9	6	-	-	2	5	2	1	1	2	1
9	1	5	9	-	2	2	5	-	-	2	2	1
1	-	1	1	-	1	1	1	1	-	-	-	-
4	2	5	4	4	2	2	-	3	1	-	2	1
-	7	1	1	2	-	-	-	1	-	-	1	-
1	2	4	-	-	1	1	3	-	-	-	3	1
2	5	2	3	1	1	5	-	1	-	-	-	-

TABLE
Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males....	121	29	10	18	25	29	18	28	43	62	34	4	-	4
females	99	27	11	25	37	34	23	43	53	47	29	8	-	5
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males.....	138	38	7	22	24	15	17	20	33	23	12	2	-	2
females	94	41	13	23	38	24	11	10	20	22	13	1	-	-
not stated.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males.....	157	60	22	32	62	60	55	91	73	130	56	4	1	3
females	108	40	31	44	61	64	67	76	103	120	86	21	1	-
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males.....	16	10	1	6	6	6	4	10	20	25	15	-	1	1
females	10	6	8	10	18	10	9	15	17	26	20	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males....	28	13	8	15	19	21	20	18	35	46	20	5	-	2
females	30	5	8	23	22	25	13	20	26	46	33	8	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	89	29	5	14	30	29	31	47	86	86	56	7	-	8
females	54	35	8	25	38	43	46	35	60	71	63	16	-	7
not stated.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males	40	8	12	14	23	16	14	26	37	48	25	3	-	1
females	32	10	3	19	24	12	23	26	28	34	38	7	-	2
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males	14	7	2	6	12	6	6	10	33	40	26	2	-	2
females	8	6	2	6	13	15	7	8	21	29	34	9	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males	25	9	3	9	8	13	15	20	40	49	25	6	-	2
females	18	10	6	7	19	18	19	21	33	40	35	3	1	-
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males	86	32	22	24	41	29	38	67	75	96	64	4	-	3
females	71	27	15	29	60	37	40	45	60	77	74	8	-	4
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Piscataquis, males.....	17	9	-	2	8	5	5	5	14	17	8	2	-	2
females	12	3	1	7	12	4	10	12	21	14	12	4	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males.....	15	9	3	4	8	13	6	9	35	24	15	3	-	1
females	8	9	4	7	13	10	7	15	26	21	20	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males	34	12	3	10	11	14	16	26	42	51	37	5	-	1
females	30	8	5	21	27	26	14	20	33	42	23	8	-	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	24	7	4	11	8	7	14	18	28	43	23	3	-	-
females	16	6	3	11	22	12	11	19	33	35	40	5	-	1
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males	48	30	7	15	26	10	7	21	49	46	33	5	-	5
females	55	27	6	25	27	16	18	24	28	37	30	5	-	3
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males	121	47	11	17	29	29	28	38	66	76	45	14	-	2
females	75	35	16	25	40	39	31	40	72	76	53	21	-	3
not stated....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males	973	349	120	219	340	302	294	454	709	862	494	69	2	39
females	720	295	140	307	471	389	343	429	634	737	603	128	2	30
not stated.....	9	-	-	-	-	-	-	-	-	-	-	-	-	1
Grand total	1702	644	260	526	811	691	637	883	1343	1599	1097	197	4	70

No. 33.

and Months by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
30	42	50	29	22	26	40	51	46	32	28	29	-	425	-
38	32	46	46	40	20	37	50	38	35	28	31	-	441	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	866
26	19	26	22	32	22	35	43	47	26	23	31	1	353	-
28	15	15	26	27	19	27	32	43	32	24	21	1	310	-
-	-	-	-	-	-	1	1	-	-	-	-	-	2	665
73	60	82	57	70	60	71	70	85	58	55	65	-	806	-
74	70	96	57	69	53	73	70	77	69	59	55	-	822	-
1	-	-	-	-	-	-	-	-	-	-	-	-	1	1,629
8	7	10	5	12	13	10	8	18	11	8	11	-	121	-
8	11	8	15	10	7	17	13	10	16	18	18	-	151	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	272
27	23	16	18	23	19	23	22	22	28	12	17	-	250	-
29	17	24	15	20	22	16	20	31	19	31	16	-	260	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	510
49	30	69	52	46	33	24	31	54	41	36	52	-	517	-
43	45	63	32	33	35	40	45	43	53	35	28	-	495	-
-	-	-	-	-	-	-	-	2	-	-	-	-	2	1,014
17	21	21	31	23	21	20	25	26	19	19	24	-	267	-
20	27	29	15	22	15	18	23	18	25	18	28	-	258	-
-	-	-	-	-	1	1	-	-	-	-	-	-	1	526
15	11	14	15	15	10	14	15	13	17	11	15	1	166	-
8	17	20	12	17	10	14	6	9	18	7	21	-	159	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	325
24	19	20	24	18	21	18	17	27	8	11	17	-	224	-
18	14	21	32	20	22	11	13	21	20	17	20	1	230	-
-	1	-	-	-	-	-	-	-	-	-	-	-	1	455
54	39	55	59	41	51	38	54	41	53	48	48	-	581	-
40	39	62	37	47	41	40	53	46	58	34	50	-	547	-
-	-	-	-	1	-	-	-	-	-	1	-	-	2	1,130
9	9	10	6	8	8	6	3	14	9	7	5	-	94	-
16	10	7	5	15	7	6	13	8	9	6	11	-	113	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	207
11	18	17	16	14	7	7	13	11	13	7	11	-	145	-
9	13	12	14	12	12	11	6	6	14	11	22	-	142	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	287
24	23	28	26	12	21	12	18	25	26	20	27	-	262	-
24	26	18	26	19	13	20	31	30	16	19	17	-	259	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	521
17	17	14	16	17	13	18	9	17	23	15	14	-	190	-
14	24	23	15	18	13	15	17	14	20	18	23	-	214	-
-	-	1	-	-	-	-	-	-	-	-	-	-	1	405
25	17	38	25	22	19	23	28	37	19	21	28	-	302	-
30	14	25	19	26	15	21	36	33	35	26	21	-	301	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	603
42	48	48	42	34	35	36	60	64	34	33	46	1	523	-
55	43	65	45	38	31	41	42	47	46	37	36	-	526	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,049
451	403	518	443	409	379	395	467	547	417	354	440	3	5,226	-
454	417	534	411	433	335	407	470	474	485	388	418	2	5,228	-
1	1	1	-	1	1	1	1	2	-	1	-	-	10	-
906	821	1,053	854	843	715	803	938	1,023	902	743	858	5	10,464	10,464

TABLE No. 34.

Number of Deaths from Several Specified Causes, of each Sex,
in each Month, which were Registered During Four Years,
(1892-95).

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	113	170	207	700	131	1,034	5,108	2,044	4,409	918	1,806
Males	54	76	89	353	66	550	2,174	-	2,213	410	916
Females	59	94	118	347	65	484	2,934	-	2,196	508	890
January	14	16	18	85	13	69	459	13	859	132	181
February	6	14	14	65	12	55	436	18	661	118	163
March	20	15	11	49	16	81	496	19	572	174	159
April	16	21	16	46	14	41	474	32	518	109	143
May	17	13	16	44	9	57	483	29	424	94	150
June	9	15	19	46	10	56	422	71	215	48	122
July	11	11	17	38	9	56	416	351	89	50	135
August	5	7	26	33	10	84	395	696	88	31	148
September ...	2	18	18	47	11	151	371	561	121	39	157
October	4	11	14	69	11	166	409	185	192	56	132
November	4	10	21	82	8	131	350	48	254	50	146
December ..	5	19	17	94	8	84	395	20	413	67	170
Not stated	-	-	-	2	-	3	2	1	3	-	-

NOTES ON DEATH AND THE CAUSES OF DEATH.

Death-Rates.—The number of deaths registered in the year 1895 was 10,464 (12,147 in 1892, 11,134 in 1893, and 11,012 in 1894). The number of deaths for this registration year was, therefore, 548 less than that for the year 1894, 670 less than for 1893, and 1,683 less than for 1892. The death-rate for the State for the year 1895 was 15.83 for every 1,000 of population as returned by the census of 1890 (18.37 in 1892, 16.84 in 1893, and 16.66 in 1894). Based on the estimated population of 1895, the death-rate would be slightly lower, 15.67.

By referring to Table No. 4, it will be seen that the death-rate of Piscataquis county was lower than that of any other county, being only 13.14, while the counties Cumberland, Kennebec, Knox, and York show death-rates of 17.91, 17.79, 16.73, and 16.70, respectively.

The death-rate in the cities was 18.36 (20.46 in 1892, 19.89 in 1893, and 19.65 in 1894) as compared with that of the rest of the State with the cities omitted, which death-rate was 14.77 (17.46 in 1892, 15.54 in 1893, and 15.39 in 1894).

Death-Rates Compared.—For the year 1895, the death-rate of Maine was 15.83; of New Hampshire, 17.71; of Vermont, 16.51; of Massachusetts, 19.01; of Rhode Island, 19.06; and of Connecticut, 17.8.

Season and Mortality.—The largest number of deaths occurred in March, 1,053. In 1894 the largest number was in January, 1,266. The smallest number of deaths in any one month was 715 in June. In the preceding year the smallest number was 761 in November. During the spring months 2,750 deaths occurred; during the summer, 2,456; during the autumn, 2,668; in the winter, 2,585.

The following is a tabular statement of the number of deaths in each quarter of each of the four years 1892-95:

	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
1892	3,964	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	3,166	2,660	2,774	2,402
1895	2,780	2,412	2,764	2,503

Table No. 29 exhibits the total number of deaths which occurred in each month of the four years for which a report has now been made. In 1892 the highest mortality occurred in January; in 1893, in August; in 1894, in January; in 1895, in March. The smallest number of deaths in all four years has been in November. The number of deaths for 1895 in each month by counties is shown in Tables No. 4 and No. 33.

Sex and Mortality.—Of the 10,464 decedents, 5,226 were males and 5,228 were females. The sex of 10 was unstated.

Among children dying before they were 5 years old, 1,322 were males and 1,015 were females; there were 307 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 80. At the age of 100 years and over, four persons died, two men and two women. See Table No. 33.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1	year of age	1,702=16.27	per cent.
From 1-	5 years of age	644=	6.15 “
“	5-10 “ “ “	260=	2.48 “
“	10-20 “ “ “	526=	5.03 “
“	20-30 “ “ “	811=	7.76 “
“	30-40 “ “ “	691=	6.60 “
“	40-50 “ “ “	637=	6.09 “
“	50-60 “ “ “	883=	8.45 “
“	60-70 “ “ “	1,343=	12.83 “
“	70-80 “ “ “	1,599=	15.28 “
“	80-90 “ “ “	1,097=	10.48 “
“	90-100 “ “ “	197=	1.88 “
Over 100	“ “ “	4=	0.04 “
Ages not stated		70=	0.66 “

The Causes of Death.—Of the 11,302 deaths, including still-births and premature births, the cause of 10,755 was certified, leaving 547 of which the cause of death was unspecified⁷⁹ or so ill-defined as to preclude satisfactory classification.

The following table shows the mortality from ten prominent causes in the four years 1892-95. In 1895, as well as in the two preceding years, diseases of the brain have headed the list, while in each of the four years the next most prominent cause of mortality in the State has been consumption. In 1892, on account of the existing epidemic of influenza, pneumonia was raised to the first place in the list of the causes of death.

MORTALITY FROM TEN PROMINENT CAUSES—1892-1895.

CAUSES OF DEATH.	1895.	1895.	1894.	1893.	1892.
Brain disease*.....	1,323	1	1	1	3
Consumption.	1,195	2	2	2	2
Heart diseases	948	3	4	4	4
Pneumonia	812	4	3	3	1
Old age.... ..	584	5	5	5	5
Infantile diarrhea	523	6	7	6	6
Cancer.... ..	480	7	6	7	7
Kidney disease†.... ..	369	8	8	8	8
Bronchitis	225	9	9	9	9
Diphtheria and croup..... ..	197	10	10	10	10

*Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain and its membranes, and other brain diseases.

†Including deaths certified as from nephritis, Bright's disease, albuminuria, and uremia.

By referring to Table No. 30 it will be noticed that the causes of death are arranged under eight "Classes," and that the causes of death in some of the classes are distributed into several "Groups." The following notes on some of the classes and groups of diseases and individual causes of death will be arranged in accordance with the classification shown in this Table 30, and the classification of the causes of death to be found in the latter part of this report.

Zymotic Diseases.—The lists of the zymotic diseases usually include small-pox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup, and the diarrheal diseases. The following table shows the number of deaths that resulted from each of these causes in 1895 in each of the New England States, the total deaths from these causes, and the zymotic death-rates per

10,000 of living population. It will be noted that the zymotic death-rate of Vermont was lower than that for any other of these states, and that the highest rate in 1895 for these diseases was in Massachusetts.

ZYMOTIC DEATH RATES—1895.

DISEASES.	Maine.	New Hampshire.	Vermont.	Massachusetts.	Rhode Island.	Connecticut.
Small-pox	-	-	-	-	-	3
Measles	8	7	7	117	53	26
Scarlet fever.....	25	58	68	483	107	65
Typhoid fever... . .	185	99	88	680	125	259
Whooping cough	82	26	29	269	45	127
Diphtheria and croup.....	197	127	80	1,984	370	388
Diarrheal diseases	635	494	236	3,149	601	1,252
Total	1,132	811	508	6,682	1,301	2,120
Zymotic death-rate per 10,000	17.12	21.53	15.29	29.85	33.81	25.96

SEVEN ZYMOTIC DISEASES BY COUNTIES—1895.

COUNTIES.	Population in 1890.	Aggregate deaths from zymotic diseases—1895.	Zymotic death-rate per 10,000—1895.	Mean zymotic death-rate—1892-95.
Androscoggin	48,968	101	20.62	27.26
Aroostook	49,589	194	39.12	28.38
Cumberland	90,949	170	18.69	18.94
Franklin	17,053	26	15.25	14.81
Hancock	37,312	91	24.39	13.53
Kennebec	57,612	99	17.36	21.53
Knox	31,473	55	17.48	15.33
Lincoln	21,996	18	8.18	7.27
Oxford	30,586	26	8.50	10.95
Penobscot	72,865	100	13.72	15.40
Piscataquis.....	16,134	10	6.20	8.98
Sagadahoc	19,452	15	7.71	11.56
Somerset	32,627	39	11.95	12.10
Waldo.....	27,759	25	9.01	8.28
Washington	44,482	79	17.76	18.66
York	62,829	144	22.92	24.95
State ..	661,086	1,192	18.03	18.06

In the foregoing table the third column shows, for each county, the whole number of deaths in 1895 from the zymotic diseases, the fourth column shows the zymotic death-rate for the same year, and the last column gives the mean, or average zymotic death-rate in each county for the four years 1892-95. The following table makes a similar comparative exhibit for the cities :

ZYMOTIC DISEASES BY CITIES—1895.

CITIES.	Population in 1890.	Aggregate deaths from seven zymotic diseases—1895.	Zymotic death-rate per 10,000—1895.	Mean zymotic death-rate—1892-95.
Auburn	11,250	13	11.56	21.55
Augusta.....	10,527	38	36.10	36.57
Bangor.. ..	19,103	27	14.13	20.15
Bath.. ..	8,723	10	11.46	14.90
Belfast	5,294	4	7.56	9.92
Biddeford.....	14,443	92	63.70	58.50
Brewer.....	4,193	4	9.54	17.88
Calais	7,290	18	24.69	35.66
Deering.....	5,353	12	22.41	14.47
Eastport	4,908	18	36.67	30.05
Ellsworth.....	4,804	4	8.33	7.29
Gardiner	5,491	3	5.46	11.83
Hallowell	3,181	3	9.43	14.92
Lewiston.	21,701	73	33.64	40.66
Old Town.....	5,312	17	32.00	30.12
Portland	36,425	90	24.71	19.49
Rockland	8,174	23	28.14	23.24
Saco	6,075	11	18.11	19.75
Waterville.....	7,107	23	32.36	43.97
Westbrook.....	6,632	16	24.13	38.05
Collectively	195,986	499	25.46	27.44

Infectious Diseases.—Disregarding influenza, the number of deaths caused by this group of diseases was 684 in 1892, 678 in 1893, 536 in 1894, and 575 in 1895. In 1895 there were, therefore, 39 more deaths from these causes than in the preceding year. By consulting the table which follows it will be seen that the number of deaths from measles, scarlet fever, cerebro-spinal meningitis, and typhoid fever was smaller than in any previous registration year, that from whooping cough the mortality was much greater,

and that the combined mortality from diphtheria and croup was larger than for the two preceding years, but smaller than in the year 1892.

INFECTIOUS DISEASES—1892-95.

DISEASES.	1892.	1893.	1894.	1895.	Total.
Small-pox.....	-	-	-	-	-
Chicken-pox.....	-	1	-	1	2
Measles.	29	55	21	8	113
Rötheln.....	-	-	-	1	1
Scarlet fever.....	36	80	29	25	170
Typhus fever.....	-	-	1	1	2
Influenza..	755	153	295	152	1,355
Whooping cough ..	54	51	20	82	207
Mumps	-	-	-	1	1
Diphtheria.....	106	69	77	135	387
Croup	106	83	62	62	313
Tonsillitis, etc ...	9	7	1	4	21
Cerebro-spinal meningitis	38	30	34	29	131
Tetanus.....	7	10	6	10	33
Typhoid fever.	255	257	258	185	955
Simple continued fever.	31	29	19	21	100
Malarial diseases	13	5	8	10	36
Other specific febrile diseases.....	-	-	-	-	-

Small-Pox.—No death has resulted from this cause in any of the four years covered by the Vital Statistics reports, 1892-95.

Measles.—This disease caused the death of 8 persons of whom 4 were males and 4 were females.

Ages: Under 1, 2; 1-5, 5; over 60, 1.

Scarlet Fever—The total mortality from this disease was 25 (36 in 1892, 80 in 1893, and 29 in 1894),—13 males and 12 females. The largest number of deaths occurred at the age-period 5-10. The largest monthly number of deaths from this cause was 8 in December. There were 3 deaths in the first quarter, 3 in the second, 7 in the third, and 12 in the last three months of the year. Knox, Penobscot, and York counties each had 4 deaths from scarlet fever; Aroostook and Washington had three each. In six counties no death occurred from scarlet fever. Of the 25 deaths

from this cause, 8 were in the cities. The following is an exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the three years 1893-95:

SCARLET FEVER BY COUNTIES, MONTHS AND AGE-PERIODS
—1893-95.

By counties.	By months.	By age-periods.
Androscoggin 7	January 8	Under 1..... 10
Aroostook 11	February 11	1-5..... 59
Cumberland 13	March 10	5-10..... 38
Franklin 4	April 16	10-20..... 20
Hancock 7	May..... 9	20-30..... 6
Kennebec 14	June 12	Not stated..... 1
Knox..... 6	July..... 11	Total 134
Lincoln -	August 7	
Oxford -	September... .. 17	
Penobscot 9	October..... 9	
Piscataquis -	November... .. 7	
Sagadahoc 2	December. . . . 17	
Somerset..... 6	Total 134	
Waldo 2		
Washington 12		
York 41		
State 134		

The scarlatinal death-rate per 10,000 for the State was 0.38; for the cities, 0.40. In the same year it was, in New Hampshire, 1.48; in Vermont, 2.04; in Massachusetts, 1.93; in Rhode Island, 2.90; and in Connecticut, 0.79.

Influenza.—During the year for which this report is made, 152 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 7.2; February, 11.9; March, 28.3; April, 21.7; May, 13.8; June, 2.0; July, 2.6; August, 1.3; September, 5.3; October, 2.6; November, 2.0; December, 1.3. The following shows the age incidence of deaths reported as having occurred from influenza.

Under 1	year,	22	50-60 years,	8
1-5	years,	4	60-70 “	19
5-10	“	0	70-80 “	41
10-20	“	3	Over 80 “	38
20-30	“	5	Unknown	2
30-40	“	3		
40-50	“	7	Total	152

The influenza death-rate for the whole State was 2.30 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, and 4.46 in 1894).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS—1895.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.
Androscoggin.	-	2	5	5	-	-	-	-	2	-	1	-	15
Aroostook.	-	1	-	1	3	1	-	-	1	-	-	-	7
Cumberland.....	2	-	6	3	3	-	-	1	2	1	-	-	18
Franklin.....	1	-	1	1	1	-	-	-	-	-	-	-	4
Hancock...	3	1	1	-	2	-	-	-	-	-	-	-	7
Kennebec.....	1	3	3	2	3	1	1	-	-	-	-	-	14
Knox....	-	3	2	4	1	1	1	-	-	-	-	-	12
Lincoln.....	1	1	-	-	-	-	-	-	-	-	-	-	2
Oxford.....	1	-	-	2	2	-	-	-	-	1	2	-	8
Penobscot.....	1	1	12	4	1	-	-	-	1	1	-	-	21
Piscataquis.....	-	2	2	-	-	-	-	-	-	-	-	1	5
Sagadahoc.....	1	1	1	-	-	-	1	1	-	1	-	-	6
Somerset.....	-	1	1	3	-	-	-	-	1	-	-	1	7
Waldo.....	-	-	3	-	-	-	-	-	1	-	-	-	4
Washington.....	-	-	2	6	2	-	-	-	-	-	-	-	10
York.....	-	2	4	2	3	-	1	-	-	-	-	-	12
State.....	11	18	43	33	21	3	4	2	8	4	3	2	152

Whooping Cough.—The number of deaths from whooping cough was 82 (54 in 1892, 51 in 1893, and 20 in 1894),—of which 37 were males and 45 were females. The number of deaths in the cities was 31. Fifty-seven of the 82 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 1.24 per 10,000; that of the cities, 0.66; of Vermont, 0.97; of Massachusetts, 1.07; of Rhode Island, 1.17; of Connecticut, 1.56.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

WHOOPING COUGH BY COUNTIES, MONTHS AND AGE-PERIODS—1895.

By counties.		By months.		By age-periods.	
Androscoggin	5	January	4	Under 1.....	57
Aroostook	24	February	1	1 to 5.....	19
Cumberland.....	21	March	5	5 to 10	6
Franklin... ..	-	April	3		
Hancock	4	May.....	9		
Kennebec	5	June.....	4		
Knox.....	-	July.....	6		
Lincoln	1	August	11		
Oxford	-	September	7		
Penobscot	7	October.....	11		
Piscataquis	1	November	12		
Sagadahoc	-	December....	9		
Somerset.....	2				
Waldo.....	1				
Washington	6				
York.....	5				

Diphtheria.—There were, for the year 1895, 135 deaths from diphtheria (106 in 1892, 69 in 1893, and 77 in 1894). Of the decedents, 58 were males and 77 were females.

Ages: Under 1, 7; 1-5, 44; 5-10, 45; 10-20, 32; 20-30, 4; 30-40, 1; 40-50, 1; 50-60, 1.

Of the 135 deaths, 57 were in the cities, and 78 in other places. The diphtheria death-rate for the State was 2.04, and for the cities, 2.91.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS—1895.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	1	-	-	2	-	1	-	-	1	-	1	-	6	1.23
Aroostook	2	1	1	-	1	-	1	-	3	1	4	1	15	3.02
Cumberland	7	1	3	-	-	2	5	6	5	2	2	-	33	3.63
Franklin	-	-	-	-	-	-	1	-	-	-	-	-	1	0.59
Hancock	-	4	-	-	-	-	-	-	-	-	1	-	5	1.34
Kennebec	5	-	1	-	1	1	-	-	-	-	-	1	9	1.58
Knox	1	-	-	-	-	-	-	2	-	5	5	4	17	5.40
Lincoln	-	1	-	1	-	2	-	-	-	-	-	-	4	1.81
Oxford	-	-	-	-	-	1	-	-	-	-	-	1	2	0.65
Penobscot	2	1	4	1	2	-	-	-	-	4	2	1	17	2.33
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	-	-	-	-	-	2	-	-	-	-	-	1	3	1.54
Somerset	1	-	-	-	-	-	-	-	-	-	1	-	2	0.61
Waldo	1	-	2	1	-	1	-	1	-	-	-	-	6	2.16
Washington	1	-	-	-	-	-	-	1	-	-	-	1	3	0.67
York	1	-	-	-	-	1	2	-	-	1	1	6	12	1.91
State	22	8	11	5	4	11	9	10	9	13	17	16	135	2.04

Croup.—The number of deaths referable to this cause was 62 (106 in 1892, 83 in 1893, and 62 in 1894). Of the 62 decedents, 29 were males and 33 females. All were less than 10 years of age.

Ages: Under 1, 20; 1-5, 34; 5-10, 8.

The death-rate for croup was, for the State, 0.94; for the cities, 1.02.

The distribution of croup by counties and months is shown in the following table:

CROUP BY COUNTIES AND MONTHS—1895.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	1	-	-	1	-	-	-	-	1	-	1	-	4	0.82
Aroostook	1	3	-	1	2	-	3	1	1	1	2	4	19	3.83
Cumberland	1	1	-	-	-	-	1	-	-	-	1	-	4	0.44
Franklin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock	-	1	-	-	-	-	-	-	-	-	-	-	1	0.27
Kennebec	2	3	3	-	2	-	-	-	2	1	1	-	14	2.46
Knox	-	-	-	-	1	-	-	-	-	1	-	1	3	0.95
Lincoln	-	-	-	1	-	-	-	-	-	-	-	-	1	0.45
Oxford	-	-	1	-	-	-	-	-	-	1	-	-	2	0.65
Penobscot	1	-	-	-	-	-	-	-	-	-	-	-	1	0.14
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	-	1	-	-	-	-	-	-	-	1	1	1	4	2.06
Somerset.....	-	-	-	-	1	-	-	-	-	1	1	-	3	0.92
Waldo	-	-	-	-	-	-	-	-	-	-	-	1	1	0.36
Washington	-	-	-	-	-	-	-	-	-	-	1	2	3	0.67
York	-	-	-	-	-	-	-	-	-	-	1	1	2	0.32
State	6	9	4	3	6	-	4	1	4	6	9	10	62	0.94

It is now conceded that the two diseases, croup and diphtheria, are etiologically one and the same. The combined death-rate for the two diseases is, for Maine 2.98 per 10,000 of living population; of our cities, 3.93; and in the same year, for New Hampshire, 3.25; Vermont, 2.44; Massachusetts, 7.16; Rhode Island, 9.61; Connecticut, 4.75.

The following tabulation shows the number of deaths from diphtheria and croup for the four years 1892-95, arranged by counties, months, and age-periods:

DIPHTHERIA AND CROUP BY COUNTIES, MONTHS AND AGE-PERIODS—1892-95.

By counties.	By months.	By age-periods.
Androscoggin 54	January 85	Under 1..... 118
Aroostook 89	February..... 65	1-5 298
Cumberland ... 128	March ... 49	5-10 ... 162
Franklin 8	April 46	10-20 89
Hancock 21	May..... 44	20-30 14
Kennebec 86	June.... 46	30-40 10
Knox 43	July 38	40-50 4
Lincoln 12	August 33	50-60. .. 2
Oxford 10	September..... 47	60-70..... 1
Penobscot 50	October 69	Not stated..... 2
Piscataquis..... 11	November..... 82	700
Sagadahoc 19	December 94	
Somerset..... 18	Not stated..... 2	
Waldo 17	700	
Washington 45		
York 79		
State 700		

Cerebro-Spinal Meningitis.—The number of decedents was 29 (38 in 1892, 30 in 1893, and 34 in 1894), 15 males and 14 females. Eight of these deaths were in the cities. Deaths from this cause occurred in every month; distributed by quarters, they were 8, 8, 6, 7. The death-rate from this disease was 0.44.

The distribution of deaths from cerebro-spinal meningitis by counties, months, and age-periods is shown in the following:

CEREBRO-SPINAL MENINGITIS BY COUNTIES, MONTHS AND AGE-PERIODS—1895.

By counties.	By months.	By age-periods.
Androscoggin -	January 2	Under 1..... 7
Aroostook 2	February 3	1 to 5..... 11
Cumberland 2	March 3	5 to 10..... 3
Franklin 1	April 4	10 to 20..... 5
Hancock 1	May.... 1	20 to 30..... -
Kennebec..... 4	June 3	30 to 40..... -
Knox 1	July 3	40 to 50..... 1
Lincoln 1	August 1	50 to 60..... -
Oxford 3	September 2	60 to 70 1
Penobscot 4	October 1	70 to 80..... 1
Piscataquis..... -	November..... 3	
Sagadahoc 1	December 3	
Somerset..... 1		
Waldo..... -		
Washington 2		
York 6		

Tetanus.—This disease was the cause of 10 deaths (7 in 1892, 10 in 1893, and 6 in 1894). The decedents were, males 9, and females 1. All these deaths occurred in the months from May to December,—May, 1; June, 2; August, 1; September, 3; October, 2; December, 1. No county had more than one case.

Ages: Under 1, 1; 5-10, 1; 10-20, 4; 20-30, 1; 50-60, 3.

Typhoid Fever.—Including 10 deaths from “gastric fever,” 9 “bilious fever,” 1 “fever,” and 1 from “slow fever,” there were 206 deaths from typhoid fever. Of these, 91 were of males and 115 of females. As indicative to the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value,—73 per cent. died between 10 and 50 years of age.

Ages: Under 1, 2; 1-5, 14; 5-10, 11; 10-20, 43; 20-30, 63; 30-40, 29; 40-50, 15; 50-60, 10; 60-70, 9; 70-80, 7; over 80, 1; not stated, 2.

The largest number of deaths, 35, occurred in September, and the smallest number, 8, in June. By quarters, 44 were in the first quarter, 31 in the second, 58 in the third, and 72 in the last quarter of the year, and 1 not stated.

The typhoid death-rate of 4.44 in the cities is considerably greater than that in the villages and rural towns, which is 2.56. The rate for the State is 3.12. The typhoid death-rate for the same year was, in New Hampshire, 3.76; Vermont, 2.65; Massachusetts, 2.71; Rhode Island, 3.25; Connecticut, 3.17.

The following exhibits the number of deaths from typhoid fever in each county by months, with death-rate in each county :

TYPHOID FEVER—1895.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 1,000.
Androscoggin.....	3	1	1	2	-	-	2	-	1	2	-	1	-	13	2.65
Aroostook	1	-	2	1	3	-	1	-	7	7	4	3	1	30	6.05
Cumberland.....	5	1	6	1	1	4	3	1	7	4	2	-	-	35	3.85
Franklin.....	-	2	-	-	1	1	1	-	2	-	3	3	-	13	7.62
Hancock.....	-	-	-	-	1	-	-	-	1	2	-	-	-	4	1.07
Kennebec	1	1	1	2	-	-	-	-	4	2	-	2	-	13	2.28
Knox	-	1	1	-	-	-	-	2	1	-	-	1	-	6	1.91
Lincoln.	-	-	-	-	-	1	-	-	-	-	-	1	-	2	0.91
Oxford.....	-	-	-	-	-	-	-	-	1	-	2	1	-	4	1.31
Penobscot.....	2	1	-	1	1	2	3	-	2	6	7	5	-	30	4.12
Piscataquis	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1.24
Sagadahoc	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.51
Somerset	1	1	2	-	1	-	-	2	-	-	2	-	-	9	2.76
Waldo	-	-	-	-	1	-	-	1	-	-	1	-	-	3	1.08
Washington.....	3	-	-	-	1	-	-	-	3	2	3	-	-	12	2.70
York.....	2	1	4	5	-	-	2	4	6	3	2	-	-	29	4.62
State	18	9	17	12	11	8	13	10	35	29	26	17	1	206	3.12

The following exhibits, for the four years 1892-95, the distribution of deaths from typhoid fever by counties, months, and age periods :

TYPHOID FEVER BY COUNTIES, MONTHS AND AGE-PERIODS
-1892-95.

By counties.	By months.	By age-periods.
Androscoggin 126	January 70	Under 1..... 15
Aroostook 102	February..... 57	1-5..... 47
Cumberland 148	March .. 82	5-10 53
Franklin..... 39	April 44	10-20..... 251
Hancock 45	May..... 59	20-30..... 330
Kennebec 82	June..... 57	30-40..... 135
Knox 26	July..... 59	40-50..... 73
Lincoln 18	August 87	50-60..... 54
Oxford 49	September..... 153	60-70.... 42
Penobscot 131	October..... 167	70-80.... 33
Piscataquis . 16	November..... 131	Over 80..... 11
Sagadahoc . 19	December..... 86	Not stated..... 11
Somerset. 37	Not stated..... 3	1,055
Waldo..... 28	1,055	
Washington 55		
York 114		
Totals 1,055		

Malarial Diseases.—Ten deaths were returned as from malarial diseases. The diagnosis in 6 of these was “malarial poisoning;” in 2, “malarial fever;” in 1, “chronic malaria;” and in 1, “the result of fever and ague.” The age of 1 of the decedents was between 30 and 40; 3, between 50 and 60; 3, between 60 and 70; 2, between 70 and 80; and 1, 82. With the exception of one, the decedents were all men. It is stated that 6 of them contracted the disease in the army; that 1, the woman, received the disease in the South; in 1, it is said that it was contracted outside of the State; in 2, “chronic malaria and dropsy caused by malarial poisoning.” There is no statement as to whether the infection was received within or without the State.

In the other New England States, in the same year, the number of deaths attributed to this cause was, in Vermont, 4; Massachusetts, 67; Connecticut, 116; and New Hampshire and Rhode Island, none.

Tuberculosis.—Tuberculosis, a communicable and, therefore, a preventable disease, destroys more lives than any other malady. In 1895, it was the cause of 1,397 deaths (1,513 in 1892, 1,446 in 1893, and 1,449 in 1894). The death-rate per 10,000 from this cause was 21.13. The death-rate from tuberculosis in the same year was 19.49 in New Hampshire; 17.48 in Vermont; 29.36 in Massachusetts; 22.48 in Rhode Island; and 20.94 in Connecticut.

Cerebral Tuberculosis (Tubercular Meningitis).—The number of deaths was 82; 36 were of males and 46 of females. The number in the cities was 35. The death-rate for the State was 1.24; for the cities, 1.79.

Ages: Under 1, 23; 1-5, 26; 5-10, 9; 10-20, 11; 20-30, 3; 30-40, 5; 40-50, 2; 50-60, 1; 60-70, 2.

Pulmonary Tuberculosis (Consumption).—From this cause 1,195 deaths were registered in 1895 (1,352 in 1892, 1,299 in 1893, and 1,262 in 1894). There were, therefore, in 1895, 157 fewer deaths than in 1892; 104 fewer than in 1893; and 67 fewer than in 1894.

Ages: Under 1, 15; 1-5, 16; 5-10, 9; 10-20, 158; 20-30, 351; 30-40, 240; 40-50, 117; 50-60, 102; 60-70, 103; 70-80, 66; 80-90, 16; over 90, 1; not stated, 1.

It is thus shown in this report, as it was in the three preceding reports, that the smallest number of deaths occurred at the age-period 5 to 10 years, and that, of the decedents whose ages were given, 81 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 523 of the decedents, or 43.8 per cent., were males; and 672, or 56.2 per cent., were females.

The State's death-rate from consumption was 18.08 in each 10,000 of population; that of the cities, 21.08. Outside of our State, in the same year, the death-rate from consumption was, for Vermont, 15.07; Massachusetts, 21.94; Rhode Island, 22.48; Connecticut, 16.63.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS—1895.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin.....	4	11	11	3	9	5	11	8	4	8	11	7	92	18.79
Aroostook.....	8	6	6	12	7	5	5	3	6	8	6	3	75	15.12
Cumberland	14	16	14	13	16	14	18	15	14	15	22	15	186	20.45
Franklin	1	1	1	6	2	1	4	2	2	1	3	3	27	15.83
Hancock	7	6	4	5	4	7	2	5	8	4	7	5	64	17.15
Kennebec	12	7	14	13	7	8	10	12	5	9	9	5	111	19.47
Knox	-	5	12	7	7	4	6	6	4	3	-	4	58	18.43
Lincoln.....	3	4	3	5	-	1	3	1	3	2	1	2	28	12.73
Oxford	1	5	6	6	3	7	4	1	2	2	2	3	42	13.73
Penobscot.....	16	13	13	12	8	13	15	14	7	9	9	14	143	19.63
Piscataquis	2	4	2	-	4	4	1	2	3	3	1	3	29	17.97
Sagadahoc	-	5	2	3	3	3	3	3	1	2	4	5	34	10.42
Somerset	9	7	6	5	4	5	9	3	5	3	2	6	64	19.62
Waldo	3	4	6	3	2	4	4	2	3	8	3	3	45	16.21
Washington ...	10	9	16	6	9	7	8	4	7	9	4	9	98	22.03
York	6	13	12	10	12	10	7	7	3	4	5	10	99	15.76
State	96	116	128	109	97	98	110	88	77	90	89	97	1195	18.08

For the four years 1892-95, the distribution of deaths from pulmonary consumption is shown by counties, months, and age-periods in the following table :

**CONSUMPTION BY COUNTIES, MONTHS AND AGE-PERIODS
—1892-95.**

By counties.	By months.	By age-periods.
Androscoggin 363	January 459	Under 1..... 77
Aroostook 261	February..... 436	1-5.... .. 79
Cumberland 703	March 496	5-10..... 44
Franklin 142	April 474	10-20..... 614
Hancock 271	May..... 483	20-30..... 1,486
Kennebec..... 474	June..... 422	30-40. 949
Knox 305	July 416	40-50..... 575
Lincoln 158	August 395	50-60..... 442
Oxford 176	September... 371	60-70..... 410
Penobscot 603	October 409	70-80..... 314
Piscataquis..... 130	November..... 351	Over 80.... 91
Sagadahoc 147	December..... 394	Not stated... 27
Somerset .. 264	Not stated .. 2	5,108
Waldo. 231	5,108	
Washington ... 389		
York 491		
State .. 5,108		

Tuberculosis Mesenteric.—There were 31 deaths from this cause, 12 males and 19 females.

Ages: Under 1, 3; 10-20, 3; 20-40, 13; 40-60, 9; over 60, 3.

Tuberculosis, Other Forms.—Of these deaths, 89 in all, the cause assigned was, in 66, tuberculosis, general tuberculosis, or acute tuberculosis; in 12, scrofula; in 1, disease of bone; in 5, psoas abscess; in 2, miliary tuberculosis; in 2, tubercular adenitis; and in 1, tuberculosis of kidney.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 635 (662 in 1892, 642 in 1893, and 602 in 1894). The death-rate for this group of diseases was 9.60 per 10,000. That of New Hampshire, for the same year, was 13.12; Vermont, 8.15; Massachusetts, 12.60; Rhode Island, 16.11; and Connecticut, 15.33.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 523 deaths (546 in 1892, 507 in 1893, and 468 in 1894). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates for this cause. There were in the first quarter of the year but 13 deaths from this cause; in the second quarter, 29; in the third quarter, 392; and in the fourth quarter, 89. The largest number of deaths occurred in August, 162.

Of the children dying from this cause, 55 per cent. were less than 6 months old, and another 33 per cent. were less than 1 year of age, making 88 per cent. of deaths within the first year of age.

Ages: Under 6 months, 287; 6-12 months, 172; 1-2 years, 64.

In the classification of deaths from diarrheal diseases, only the deaths among children 2 years old, or younger, are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were cholera morbus, 25; dysentery, 45; and diarrhea, 42.

Of the 523 deaths from infantile diarrhea, 272 were returned from the cities. This represents an urban death-rate from this cause of 13.78 (15.20 in 1892, 14.33 in 1893, and 13.27 in 1894), which is strongly in contrast with 5.44, the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, and 4.47 in 1894).

The death-rate for the State from this affection was 7.91. For the same year it was, in New Hampshire, 10.92; in Vermont, 5.51; in Massachusetts, 9.50; for Rhode Island, 13.00; for Connecticut, 10.89.

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1895.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	1	2	3	2	1	2	15	20	13	5	3	-	67	13.68
Aroostook	-	2	-	3	2	3	16	26	25	10	1	1	89	17.95
Cumberland	1	-	1	1	-	-	15	25	12	7	-	-	62	6.82
Franklin	-	-	-	-	-	-	1	2	3	3	-	-	9	5.28
Hancock	-	-	-	-	-	-	-	2	7	6	-	-	15	4.02
Kennebec	-	-	-	1	1	-	7	13	15	8	1	2	48	8.42
Knox	-	-	-	-	1	-	2	5	9	1	-	1	19	6.04
Lincoln	-	-	-	-	1	-	-	2	-	2	1	-	6	2.73
Oxford	-	-	-	-	-	1	1	4	5	2	1	-	14	4.58
Penobscot	-	-	1	2	1	1	-	23	6	5	-	-	39	5.35
Piscataquis	-	-	-	1	-	-	-	1	2	2	-	-	6	3.72
Sagadahoc	-	-	-	1	-	-	-	2	-	1	-	-	4	2.06
Somerset.....	-	-	-	-	1	1	-	5	8	3	-	-	18	5.52
Waldo	-	1	-	-	-	-	-	-	3	5	-	-	9	3.24
Washington	-	-	-	1	-	-	4	9	13	5	-	-	32	7.19
York	-	-	1	-	1	-	11	23	37	10	2	1	86	13.69
State	2	5	6	12	9	8	72	162	158	75	9	5	523	7.91

The preceding table exhibits the number of deaths from infantile diarrhea in 1895, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the four years 1892-95, by counties, months, and age-groups :

**INFANTILE DIARRHEA BY COUNTIES, MONTHS AND AGE-
PERIODS—1892-95.**

By counties.		By months.		By age-periods.	
Androscoggin	290	January	13	Under 6 months....	1,102
Aroostook	282	February.....	18	6-12 months	665
Cumberland	271	March	19	1-2 years.	240
Franklin .. .	30	April	32	Over 2 years.....	29
Hancock	44	May.. .. .	29	Unknown	8
Kennebec.....	239	June	71		2,044
Knox	77	July.....	351		
Lincoln	13	August	696		
Oxford	44	September.....	561		
Penobscot	175	October	185		
Piscataquis	20	November.....	48		
Sagadahoc	30	December.....	20		
Somerset.....	58	Not stated.... ..	1		
Waldo	24		2,044		
Washington.. ..	134				
York	313				
State	2,044				

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the four years 1892-95 :

INFANTILE DIARRHEA IN THE CITIES—1892-95.

CITIES.	1892.	1893.	1894.	1895.	Totals
Auburn	10	18	10	9	47
Augusta.....	26	15	18	26	85
Bangor	14	13	20	10	57
Bath.	5	4	9	3	21
Belfast	3	1	-	-	4
Biddeford	53	45	52	60	210
Brewer....	2	2	8	3	15
Calais	15	13	1	12	41
Deering	5	6	2	1	14
Eastport	10	9	9	8	36
Ellsworth.....	1	1	-	4	6
Gardiner... ..	8	2	4	12	26
Hallowell.....	7	-	2	4	13
Lewiston	47	75	45	53	220
Old Town	9	8	9	11	37
Portland	29	18	19	34	100
Rockland	14	11	6	8	39
Saco.....	3	5	5	3	16
Waterville.....	21	18	21	13	73
Westbrook.....	16	13	14	11	54
Totals	298	277	254	285	1,114

Septic Diseases.—Of deaths from the diseases in this group, there were 25 from erysipelas; 57 from pyemia and septicemia, and 35 from puerperal fever,—giving a special death-rate of 1.77. The following shows the distribution of puerperal fever by months and counties :

January.....	5	Androscoggin.....	0
February.....	3	Aroostook.....	6
March.....	6	Cumberland.....	5
April.....	2	Franklin.....	1
May.....	4	Hancock.....	2
June.....	3	Kennebec.....	3
July.....	1	Knox.....	0
August.....	4	Lincoln.....	1
September.....	1	Oxford.....	1
October.....	4	Penobscot.....	3
November.....	0	Piscataquis.....	0
December.....	2	Sagadahoc.....	4
	—	Somerset.....	3
Total.....	35	Waldo.....	2
		Washington.....	2
		York.....	2
		Total.....	35

Dietetic Diseases.—Thirty-five deaths were returned under this class of causes; 16 of malnutrition of infants; 3 of rickets; and 16 of alcoholism. The special death-rate from alcoholism was 0.24. For the same year it was 0.02 in Vermont; 0.71 in Massachusetts; 0.62 in Rhode Island; and 0.66 in Connecticut.

Constitutional Diseases.—With tuberculosis transferred to the class of zymotic diseases, there were 666 deaths from constitutional diseases, or a death-rate of 10.07 per 10,000 for the State.

Rheumatism.—The returns give 56 deaths from this cause (68 in 1892, 46 in 1893, and 66 in 1894),—24 males and 32 females. Eighteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.85, while that in the cities was slightly higher, 0.91. For the same year it was, in Vermont, 0.90; Massachusetts, 0.97; Rhode Island, 0.96; Connecticut, 1.11. The following shows the deaths from this cause arranged by counties, months, and age-groups :

RHEUMATISM BY COUNTIES, MONTHS AND AGE GROUPS—1895.

By counties.		By months.		By age-groups.	
Androscoggin	5	January	4	Under 1.....	0
Aroostook	6	February.	7	1-5	1
Cumberland	4	March	6	5-10 ...	1
Franklin	0	April	6	10-20.....	4
Hancock	2	May.....	4	20-30	6
Kennebec	7	June	4	30-40	3
Knox	0	July	3	40-50	2
Lincoln	1	August	6	50-60.....	9
Oxford	7	September.	3	60-70	15
Penobscot	5	October	4	70-80	8
Piscataquis	2	November	2	Over 80.....	6
Sagadahoc ...	4	December	7	Not stated.....	1
Somerset.	3		56		56
Waldo ..	3				
Washington	2				
York	5				
State	56				

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the three years 1893-95 :

RHEUMATISM BY COUNTIES, MONTHS AND AGE-PERIODS —1893-95.

By counties.	By months.	By age-periods.
Androscoggin 12	January 22	Under 1..... -
Aroostook 12	February 13	1-5..... 2
Cumberland 21	March 15	5-10..... 4
Franklin... .. -	April 18	10-20..... 17
Hancock 11	May..... 16	20-30..... 15
Kennebec..... 16	June..... 13	30-40..... 10
Knox 7	July 9	40-50..... 13
Lincoln 5	August 11	50-60..... 29
Oxford 10	September..... 9	60-70..... 34
Penobscot 19	October 15	70-80..... 31
Piscataquis 3	November..... 9	Over 80 12
Sagadahoc..... 9	December..... 16	Not stated..... 1
Somerset..... 10	Not stated 2	168
Waldo 9	168	
Washington 7		
York 17		
State 168		

Cancer.—From cancer in its various forms and locations there were 480 deaths (404 in 1892, 433 in 1893, and 474 in 1894). Of the decedents, 173 were males and 307 females. The cancer death-rate for the State was, therefore, 7.26. In the same year the death-rate was, in Vermont, 5.93; in Massachusetts, 7.00; in Rhode Island, 6.10; in Connecticut, 5.77.

Distributed as to its more frequent locations, there died of cancer of the stomach 137; of the breast, 62; liver, 42; uterus, 74; abdominal and intestinal, 34; throat, 11; rectum, 11; lip, 6; neck, 3; face, 16; tongue, 4; mouth, 3; jaw, 5; thigh, 2; nose, 3; various, 19; parts unspecified, 48.

The distribution of cancer by counties and by age-groups, and the special death-rate for each county are shown in the following, for 1895 and for the four years 1892-95:

CANCER—1895 AND 1892-95.

COUNTIES.	1895.		1892-95.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.		1895.	1892-95.
Androscoggin	38	7.76	143	7.30	Under 1 year.....	-	2
Aroostook	16	3.23	49	2.47	From 1 to 5 years.....	-	3
Cumberland	80	0.88	310	0.85	" 5 to 10 "	-	-
Franklin	19	11.14	73	10.70	" 10 to 20 "	4	8
Hancock	20	0.54	97	0.65	" 20 to 30 "	3	22
Kennebec	49	8.59	176	7.72	" 30 to 40 "	26	93
Knox	28	8.90	103	8.18	" 40 to 50 "	55	222
Lincoln	22	10.00	67	7.61	" 50 to 60 "	121	399
Oxford	23	7.52	67	5.48	" 60 to 70 "	115	472
Penobscot	45	6.15	174	5.97	" 70 to 80 "	110	406
Piscataquis	9	5.58	25	3.87	Over 80 years.....	45	150
Sagadahoc	12	6.17	62	7.97	Not stated.....	1	14
Somerset.....	29	8.89	94	7.20		480	1,791
Waldo	21	7.57	71	6.39			
Washington	26	5.85	102	5.73			
York	43	6.84	178	7.08			
State	480	7.26	1,791	6.77			

Diabetes.—The deaths from this cause numbered 77 (55 in 1892, 65 in 1893, and 71 in 1894). The special death-rate from diabetes was, therefore, 1.16 in 1895. Forty-one of the decedents were males and 36 were females.

Ages: 1-5, 3; 5-10, 3; 10-20, 8; 20-30, 7; 30-40, 9; 40-50, 7; 50-60, 5; 60-70, 19; 70-80, 15; over 80, 1.

Old Age.—There were registered 579 deaths as due to old age, 238 men and 341 women. Of these decedents, 101 were between 70 and 80 years of age; 352 were from 80 to 90; 119 were from 90 to 100; while 3 were over 100 years old; and the age of 4 was unknown.

From Table No. 33, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years

or more was 2,897 (3,801 in 1892, 3,147 in 1893, and 3,242) in 1894), or one death in every three and one-half was of a person who was between 70 and 100 years of age or older. Assuming that all these 2,897 died of old age, the death-rate from old age would be 43.82 among every 10,000 living at all ages.

Comparing with other states, we find that, in the same year, the death-rate of old persons (70 years of age and over) was, in Vermont, 51.47; Massachusetts, 34.09; Rhode Island, 31.26; and Connecticut, 37.49.

The following shows the number of deaths in each county, of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages :

OLD AGE—1895.

Counties.	Deaths.	Rate per 10,000.	Counties.	Deaths.	Rate per 10,000.
Androscoggin	184	37.58	Oxford	159	51.98
Aroostook	73	14.72	Penobscot	323	44.33
Cumberland	419	46.07	Piscataquis	57	35.33
Franklin	89	52.19	Sagadahoc	85	43.70
Hancock	158	42.35	Somerset	166	50.88
Kennebec	299	52.45	Waldo	149	53.68
Knox	155	49.25	Washington	156	35.07
Lincoln	140	63.65	York	285	45.36

Centenarians.—Among the persons whose decease occurred in 1895, four had reached or exceeded the age of 100 years. Two of these persons were women and two were men. Their names, together with a few facts relating to the life history of each, are as follows :

September 28, Jane Neely died at Portland at the age of 102 years. She was born in Ireland. Her father was Cornelius Kerwin. The maiden name of her mother was Ellen Armstrong.

March 30, Jonathan S. Ellis died in Farmington at the age of 101 years, 7 months, and 20 days. He was born in Nova Scotia.

February 16, Samuel Higgins died in Gorham at the age of 100 years, 9 months, and 5 days. He was born in Gorham. The birthplace of his father and mother was Cape Cod, Massachusetts.

January 24, Rachel Rice died in Waterford at the age of 100 years, 8 months, and 17 days. Waterford was her birthplace.

Diseases of the Nervous System.—The number of deaths registered under the causes included in this group was 1,535 (1,459 in 1892, 1,451 in 1893, and 1,543 in 1894), or 23.97 to every 10,000 of population.

In the same year the death-rate from this group of causes was, in Vermont, 38.45; Massachusetts, 24.64; Rhode Island, 20.56; Connecticut, 24.15.

Inflammation of the Brain or Membranes.—The number of deaths was 261 (236 in 1892, 263 in 1893, and 286 in 1894),—125 males and 136 females. Of these, 114 were in the cities. The death-rate from the several diseases grouped under this head was 3.95.

Ages: Under 1, 104; 1-5, 61; 5-10, 18; 10-20 13; 20-40, 23; 40-60, 20; over 60, 22.

Apoplexy.—From this cause 488 deaths occurred (488 in 1892, 422 in 1893, and 408 in 1894),—267 males and 221 females. Of these, 154 were in the cities. The State's death-rate from apoplexy was, therefore, 7.38; that of the cities, 7.86; that of New Hampshire in the same year, 8.53; Vermont, 4.57; Massachusetts, 7.25; Connecticut, 8.44.

The largest number, 49, occurred in February; the most fatal of the four seasons was the winter, and this is true of the years 1892 and 1893.

In 1894, the greatest mortality from this cause occurred in the spring.

Conversely, the smallest number of deaths, 33, was in April; the smallest number in any one season was 119 in the autumn months. Over 77 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES, MONTHS, AND AGE-PERIODS—1895.

By counties.	By months.	By age-periods.
Androscoggin 36	January 44	Under 1.... 3
Aroostook 8	February..... 49	1-5..... 1
Cumberland 101	March 56	5-10..... -
Franklin 14	April 33	10-20. 1
Hancock.. 21	May. 38	20-30..... 8
Kennebec..... 50	June 34	30-40.. 9
Knox..... 15	July..... 37	40-50..... 29
Lincoln 19	August 40	50-60..... .. 61
Oxford 30	September 43	60-70..... 122
Penobscot 47	October..... 39	70-80..... 162
Piscataquis..... 9	November..... 37	Over 80 89
Sagadahoc.... 28	December... 38	Not stated..... 3
Somerset..... 14	488	488
Waldo..... 26		
Washington 20		
York. 50		
488		

Softening of the Brain.—From cerebral softening there were 77 deaths,—those of 36 males and 41 females.

Ages: 20-30, 1; 30-40, 6; 40-50, 6; 50-60, 3; 60-70, 13; 70-80, 35; over 80, 13.

Paralysis.—Of the 261 deaths from “paralysis,” 106 persons were males and 155 were females.

Ages: Under 1, 3; 1-5, 2; 5-10, 4; 10-20, 1; 20-40, 9; 40-50, 13; 50-60, 21; 60-70, 39; 70-80, 103; over 80, 65; not stated, 1.

Hemiplegia.—From this form of paralysis there were 12 deaths reported, eight men and four women.

Ages: 30-40, 1; 50-60, 2; 60-70, 1; 70-80, 6; over 80, 2.

Epilepsy.—Twenty-six males and 8 females died of epilepsy, 34 in all.

Ages: under 1, 4; 1-5, 2; 5-10, 2; 20-40, 10; 40-60, 6; over 60, 8; not stated, 2.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, valvular disease of the heart, hypertrophy and dilatation, pericarditis, angina pectoris, and unspecified, there were 948 deaths (816 in 1892, 875 in 1893, and 940 in 1894). The following exhibits the age and sex distribution of each form of disease for the year 1895 :

Disease.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Male.	Female.	Totals.
Endocarditis	1	2	1	1	3	15	-	14	9	23
Valvular disease of heart . . .	-	3	5	16	38	154	1	119	98	217
Hypertrophy of heart	-	-	-	2	10	37	-	32	17	49
Pericarditis	-	-	2	1	3	6	-	4	8	12
Unspecified diseases of heart..	14	3	14	33	133	400	5	339	263	602
Angina pectoris	-	-	-	1	12	31	1	25	20	45
Totals	15	8	22	54	199	643	7	553	415	948

For the year 1895, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and counties.

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoegin	88	17.97	Oxford	52	17.00
Aroostook	17	3.43	Penobscot.....	107	14.68
Cumberland	127	13.96	Piscataquis	22	13.64
Franklin	20	11.73	Sagadahoc	35	17.99
Hancock	54	14.66	Somerset	42	12.87
Kennebec	102	17.89	Waldo	43	15.49
Knox	58	18.43	Washington.....	51	11.47
Lincoln... ..	33	15.00	York	97	15.44
			State.	948	14.34

As may be noted, Knox county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 14.34; that of New Hampshire for the same year was

18.3; Vermont, 18.54; Massachusetts, 15.07; Rhode Island, 13.90; Connecticut, 12.44.

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,165 persons died from the various respiratory diseases, as tabulated on page 101 (1,796 in 1892, 1,407 in 1893, and 1,312 in 1894). From these diseases there were, therefore, 631 fewer deaths than in 1892, 246 fewer than in 1893, and 147 fewer than in 1894. Although 1892, our first registration year, was noted as an influenza year, the falling off in the mortality from the diseases of the respiratory system is very encouraging. Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1895 the number of deaths was 788 smaller than in 1892, 346 smaller than in 1893, and 214 smaller than in 1894.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1895, was 17.62 in each 10,000 of population, as compared with 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892. For the New England States the death-rate from this group of diseases was: Maine, 17.62; New Hampshire, 21.94; Vermont, 17.36; Massachusetts, 27.25; Rhode Island, 26.97; Connecticut, 25.27.

Pneumonia.—The number of deaths registered under this cause was 812 (1,431 in 1892, 1,143 in 1893, and 1,023 in 1894), of which 427 were males and 385 were females. The death-rate from this disease was, therefore, 12.28 per 10,000 (21.56 in 1892, 17.27 in 1893, and 15.47 in 1894). As 282 of the deaths occurred in the cities, the urban death-rate was 14.39. For the same year the pneumonia death-rate was, in New Hampshire, 16.97; Vermont, 14.47; Massachusetts, 18.61; Rhode Island, 17.81; Connecticut, 15.78.

The age distribution for pneumonia is shown in the following:

Under 1	year,	119	40-50 years,	49
1-5	years,	76	50-60	“ 72
5-10	“	21	60-70	“ 125
10-20	“	33	70-80	“ 141
20-30	“	34	Over 80	“ 100
30-40	“	39	Not stated,	3

**PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-
RATES PER 10,000—1895.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	6	7	17	12	3	-	1	3	1	1	1	5	57	11.64
Aroostook	6	7	4	3	-	3	2	3	2	-	1	3	34	6.86
Cumberland ..	19	16	28	10	12	6	2	3	10	10	7	16	139	15.28
Franklin	4	-	2	2	-	3	1	-	-	2	5	1	20	11.73
Hancock	5	6	4	3	8	1	2	2	2	3	4	2	42	11.26
Kennebec	5	9	21	5	4	3	2	-	3	4	9	8	73	12.80
Knox	5	5	4	5	1	-	-	1	3	3	9	1	37	11.76
Lincoln ..	-	2	7	3	3	1	-	-	4	-	1	5	26	11.82
Oxford	5	3	5	17	1	2	2	-	4	3	2	6	50	16.35
Penobscot	17	6	17	10	8	10	4	5	-	7	3	13	100	13.72
Piscataquis	6	2	3	-	2	-	-	-	-	-	-	1	14	8.68
Sagadahoc	2	2	2	9	5	1	2	1	1	-	1	2	28	14.39
Somerset.	5	8	6	6	1	4	-	1	1	6	2	7	47	14.41
Waldo	7	3	2	3	2	1	1	2	-	1	3	2	27	9.72
Washington	2	-	7	4	11	2	1	-	2	4	5	3	41	9.22
York ...	4	10	19	13	4	-	1	3	-	5	8	10	77	12.26
State	98	86	148	105	65	37	21	24	33	49	61	85	812	12.28

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the four years 1892-95.

PNEUMONIA—1892-95.

By counties.		By months.		By age-periods.	
Androscoggin	279	January	859	Under 1.....	549
Aroostook	187	February	661	1 to 5.....	339
Cumberland	731	March	572	5 to 10.....	79
Franklin	109	April	518	10 to 20.....	133
Hancock	224	May.....	424	20 to 30.....	220
Kennebec	435	June	215	30 to 40.....	261
Knox	201	July	89	40 to 50.....	311
Lincoln	166	August	88	50 to 60.....	417
Oxford	230	September	121	60 to 70	692
Penobscot	498	October	192	70 to 80.....	816
Piscataquis.....	92	November.....	254	Over 80	576
Sagadahoc	137	December ..	413	Not stated.. . . .	16
Somerset.....	227	Not stated.....	3		4,409
Waldo.....	158		4,409		
Washington	256				
York	479				
State.....	4,409				

Bronchitis.—From this cause, including both acute and chronic bronchitis, 225 deaths were registered (287 in 1892, 197 in 1893, and 209 in 1894). Among these decedents, 109 were males and 116 females. Of these 225 deaths, 101 were in the cities. The largest number of deaths in any one month was 43 in March. The smallest number of deaths occurred in August. The largest number of deaths in three consecutive months was 90 in January, February, and March; the smallest number in any three consecutive months was 37 in August, September, and October. The number of deaths by quarters was 90, 55, 38, and 42.

The bronchitis death-rate of the State was 3.40; of the cities, 5-15. For the same year the bronchitis death-rate was, in New Hampshire, 4.97; Vermont, 1.65; Massachusetts, 6.24; Rhode Island, 7.12; Connecticut, 6.60.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life:

Under 1	year, 71	40-50 years, 8
1-5	years, 24	50-60 " 14
5-10	" 4	60-70 " 23
10-20	" 1	70-80 " 39
20-30	" 4	Over 80 " 33
30-40	" 3	Not stated, 1

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State :

BRONCHITIS—1895.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin.....	1	6	6	-	2	1	4	1	-	1	1	-	23	4.70
Aroostook.....	-	1	1	1	4	-	1	-	-	1	-	-	9	1.81
Cumberland	3	5	7	4	1	3	7	1	-	1	5	2	39	4.29
Franklin	-	-	1	-	-	-	-	-	-	-	1	-	2	1.17
Hancock	-	1	2	2	2	2	-	-	2	1	1	1	14	3.83
Kennebec	3	4	10	2	3	2	2	2	4	2	2	3	39	6.84
Knox	1	-	-	-	-	-	-	-	-	1	-	-	2	0.64
Lincoln.....	-	-	1	-	1	-	-	-	-	1	-	-	3	1.36
Oxford	3	2	-	1	-	2	1	1	-	-	-	-	10	3.27
Penobscot.....	-	2	3	5	-	-	-	-	2	3	1	1	17	2.33
Piscataquis	-	-	-	-	1	-	-	-	-	-	-	1	2	1.24
Sagadahoc	1	1	1	1	-	-	-	-	2	1	-	1	8	4.11
Somerset	1	2	1	1	-	1	-	4	1	-	2	-	13	3.98
Waldo	-	-	-	2	2	1	-	-	-	1	-	1	7	2.52
Washington ...	-	-	3	1	1	1	-	-	-	-	1	1	8	1.79
York	5	5	7	1	2	2	2	1	-	3	-	1	29	4.62
State	18	29	43	21	19	15	17	10	11	16	14	12	225	3.40

Pleurisy.—Nineteen deaths were charged to this disease (18 in 1892, 19 in 1893, and 15 in 1894),—8 males and 11 females.

Ages: 1-5, 1; 10-20, 4; 20-30, 2; 30-40, 3; 40-50, 2; 50-60, 1; 60-70, 2; 70-80, 2; 80-90, 2.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 693 (659 in 1892, 653 in 1893, and 685 in 1894), or a death-rate of 10.48. The distribution of these under their several causes will be found on page 101.

Peritonitis.—There were 125 deaths from this cause (129 in 1892, 151 in 1893, and 137 in 1894),—47 males and 78 females. Forty-six of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1895.

Androscoggin	7	January	9	Under 1.....	8
Aroostook	16	February.....	15	1-5	5
Cumberland ...	23	March ...	11	5-10	7
Franklin.....	4	April	7	10-20	13
Hancock.....	5	May.....	5	20-30	16
Kennebec	12	June.....	14	30-40	25
Knox.....	5	July	13	40-50	12
Lincoln	1	August	10	50-60. ..	14
Oxford	5	September	12	60-70.....	5
Penobscot ...	13	October	7	70-80	10
Piscataquis.....	1	November.....	7	Over 80.....	7
Sagadahoc.....	5	December	15	Unknown	1
Somerset.....	7				
Waldo	8				
Washington	8				
York	5				

Appendicitis.—Of the deaths classified under this cause, 36 in number, 33 were returned as due to “appendicitis,” and 3 to “perityphlitis.” Twenty-four of the decedents were males. The number of deaths in each month was January, 4; February, 1; March, 5; April, 2; May, 1; June, 1; July, 7; August, 3; October, 4; November, 2; December, 6.

Ages: 5-10, 4; 10-20, 5; 20-30, 9; 30-40, 5; 40-50, 5; 50-60, 5; over 70, 3.

Cirrhosis of the Liver.—Thirty-three deaths were ascribed to cirrhosis of the liver—those of 20 men and 13 women. Of these 33 deaths, 13 were in the cities, and 20 in the rural parts of the

State. The death-rate of the State from this one cause was 0.50 per 10,000 (0.19 in 1892, 0.18 in 1893, and 0.29 in 1894); that of Connecticut, for the same year, was 0.87. The data for comparison with other places are wanting.

Diseases of the Urinary System.—There were 475 deaths referred to the diseases under this group, equivalent to a death-rate of 7.18.

Nephritis.—Acute and chronic, caused the death of 90 persons, 55 males and 35 females. The death-rate from nephritis was, therefore, 1.36.

Ages: 1-5, 3; 5-10, 1; 10-20, 4; 20-30, 5; 30-40, 2; 40-50, 8; 50-60, 16; 60-70, 22; 70-80, 23; Over 80, 5; not stated, 1.

Bright's Disease.—This was the cause of 234 deaths (204 in 1892, 217 in 1893, and 219 in 1894),—126 males and 108 females. Of these deaths, 60 were in the cities.

Ages: 1-5, 2; 5-10, 4; 10-20, 11; 20-30, 16; 30-40, 22; 40-50, 21; 50-60, 34; 60-70, 51; 70-80, 60; over 80, 13.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin.....	15	3.06	Oxford.....	12	3.92
Aroostook	7	1.41	Penobscot.....	24	3.29
Cumberland.....	38	4.18	Piscataquis ..	4	2.48
Franklin.....	4	2.35	Sagadahoc	9	4.63
Hancock.....	8	2.14	Somerset	18	5.52
Kennebec	19	3.33	Waldo	13	4.68
Knox	17	5.40	Washington.....	6	1.35
Lincoln.	7	3.18	York.....	33	5.25
			State	234	3.54

Childbirth.—Under the group of accidents and diseases of reproduction, 36 deaths were registered, not including puerperal fever (69 in 1892, 59 in 1893, and 41 in 1894). This is equivalent to a special death-rate of 0.54.

Accidents.—From accidents of various kinds, 341 persons met their death (376 in 1892, 330 in 1893, and 286 in 1894). Of

deaths from falls, there were 28; 8 were from a carriage; 1, falling down stairs; 1, falling out of bed; and 1 each from a load of hay, from a ladder, from a ship's mast, roof of court-house; while 14 were unspecified.

Fractures caused 45 deaths,—fracture of skull, 14; of spine, 1; of hip, 10; of thigh, 14; of vertebral column, 3; arm, 1; face, 1; not stated, 1.

Eighteen deaths were from gun or pistol shot; one death was from a cut.

From railway injuries there were 27 deaths.

From burns and scalds, 31 deaths occurred. Three deaths from falling into boiling water; 2 from kerosene lamp explosion; 1 from upsetting lighted oil stove; 1 from lighting a fire with naphtha; 1 fell into a fire; the rest, unspecified.

From poisoning 10 deaths occurred, of which opium was the cause of 4; lead poison, 1; iodine, 1; arsenic, 1; carbolic acid, 1; tobacco, 1; sewer air, 1.

By drowning, 81 lives were lost.

The returns indicate that 3 deaths occurred from machinery accidents. One person was lost at sea.

The death-rate from accidents in this State was 5.16; in Vermont, 6.62; in Massachusetts and Rhode Island, 7.62; in Connecticut, 7.30.

Homicide.—Under this group 6 deaths were registered. This is equivalent to a death-rate of 0.10. For homicide, the rate for Massachusetts was 2.91; Rhode Island, 0.15; Connecticut, 0.10. The total number of homicides in New England was 94 (29 in 1893, and 54 in 1894).

Suicide.—Within the year, 66 persons took their own lives (59 in 1892, the same number in 1893, and 39 in 1894),—51 males and 15 females. Of the males, the occupation of 19 was farmer; of 6, laborer; 3, millman; 2, railroad hand; 2, truckman; 2, carpenter; 2, grocer; 1, judge of probate; 1, shoemaker; 1, lumberman; 1, blacksmith; 1, surveyor of lumber, 1; student; 1, prison convict; 1, retired soldier; 1, sailor; and in 6, the occupation was not stated.

Of the females, the occupation of 4 was returned as housewife, and 4 as housekeeper; 3, housework; 1, seamstress; 1 dress-maker; 1, mill operative; and 1, pedler.

As to the means employed, 15 committed suicide by hanging ; 15, by shooting ; 7, by drowning ; 10, by cuts ; 10, with poison ; and in 9, the method is not stated.

SUICIDES BY AGES, MONTHS AND COUNTIES—1895.

Age-periods.	Months.	Counties.	Rate per 10,000 of population.
10-20.... .. 2	January..... 1	Androscoggin ... 2	0.41
20-30..... 12	February 4	Aroostook... .. 4	0.81
30-40..... 14	March 6	Cumberland 9	0.99
40-50..... 11	April 7	Franklin..... 2	1.17
50-60..... 8	May 7	Hancock 1	0.27
60-70. 11	June 6	Kennebec 5	0.88
70-80..... 7	July 3	Knox 7	2.22
Over 80 1	August 2	Lincoln..... 1	0.45
Total 66	September. 10	Oxford 4	1.31
	October 9	Penobscot... .. 9	1.24
	November... .. 3	Piscataquis 1	0.62
	December 8	Sagadahoc 4	2.06
	Total 66	Somerset 4	1.23
		Waldo 3	1.08
		Washington..... -	-
		York..... 10	1.59
		State..... 66	1.00

The youngest suicide was a boy of 14 years, and 10 months ; the oldest, a man of 80 years. The largest number of suicides in any one month was 10 in September. There were 9 in October, and 8 in December. By quarters, the suicides were 11, 20, 15, and 20. The largest number in any one county was 10 in York ; the highest death-rate from suicide was in Knox county. The rate for the State per 10,000 of population was 1.00 ; that of Vermont, in the same year, was 1.02 ; Massachusetts, 1.12 ; Rhode Island, 0.81 ; Connecticut, 1.31.

The death-rate from suicide in some European countries was as follows for the years 1887-91 : Ireland, 0.24 ; Italy, 0.52 ; Scotland, 0.56 ; The Netherlands, 0.58 ; England, 0.80 ; Sweden, 1.19 ; Belgium, 1.22 ; Prussia, 1.97 ; France, 2.18 ; German Empire, 2.46.

LIST OF TABLES.

	PAGE
Table No. 1.—Population of the State by Counties, 1890 and 1880	7
Table No. 2.—Density of the Population: New England States.	8
Table No. 3.—Density of the Population: Counties of Maine....	9
Table No. 4.—Population of 1890; Births, Marriages, and Deaths with the Rate of Each to 1,000 of population for the year ending December 31, 1895.....	10
Table.—Summary of Births, Marriages, and Deaths.....	11
Table No. 5.—Births and Deaths in each County.....	12
Table No. 6.—Births and Deaths, in the Cities.....	13
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns.....	14-65
Table No. 8.—Births, Marriages, and Deaths by Counties.....	66-67
Table No. 9.—Births and Birth-Rates by Counties, for the years 1892-95	68
Table No. 10.—Births by Counties, showing the proportion of males to females.....	69
Table No. 11.—Number of Births in each Month of 1892, 1893, 1894, and 1895, with Monthly Ratio compared with a Standard of 100	70
Table No. 12.—Births by Sex and Months by Counties, 1895.....	71
Table No. 13.—Births in Cities, for 1895, with rate per 1,000 of population	72
Table No. 14.—Percentage of American and Foreign Births by Counties, 1895	73
Table No. 15.—Percentage of American and Foreign Births, by Cities, 1895	74
Table No. 16.—Twin Births by Months and Counties, 1895.....	75
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1895	76
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1895	77
Table No. 19.—Still-Births by Seasons, 1895.....	78
Table No. 20.—Marriages and Marriage Rates by Counties for the years 1892-95	81
Table No. 21.—Marriages by Counties and Nativity, 1895.....	82
Table No. 22.—Marriages by Months and Counties, 1895.....	83

	PAGE
Table No. 23.—Number of Marriages in Each Month of 1892, 1893, 1894, and 1895, with Monthly Ratio compared with a Standard of 100.....	84
Table No. 24.—Marriages by Ages and Counties, 1895.....	85
Table No. 25.—Interesting Facts in Relation to Marriage.....	86-87
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1895.....	90-91
Table No. 27.—Divorces by Causes, Sex of Libellants, and the number of years married, 1895.....	92
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1892-95.....	94
Table No. 29.—Number of Deaths in each Month of 1892, 1893, 1894, and 1895 with Monthly Ratio compared with a Standard of 100.....	95
Table No. 30.—The Number of Deaths in the State, and in each County, arranged by Classes and Groups.....	96-103
Table No. 31.—Deaths in each Town from Special Causes, mostly Infectious Diseases.....	104-143
Table No. 32.—Deaths in each Town from Certain Diseases and Groups of Diseases.....	144-183
Table No. 33.—Deaths by Ages, Sex, and Months by Counties...	184-185
Table No. 34.—Number of Deaths from Several Specified Causes, of each Sex, in each Month, which were registered during four years 1892-95.....	186
Table No. 35.—Mortality by Months, reduced to a Standard Mean of 100: Four years 1892-95.....	187
Table.—Mortality from Ten Prominent Causes, 1892-95.....	190
Table.—Zymotic Death-Rates: New England States, 1895.....	191
Table.—Seven Zymotic Diseases by Counties, 1895.....	192
Table.—Zymotic Diseases by Cities, 1895.....	193
Table.—Infectious Diseases, 1892-95.....	194
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-95	195
Table.—Influenza by Counties and Months, 1895.....	196
Table.—Whooping Cough by Counties, Months, and Age-Periods, 1895	197
Table.—Diphtheria by Counties and Months, 1895.....	198
Table.—Croup by Counties and Months, 1895.....	199
Table.—Diphtheria and Croup by Counties, Months, and Age-Periods, 1892-95.....	200
Table.—Cerebro Spinal Meningitis by Counties, Months, and Age-Periods, 1895	201
Table.—Typhoid Fever, by Counties and Months, 1895.....	202
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1892-95	203
Table.—Consumption by Counties and Months, 1895.....	205

	PAGE
Table.—Consumption by Counties, Months and Age-Periods, 1892-95	206
Table.—Infantile Diarrhea by Counties and Months, 1895.....	208
Table.—Infantile Diarrhea by Counties, Months, and Age-Periods, 1892-95	209
Table.—Infantile Diarrhea in the Cities, 1892-95.....	210
Table.—Rheumatism by Counties, Months, and Age-Groups, 1895.	212
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-95	213
Table.—Cancer by Counties and Age-Groups, 1892-95.....	214
Table.—Old Age by Counties, 1895.....	215
Table.—Apoplexy by Counties, Months, and Age-Periods, 1895...	217
Table.—Diseases of the Heart by Ages and by Sex.....	218
Table.—Diseases of the Heart by Counties.....	218
Table.—Pneumonia by Counties and Months with Death-Rates per 10,000, 1895.....	220
Table.—Pneumonia by Counties and Months, 1892-95.....	221
Table.—Bronchitis by Counties and Months, 1895.....	222
Table.—Peritonitis by Counties and Months, 1895.....	223
Table.—Bright's Disease by Counties, 1895.....	224
Table.—Suicides by Ages, Months, and Counties, 1895.....	226

INDEX.

	PAGE
Accidents.	224
Age and mortality	189
Appendicitis	223
Apoplexy	216
by counties, months, and age-periods	217
Birth-rate	79
Birth-rates.....	10, 11
Births and birth-rates, by counties and years.....	68
by counties, showing proportion of males to females.....	69
by seasons	80
by sex and months, by counties	71
in cities, for 1895, with rate	72
in each month, by years	70
notes on	79
parentage	79
percentage of American and foreign, by cities	74
by counties	73
relation to deaths	12
twin	80
by months and counties	75
by sex and parentage	76
marriages and deaths, in each town	14-67
Brain or membranes, inflammation of	216
softening of the.. ..	217
Bright's disease.....	224
Bronchitis	221, 222
Cancer.....	213
1895 and 1892-95.....	214
Centenarians.....	215
Cerebro-spinal meningitis	200
by counties, months, and age-periods..	201
Childbirth	224
Cirrhosis of the liver	223
Constitutional diseases	211
Consumption, by counties and months	205
by counties, months, and age-periods, 1892-95.....	206
Croup	198
by counties and months.....	199

	PAGE
Deaths, age and mortality.....	189
causes of	189
by ages, sex and months, by counties	184
by months, reduced to a standard mean for four years...	187
in each town, from special causes.....	104-143
from certain diseases and groups of diseases, 144-183	
in the State and counties, by classes and groups.....	96-103
from several specified causes in four years	186
notes on, and the causes of deaths	188
number in each month, by years.....	95
seasons and mortality	188
sex and mortality	189
and death-rates, by counties and years	94
Death-rates	10, 11, 188
compared.....	188
Diabetes.....	214
Diarrheal diseases.....	206
Dietetic diseases	211
Digestive system, diseases of the	223
Diphtheria.....	197
by counties and months	198
and croup, by counties, months, and age-periods, 1892-95	200
Divorces by causes, sex of libellants, etc.....	92
decreed in 1895.....	90*
notes on.....	93
Epilepsy.....	217
Heart, diseases of the	218
Hemiplegia	217
Homicide	225
Infantile diarrhea	207
by counties and months	208
by counties, months, and age-periods, 1892-95,	209
in cities, 1892-95	210
Infectious diseases	193
1892-95	194
Influenza	195
deaths from, by counties and months	196
Liver, cirrhosis of.....	223
Marriage, interesting facts relating to	86
rates.....	10, 11, 88
Marriages, ages	88
and rates, by counties.....	81
by ages and counties	85
by counties and nativity.....	82
by months and counties	83

	PAGE
Marriages, nativity	88
notes on	88
number of, in each month, by years.....	84
seasons	88
Malarial diseases.....	203
Measles.....	194
Mortality from ten prominent causes, 1892-95	190
Nephritis	224
Nervous system, diseases of	216
Old age	214, 215
Paralysis	217
Peritonitis	223
Pleurisy	222
Pneumonia	219
1892-95.....	221
by counties and months, with death-rates	220
Population.....	7
density of.....	8
Respiratory system, diseases of the.....	219
Rheumatism	211
by counties, months, and age-periods	212, 213
Scarlet fever.....	194
by counties, months, and age-periods.....	195
Septic diseases	211
Small-pox.....	194
Still-births.....	80
by seasons	78
by sex and parentage	77
Suicide	225, 226
Tetanus	201
Tuberculosis	204
mesenteric	206
other forms.....	206
Typhoid fever	201, 202
by counties, months, and age-periods, 1892-95	203
Urinary system, diseases of the.....	224
Whooping cough.....	197
by counties, months, and age-periods	197
Zymotic death-rates.....	191
diseases.....	190
by cities	193
seven, by counties.....	192



